

Availability and performance daily statistics of dedicated interface and all PSU interfaces

June 14th 2019 to December 31^{st} 2020



1 Daily statistics

1.1 June 14th to July 10th

				Dediest	ed interface							Bank's PSU	interfaces			
Date				Dealcate	ed Interface					Pict	et Connect			We	ealth App	
Date	AISP / CBPII	Availability		AISP Perfor	mance		CBPII Perform	nance	Availa	ıbility	Performan	ice	Availa	ability	Performan	ce
	Uptime	Downtime	#AISP Calls	Avg response time	Error response	#CBPII Calls	Avg response time	Error response	Uptime	Downtime		Error response	Uptime	Downtime		Error response
				(ms)	rate		(ms)	rate			(ms)	rate			(ms)	rate
14.06.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9977%	0.0023%	871	0.0000%	100.0000%	0.0000%	327	0.0039%
15.06.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9972%	0.0028%	147	0.0144%	100.0000%	0.0000%	304	0.0183%
16.06.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9973%	0.0027%	801	0.0144%	100.0000%	0.0000%	315	0.0000%
17.06.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9979%	0.0021%	1'636	0.0000%	100.0000%	0.0000%	336	0.0000%
18.06.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9978%	0.0022%	2'051	0.0000%	100.0000%	0.0000%	339	0.0059%
19.06.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9968%	0.0032%	1'257	0.0144%	100.0000%	0.0000%	355	0.0330%
20.06.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9956%	0.0044%	1'105	0.0289%	100.0000%	0.0000%	316	0.0000%
21.06.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9977%	0.0023%	520	0.0000%	100.0000%	0.0000%	305	0.0306%
22.06.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9989%	0.0011%	115	0.0000%	100.0000%	0.0000%	311	0.0000%
23.06.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9983%	0.0017%	528	0.0000%	100.0000%	0.0000%	318	0.0000%
24.06.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9954%	0.0046%	1'000	0.0289%	100.0000%	0.0000%	304	0.0000%
25.06.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9979%	0.0021%	1'869	0.0000%	100.0000%	0.0000%	330	0.0000%
26.06.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9982%	0.0018%	376	0.0000%	100.0000%	0.0000%	324	0.0000%
27.06.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9948%	0.0052%	727	0.0289%	100.0000%	0.0000%	312	0.0000%
28.06.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9964%	0.0036%	721	0.0144%	100.0000%	0.0000%	318	0.0000%
29.06.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9967%	0.0033%	-	0.0000%	100.0000%	0.0000%	360	0.0000%
30.06.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9961%	0.0039%	316	0.0144%	100.0000%	0.0000%	329	0.0000%
01.07.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9998%	0.0002%	708	0.0144%	100.0000%	0.0000%	340	0.0000%
02.07.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9997%	0.0003%	2'102	0.0000%	100.0000%	0.0000%	318	0.0000%
03.07.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.6528%	0.3472%	439	0.1011%	100.0000%	0.0000%	318	0.0000%
04.07.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9997%	0.0003%	690	0.0000%	100.0000%	0.0000%	310	0.0000%
05.07.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9998%	0.0002%	658	0.0000%	100.0000%	0.0000%	310	0.0000%
06.07.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9997%	0.0003%	114	0.0000%	100.0000%	0.0000%	311	0.0000%
07.07.2019	100.0000%	0.0000%	0	-	0.0000%	0	_	0.0000%	99.9997%	0.0003%	160	0.0000%	100.0000%	0.0000%	307	0.0000%
08.07.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9995%	0.0005%	862	0.0289%	100.0000%	0.0000%	344	0.0000%
09.07.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9999%	0.0003%	1'499	0.0200%	100.0000%	0.0000%	351	0.0000%
10.07.2019	100.0000%	0.0000%	0		0.0000%	0		0.0000%	99.9999%	0.0001%	2'821	0.0000%	100.0000%	0.0000%	343	0.0000%
10.07.2015	100.0000%	0.0000%	0		0.0000%	0		0.0000%	99.9852%	0.0001/8	892	0.0000%	100.0000%	0.0000%	324	0.0034%

1.2 July 11th to August 8th

				Dodiact	ed interface							Bank's PSU	interfaces			
Date				Deurcau	eu milemace					Pict	et Connect			We	ealth App	
Date	AISP / CBPIL	Availability		AISP Perfor	mance		CBPII Perfor	mance	Avail	ability	Performa	nce	Availa	ability	Performa	nce
	Uptime	Downtime	#AISP Calls	Avg response time	Error response	#CBPII Calls	Avg response time	Error response	Uptime	Downtime	Avg response time	Error response	Uptime	Downtime	Avg response time	Error response
				(ms)	rate		(ms)	rate			(ms)	rate			(ms)	rate
11.07.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	945	0.0000%	100.0000%	0.0000%	353	0.0000%
12.07.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	1'199	0.0000%	100.0000%	0.0000%	320	0.0000%
13.07.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	405		100.0000%	0.0000%	380	0.0000%
14.07.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	356	0.0000%	100.0000%	0.0000%	330	0.0000%
15.07.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	868	0.0000%	100.0000%	0.0000%	405	0.0000%
16.07.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	1'101	0.0000%	97.7300%	2.2700%	547	0.0000%
17.07.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	969	0.0000%	100.0000%	0.0000%	558	0.0000%
18.07.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	885	0.0000%	100.0000%	0.0000%	340	0.0000%
19.07.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	1'005	0.0000%	100.0000%	0.0000%	347	0.0000%
20.07.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	479	0.0000%	100.0000%	0.0000%	314	0.0000%
21.07.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	370	0.0000%	100.0000%	0.0000%	317	0.0000%
22.07.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	869	0.0000%	100.0000%	0.0000%	316	0.0000%
23.07.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	857	0.0000%	100.0000%	0.0000%	330	0.0000%
24.07.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	1'051	0.0000%	100.0000%	0.0000%	384	0.0000%
25.07.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	1'049	0.0000%	100.0000%	0.0000%	389	0.0000%
26.07.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	907	0.0000%	100.0000%	0.0000%	340	0.0000%
27.07.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	633	0.0000%	100.0000%	0.0000%	302	0.0000%
28.07.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	489	0.0000%	100.0000%	0.0000%	303	0.0000%
29.07.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	936	0.0000%	100.0000%	0.0000%	309	0.0000%
30.07.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	1'044	0.0000%	100.0000%	0.0000%	300	0.0000%
31.07.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	919	0.0000%	100.0000%	0.0000%	307	0.0000%
01.08.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	839	0.0000%	100.0000%	0.0000%	322	0.0000%
02.08.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	880	0.0000%	100.0000%	0.0000%	310	0.0000%
03.08.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	527	0.0000%	100.0000%	0.0000%	317	0.0000%
04.08.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	490	0.0000%	100.0000%	0.0000%	332	0.0000%
05.08.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	891	0.0000%	100.0000%	0.0000%	324	0.0000%
06.08.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	922	0.0000%	100.0000%	0.0000%	331	0.0000%
07.08.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	1'038	0.0000%	100.0000%	0.0000%	343	
08.08.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	909	0.0013%	100.0000%	0.0000%	310	0.0000%
	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	822	0.0000%	99.9217%	0.0783%	348	0.0000%

1.3 August 9th to September 12th

				Dedicate								Bank's PSU	interfaces			
Date				Dedicate	ed interface					Pict	et Connect			We	ealth App	
Date	AISP / CBPII	Availability		AISP Perform	mance		CBPII Perfor	mance	Avail	ability	Performan	ice	Availa	ability	Performan	ce
	Uptime	Downtime	#AISP Calls	Avg response time	Error response	#CBPII Calls	Avg response time	Error response	Uptime	Downtime	Avg response time	Error response	Uptime	Downtime	Avg response time	Error response
				(ms)	rate		(ms)	rate			(ms)	rate			(ms)	rate
09.08.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	973	0.0000%	100.0000%	0.0000%	369	0.0000%
10.08.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	468	0.0000%	100.0000%	0.0000%	406	0.0000%
11.08.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	365	0.0000%	100.0000%	0.0000%	371	0.0000%
12.08.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	762	0.0000%	100.0000%	0.0000%	355	0.0000%
13.08.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	919	0.0000%	100.0000%	0.0000%	387	0.0000%
14.08.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	966	0.0000%	100.0000%	0.0000%	347	0.0000%
15.08.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	927	0.0000%	100.0000%	0.0000%	351	0.0000%
16.08.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	919	0.0000%	100.0000%	0.0000%	375	0.0000%
17.08.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	358	0.0000%	100.0000%	0.0000%	380	0.0000%
18.08.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	599	0.0000%	100.0000%	0.0000%	368	0.0000%
19.08.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	981	0.0000%	100.0000%	0.0000%	405	0.0000%
20.08.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	848	0.0000%	100.0000%	0.0000%	373	0.0000%
21.08.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	897	0.0000%	100.0000%	0.0000%	353	0.0000%
22.08.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	821	0.0000%	100.0000%	0.0000%	359	0.0000%
23.08.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	911	0.0000%	100.0000%	0.0000%	354	0.0000%
24.08.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	462	0.0000%	100.0000%	0.0000%	376	0.0000%
25.08.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	705	0.0000%	100.0000%	0.0000%	344	0.0000%
26.08.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	762	0.0000%	100.0000%	0.0000%	373	0.0000%
27.08.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	938	0.0000%	100.0000%	0.0000%	386	0.0000%
28.08.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	934	0.0000%	100.0000%	0.0000%	371	0.0000%
29.08.2019		0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	896	0.0000%	100.0000%	0.0000%	367	0.0000%
30.08.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	908	0.0000%	100.0000%	0.0000%	356	0.0000%
31.08.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	387	0.0000%	100.0000%	0.0000%	411	0.0000%
01.09.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	428	0.0000%	100.0000%	0.0000%	442	0.0000%
02.09.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	821	0.0000%	100.0000%	0.0000%	461	0.0000%
03.09.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	941	0.0000%	100.0000%	0.0000%	419	0.0000%
04.09.2019	100.0000%	0.0000%	0	_	0.0000%	0	-	0.0000%	100.0000%	0.0000%	994	0.0000%	100.0000%	0.0000%	475	0.0000%
	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	855	0.0000%	100.0000%	0.0000%	426	0.0000%
	100.0000%	0.0000%	0	_	0.0000%	0	_	0.0000%	100.0000%	0.0000%	871	0.0000%	100.0000%	0.0000%	441	0.0000%
07.09.2019	100.0000%	0.0000%	0	_	0.0000%	0	-	0.0000%	100.0000%	0.0000%	393	0.0000%	100.0000%	0.0000%	407	0.0000%
08.09.2019	100.0000%	0.0000%	0	_	0.0000%	0	-	0.0000%	100.0000%	0.0000%	588	0.0000%	100.0000%	0.0000%	413	0.0000%
09.09.2019	100.0000%	0.0000%	0	_	0.0000%	0	_	0.0000%	100.0000%	0.0000%	804	0.0000%	100.0000%	0.0000%	413	0.0000%
10.09.2019	100.0000%	0.0000%	0	_	0.0000%	0	_	0.0000%	100.0000%	0.0000%	1'032	0.0000%	100.0000%	0.0000%	400	0.0000%
11.09.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	930	0.0000%	100.0000%	0.0000%	398	0.0000%
12.09.2019	100.0000%	0.0000%	0		0.0000%	0	_	0.0000%	100.0000%	0.0000%	1'041	0.0000%	100.0000%	0.0000%	539	0.0000%
12.03.2013	100.0000%	0.0000%	0		0.0000%	0		0.0000%	100.0000%	0.0000%	783	0.0000%		0.0000%	394	0.0000%

1.4 September 13th to October 12th

				Dediest	ed interface							Bank's PSU	interfaces			
Date				Deurcau	eu milenace					Pict	et Connect			We	ealth App	
Date	AISP / CBPII	Availability		AISP Perfor	mance		CBPII Perform	mance	Availa	bility	Performa	nce	Availa	ıbility	Performar	nce
	Uptime	Downtime	#AISP Calls	Avg response time	Error response	#CBPII Calls	Avg response time	Error response	Uptime	Downtime	Avg response time	Error response	Uptime	Downtime	Avg response time	Error response
				(ms)	rate		(ms)	rate			(ms)	rate			(ms)	rate
	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	357	0.0000%	100.0000%	0.0000%	402	0.0039%
14.09.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	484		100.0000%	0.0000%	406	0.0183%
15.09.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	466	0.0000%	100.0000%	0.0000%	413	0.0000%
16.09.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	407	0.0004%	100.0000%	0.0000%	427	0.0000%
17.09.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	385	0.0000%	100.0000%	0.0000%	428	0.0059%
18.09.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	392	0.0000%	100.0000%	0.0000%	419	0.0330%
19.09.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	370	0.0000%	100.0000%	0.0000%	384	0.0000%
20.09.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	413	0.0000%	100.0000%	0.0000%	399	0.0306%
21.09.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	540	0.0000%	100.0000%	0.0000%	391	0.0000%
22.09.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	498	0.0000%	100.0000%	0.0000%	394	0.0000%
23.09.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	389	0.0000%	100.0000%	0.0000%	426	0.0000%
24.09.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	371	0.0000%	100.0000%	0.0000%	392	0.0000%
25.09.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	414	0.0000%	100.0000%	0.0000%	405	0.0000%
26.09.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	346	0.0000%	100.0000%	0.0000%	408	0.0000%
27.09.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	374	0.0000%	100.0000%	0.0000%	403	0.0000%
28.09.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	514	0.0000%	100.0000%	0.0000%	432	0.0000%
29.09.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	492	0.0000%	100.0000%	0.0000%	412	0.0000%
30.09.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	363	0.0000%	100.0000%	0.0000%	727	0.0000%
01.10.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	376	0.0000%	100.0000%	0.0000%	922	0.0000%
02.10.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	396	0.0000%	100.0000%	0.0000%	420	0.0000%
03.10.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	384	0.0001%	100.0000%	0.0000%	432	0.0000%
04.10.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	397	0.0000%	100.0000%	0.0000%	620	0.0000%
05.10.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.1400%	0.8600%	575	0.0000%	100.0000%	0.0000%	382	0.0000%
06.10.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	579	0.0000%	100.0000%	0.0000%	387	0.0000%
07.10.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	332		100.0000%	0.0000%	394	0.0000%
08.10.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	338		100.0000%	0.0000%	384	0.0000%
09.10.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	359	0.0000%	100.0000%	0.0000%	370	0.0000%
10.10.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	413		100.0000%	0.0000%	371	0.0000%
11.10.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	400		100.0000%	0.0000%	398	0.0000%
	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	449		100.0000%	0.0000%	392	0.0000%
	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9713%	0.0287%	419		100.0000%	0.0000%	438	0.0031%

1.5 October 13th to November 12th

				Dediest	ed interface							Bank's PSU	interfaces			
Date				Deurcau	eu milemace					Pict	et Connect			We	alth App	
Date	AISP / CBPII	Availability		AISP Perfor	mance		CBPII Perfor	mance	Availa	bility	Performa	nce	Availa	ability	Performar	nce
	Uptime	Downtime	#AISP Calls	Avg response time	Error response	#CBPII Calls	Avg response time	Error response	Uptime	Downtime	Avg response time	Error response	Uptime	Downtime	Avg response time	Error response
				(ms)	rate		(ms)	rate			(ms)	rate			(ms)	rate
13.10.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	490	0.0000%	100.0000%	0.0000%	378	0.0000%
14.10.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	427	0.0000%	100.0000%	0.0000%	387	0.0000%
15.10.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	348	0.0005%	100.0000%	0.0000%	393	0.0000%
16.10.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	362	0.0000%	100.0000%	0.0000%	378	0.0000%
17.10.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	404	0.0000%	100.0000%	0.0000%	419	0.0000%
18.10.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	386	0.0001%	97.7300%	2.2700%	426	0.0000%
19.10.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	583	0.0000%	100.0000%	0.0000%	367	0.0000%
20.10.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	597	0.0000%	100.0000%	0.0000%	383	0.0000%
21.10.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	494	0.0000%	100.0000%	0.0000%	382	0.0000%
22.10.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	324	0.0004%	100.0000%	0.0000%	437	0.0000%
23.10.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	355	0.0000%	100.0000%	0.0000%	386	0.0000%
24.10.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	359	0.0000%	100.0000%	0.0000%	390	0.0000%
25.10.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	363	0.0000%	100.0000%	0.0000%	390	0.0000%
26.10.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	454	0.0000%	100.0000%	0.0000%	374	0.0000%
27.10.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	431	0.0000%	100.0000%	0.0000%	407	0.0000%
28.10.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	383	0.0000%	100.0000%	0.0000%	378	0.0000%
29.10.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	336	0.0000%	100.0000%	0.0000%	389	0.0000%
30.10.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	432	0.0000%	100.0000%	0.0000%	398	0.0000%
31.10.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	328	0.0000%	100.0000%	0.0000%	404	0.0000%
01.11.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	436	0.0000%	100.0000%	0.0000%	360	0.0000%
02.11.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	541	0.0000%	100.0000%	0.0000%	364	0.0000%
03.11.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	488	0.0000%	100.0000%	0.0000%	375	0.0000%
04.11.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	375	0.0000%	100.0000%	0.0000%	390	0.0000%
05.11.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	382	0.0000%	100.0000%	0.0000%	382	0.0000%
06.11.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	459	0.0000%	100.0000%	0.0000%	362	0.0000%
07.11.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	330	0.0000%	100.0000%	0.0000%	371	0.0000%
08.11.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	370	0.0000%	100.0000%	0.0000%	385	0.0000%
09.11.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	452	0.0000%	99.6700%	0.3300%	373	0.0000%
10.11.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	432	0.0013%	100.0000%	0.0000%	368	0.0000%
11.11.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	316	0.0013%	100.0000%	0.0000%	399	0.0000%
12.11.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	357	0.0013%	100.0000%	0.0000%	389	0.0000%
	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	413	0.0002%	99.9161%	0.0839%	387	0.0000%

				Dodiact	ed interface							Bank's PSU	interfaces			
Date				Dedicate	ed Interface					Pict	et Connect			We	ealth App	
Date	AISP / CBPII	Availability		AISP Perfor	mance		CBPII Perfor	mance	Availa	ability	Performar	ice	Availa	ability	Performar	nce
	Uptime	Downtime	#AISP Calls	Avg response time	Error response	#CBPII Calls	Avg response time	Error response	Uptime	Downtime	Avg response time	Error response	Uptime	Downtime	Avg response time	Error response
				(ms)	rate		(ms)	rate			(ms)	rate			(ms)	rate
13.11.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	403	0.0000%	100.0000%	0.0000%	387	0.0000%
14.11.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	370	0.0000%	100.0000%	0.0000%	373	0.0000%
15.11.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	432	0.0000%	100.0000%	0.0000%	379	0.0000%
16.11.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	504	0.0000%	100.0000%	0.0000%	379	0.0000%
17.11.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	438	0.0000%	100.0000%	0.0000%	385	0.0000%
18.11.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	365	0.0000%	100.0000%	0.0000%	381	0.0000%
19.11.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	411	0.0000%	99.8900%	0.1100%	426	0.0000%
20.11.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	348	0.0000%	100.0000%	0.0000%	361	0.0000%
21.11.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	316	0.0005%	100.0000%	0.0000%	366	0.0000%
22.11.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	361	0.0000%	100.0000%	0.0000%	371	0.0000%
23.11.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	501	0.0000%	100.0000%	0.0000%	386	0.0000%
24.11.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	444	0.0000%	100.0000%	0.0000%	377	0.0000%
25.11.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	312	0.0000%	100.0000%	0.0000%	381	0.0000%
26.11.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	330	0.0000%	100.0000%	0.0000%	378	0.0000%
27.11.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	388	0.0000%	100.0000%	0.0000%	385	0.0000%
28.11.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	293	0.0000%	100.0000%	0.0000%	418	0.0000%
29.11.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	342	0.0000%	100.0000%	0.0000%	390	0.0000%
30.11.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	427	0.0000%	100.0000%	0.0000%	381	0.0000%
01.12.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	437	0.0000%	100.0000%	0.0000%	396	0.0000%
02.12.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	307	0.0000%	100.0000%	0.0000%	389	0.0000%
03.12.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	237	0.0002%	100.0000%	0.0000%	370	0.0000%
04.12.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	294	0.0000%	100.0000%	0.0000%	378	0.0000%
05.12.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	317	0.0000%	100.0000%	0.0000%	389	0.0000%
06.12.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	323	0.0000%	100.0000%	0.0000%	390	0.0000%
07.12.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	493	0.0000%	100.0000%	0.0000%	409	0.0000%
08.12.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	566	0.0000%	100.0000%	0.0000%	388	0.0000%
09.12.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	311	0.0000%	100.0000%	0.0000%	411	0.0000%
10.12.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	330	0.0003%	100.0000%	0.0000%	393	0.0000%
11.12.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	361	0.0000%	100.0000%	0.0000%	378	0.0000%
12.12.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	311	0.0000%	100.0000%	0.0000%	407	0.0000%
	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	376	0.0000%	99.9963%	0.0037%	387	0.0000%

1.6 November 13th to December 12th

	21/32/18								Bank's PSU	interfaces			
Date	Dedicat	ed interface					Pict	et Connect			W	ealth App	
Date	AISP Perform	mance		CBPII Perfor	mance	Availa	bility	Performa	nce	Availa	ability	Performa	nce
	Avg response time (ms)	Error response rate	#CBPII Calls	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate
13.12.2013	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	412	0.0000%	100.0000%	0.0000%	377	0.0000%
14.12.2019	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	583	0.0000%	100.0000%	0.0000%	376	0.0000%
15.12.2019	2	0.0000%	0		0.0000%	100.0000%	0.0000%	746	0.0000%	100.0000%	0.0000%	383	0.0000%
16.12.2019	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	423	0.0000%	100.0000%	0.0000%	386	0.0000%
17.12.2019	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	412	0.0000%	100.0000%	0.0000%	388	0.0000%
18.12.2019	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	407	0.0000%	100.0000%	0.0000%	386	0.0000%
19.12.2019	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	411	0.0000%	100.0000%	0.1100%	394	0.0000%
20.12.2019	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	377	0.0000%	100.0000%	0.0000%	377	0.0000%
21.12.2019	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	570	0.0005%	100.0000%	0.0000%	415	0.0000%
22.12.2019	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	648	0.0000%	100.0000%	0.0000%	373	0.0000%
23.12.2019	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	405	0.0000%	100.0000%	0.0000%	518	0.0000%
24.12.2019	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	358	0.0000%	100.0000%	0.0000%	365	0.0000%
25.12.2019	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	575	0.0000%	100.0000%	0.0000%	372	0.0000%
26.12.2019	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	555	0.0000%	100.0000%	0.0000%	366	0.0000%
27.12.2019	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	524	0.0000%	100.0000%	0.0000%	555	0.0000%
28.12.2019	_	0.0000%	0	-	0.0000%	100.0000%	0.0000%	521	0.0000%	100.0000%	0.0000%	352	0.0000%
29.12.2019	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	500	0.0000%	100.0000%	0.0000%	373	
30.12.2019	-	0.0000%	0	_	0.0000%	100.0000%	0.0000%	351	0.0000%	100.0000%	0.0000%	391	
31.12.2019	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	350	0.0000%	100.0000%	0.0000%	389	0.0000%
01.01.2020	_	0.0000%	0	-	0.0000%	100.0000%	0.0000%	413	0.0000%	100.0000%	0.0000%	372	0.0000%
02.01.2020	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	328	0.0002%	100.0000%	0.0000%	374	0.0000%
03.01.2020	_	0.0000%	0	-	0.0000%	100.0000%	0.0000%	334	0.0000%	100.0000%	0.0000%	363	
04.01.2020	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	411	0.0000%	100.0000%	0.0000%	386	
05.01.2020	- 1	0.0000%	0	-	0.0000%	100.0000%	0.0000%	409	0.0000%	100.0000%	0.0000%	391	
06.01.2020	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	266	0.0000%	100.0000%	0.0000%	354	
07.01.2020	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	289	0.0000%	100.0000%	0.0000%	370	
08.01.2020	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	315	0.0000%	100.0000%	0.0000%	354	
09.01.2020	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	290	0.0003%	100.0000%	0.0000%	381	
10.01.2020	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	341	0.0000%	100.0000%	0.0000%	418	
11.01.2020	_	0.0000%	0		0.0000%	100.0000%	0.0000%	453	0.0000%	100.0000%	0.0000%	399	
	-	0.0000%	Ő		0.0000%	100.0000%	0.0000%	433	0.0000%	100.0000%	0.0037%	390	

1.7 December 13th to January 11th

				2								Bank's PSU	interfaces			
				Dedicate	ed interface					Pict	et Connect			W	ealth App	
Date	AISP / CBPIL	Availability		AISP Perform	nance		CBPII Perfo	mance	Avail	ability	Performa	nce	Availa	bility	Performa	nce
	Uptime	Downtime	#AISP Calls	Avg response time	Error response	#CBPII Calls	Avg response time		Uptime	Downtime	Avg response time	Error response	Uptime	Downtime	Avg response time	Error response
				(ms)	rate		(ms)	rate			(ms)	rate			(ms)	rate
12.01.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	403	0.0000%	100.0000%	0.0000%	386	0.0000%
13.01.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	318	0.0000%	100.0000%	0.0000%	385	0.0000%
14.01.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9900%	0.0100%	286	0.0000%	100.0000%	0.0000%	378	0.0000%
15.01.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	290	0.0000%	100.0000%	0.0000%	382	0.0000%
16.01.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	276	0.0000%	100.0000%	0.0000%	402	0.0000%
17.01.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	343	0.0000%	100.0000%	0.0000%	459	0.0000%
18.01.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	470	0.0000%	100.0000%	0.1100%	409	0.0000%
19.01.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	435	0.0000%	100.0000%	0.0000%	421	0.0000%
20.01.2020	100.0000%	0.0000%	0	=	0.0000%	0	-	0.0000%	100.0000%	0.0000%	321	0.0005%	100.0000%	0.0000%	398	0.0000%
21.01.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	327	0.0000%	100.0000%	0.0000%	409	0.0000%
22.01.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	285	0.0000%	100.0000%	0.0000%	426	0.0000%
23.01.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	316	0.0000%	100.0000%	0.0000%	518	0.0000%
24.01.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	340	0.0000%	100.0000%	0.0000%	428	0.0000%
25.01.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	493	0.0000%	100.0000%	0.0000%	423	0.0000%
26.01.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	456	0.0000%	100.0000%	0.0000%	418	0.0000%
27.01.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	305	0.0000%	100.0000%	0.0000%	370	0.0000%
28.01.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	287	0.0000%	100.0000%	0.0000%	400	0.0000%
29.01.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	351	0.0000%	100.0000%	0.0000%	430	0.0000%
30.01.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	301	0.0000%	100.0000%	0.0000%	445	0.0000%
31.01.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	289	0.0000%	100.0000%	0.0000%	430	0.0000%
01.02.2020	100.0000%	0.0000%	0	2	0.0000%	0	-	0.0000%	100.0000%	0.0000%	434	0.0002%	100.0000%	0.0000%	412	0.0000%
02.02.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	415	0.0000%	100.0000%	0.0000%	418	0.0000%
03.02.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	253	0.0000%	100.0000%	0.0000%	405	0.0000%
04.02.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	559	0.0000%	100.0000%	0.0000%	447	0.0000%
05.02.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	279	0.0000%	100.0000%	0.0000%	415	
06.02.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	252	0.0000%	100.0000%	0.0000%	404	0.0000%
07.02.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	352	0.0000%	100.0000%	0.0000%	421	0.0000%
08.02.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	454	0.0003%	100.0000%	0.0000%	447	0.0000%
09.02.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	585	0.0000%	100.0000%	0.0000%	455	0.0000%
	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99,9997%	0.0003%	361	0.0000%	100.0000%	0.0038%	419	0.0000%

1.8 January 12th to February 9th

				Busties.								Bank's PSU	interfaces			
Date				Dedicati	ed interface					Pict	tet Connect			W	'ealth App	
Date	AISP / CBPIL	Availability		AISP Perform	nance		CBPII Perfor	mance	Avail	ability	Performar	nce	Availa	ıbility	Performa	nce
	Uptime	Downtime	#AISP Calls	Avg response time	Error response	#CBPII Calls	Avg response time	Error response	Uptime	Downtime	Avg response time	Error response	Uptime	Downtime	Avg response time	Error response
				(ms)	rate		(ms)	rate			(ms)	rate			(ms)	rate
10.02.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	260	0.0000%	100.0000%	0.0000%	393	0.0000%
11.02.2020	100.0000%	0.0000%	0	-	0.000%	0	-	0.0000%	100.0000%	0.0000%	246	0.0000%	100.0000%	0.0000%	407	0.0000%
12.02.2020	100.0000%	0.0000%	0	-	0.000%	0	-	0.0000%	100.0000%	0.0000%	255	0.0000%	100.0000%	0.0000%	437	0.0000%
13.02.2020	100.0000%	0.0000%	0	-	0.000%	0	-	0.0000%	100.0000%	0.0000%	416	0.0000%	100.0000%	0.0000%	421	0.0000%
14.02.2020	100.0000%	0.0000%	0	2	0.000%	0	2	0.0000%	99.9900%	0.0100%	326	0.0000%	100.0000%	0.0000%	369	0.0000%
15.02.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	382	0.0000%	100.0000%	0.0000%	372	0.0000%
16.02.2020	100.0000%	0.0000%	0	2	0.000%	0	-	0.0000%	100.0000%	0.0000%	350	0.0000%	100.0000%	0.0000%	358	0.0000%
17.02.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	271	0.0000%	100.0000%	0.0000%	359	0.0000%
18.02.2020	100.0000%	0.0000%	0		0.0000%	0	2	0.0000%	100.0000%	0.0000%	273	0.0000%	100.0000%	0.0000%	367	0.0000%
19.02.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	250	0.0000%	100.0000%	0.0000%	368	0.0000%
20.02.2020	100.0000%	0.0000%	0		0.0000%	0	2	0.0000%	100.0000%	0.0000%	255	0.0000%	100.0000%	0.0000%	366	0.0000%
21.02.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	280	0.0000%	100.0000%	0.0000%	367	0.0000%
22.02.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	373	0.0000%	100.0000%	0.0000%	396	0.0000%
23.02.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	282	0.0000%	100.0000%	0.0000%	375	0.0000%
24.02.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	261	0.0000%	100.0000%	0.0000%	370	0.0000%
25.02.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	253	0.0000%	100.0000%	0.0000%	373	0.0000%
26.02.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	250	0.0000%	100.0000%	0.0000%	372	0.0000%
27.02.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	288	0.0000%	100.0000%	0.0000%	393	0.0000%
28.02.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	342	0.0000%	100.0000%	0.0000%	403	0.0000%
29.02.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	453	0.0000%	100.0000%	0.0000%	395	0.0000%
01.03.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	397	0.0000%	100.0000%	0.0000%	364	0.0000%
02.03.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	289	0.0000%	100.0000%	0.0000%	467	0.0000%
03.03.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	306	0.0000%	100.0000%	0.0000%	379	0.0000%
04.03.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	311	0.0000%	100.0000%	0.0000%	381	0.0000%
05.03.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	330	0.0000%	100.0000%	0.0000%	400	0.0000%
06.03.2020	100.0000%	0.0000%	0	_	0.0000%	0	-	0.0000%	100.0000%	0.0000%	363	0.0000%	100.0000%	0.0000%	367	
07.03.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	463	0.0000%	100.0000%	0.0000%	393	
08.03.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	409	0.0003%	100.0000%	0.0000%	368	
09.03.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	309	0.0000%	100.0000%	0.0000%	383	
10.03.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	568	0.0000%	100.0000%	0.0000%	408	
	100.0000%	0.0000%	, n	-	0.0000%	Ő	-	0.0000%	99,9997%	0.0003%	319	-	100.0000%	0.0000%		

1.9 February 10th to March 10th

				D -41-44								Bank's PSU	interfaces			
Date				Dedicati	ed interface					Pict	et Connect			We	ealth App	
Date	AISP / CBPIL	Availability		AISP Perfor	mance		CBPII Perfor	mance	Availa	ibility	Performar	ice	Availa	bility	Performa	nce
	Uptime	Downtime		Avg response time	Error response	#CBPII Calls	Avg response time	Error response	Uptime	Downtime	Avg response time	Error response	Uptime	Downtime	Avg response time	Error response
				(ms)	rate		(ms)	rate			(ms)	rate			(ms)	rate
11.03.2020	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	250	0.0000%	100.0000%	0.0000%	411	
12.03.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	255	0.0000%	100.0000%	0.0000%	419	0.0000%
13.03.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	280	0.0000%	100.0000%	0.0000%	439	0.0000%
14.03.2020	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	373	0.0000%	100.0000%	0.0000%	402	0.0000%
15.03.2020	100.0000%	0.0000%	0	-	0.0000%	0		0.0000%	100.0000%	0.0000%	288	0.0000%	100.0000%	0.0000%	397	0.0000%
16.03.2020	100.0000%	0.0000%	0	5	0.0000%	0	-	0.0000%	100.0000%	0.0000%	342	0.0000%	100.0000%	0.0000%	405	0.0000%
17.03.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	453	0.0000%	100.0000%	0.0000%	423	0.0000%
18.03.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	397	0.0000%	100.0000%	0.0000%	410	0.0000%
19.03.2020	100.0000%	0.0000%	0	2	0.0000%	0	121	0.0000%	100.0000%	0.0000%	289	0.0000%	100.0000%	0.0000%	426	0.0000%
20.03.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	261	0.0000%	100.0000%	0.0000%	429	0.0000%
21.03.2020	100.0000%	0.0000%	0	2	0.0000%	0	-	0.0000%	100.0000%	0.0000%	253	0.0000%	100.0000%	0.0000%	304	0.0000%
22.03.2020	100.0000%	0.0000%	0	-	0.0000%	0		0.0000%	100.0000%	0.0000%	261	0.0000%	100.0000%	0.0000%	324	0.0000%
23.03.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	253	0.0000%	100.0000%	0.0000%	339	0.0000%
24.03.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	363	0.0000%	100.0000%	0.0000%	319	0.0000%
25.03.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	463	0.0000%	100.0000%	0.0000%	340	0.0000%
26.03.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	409	0.0000%	100.0000%	0.0000%	318	0.0000%
27.03.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	309	0.0000%	100.0000%	0.0000%	306	0.0000%
28.03.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	342	0.0000%	100.0000%	0.0000%	308	0.0000%
29.03.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	453	0.0000%	100.0000%	0.0000%	341	0.0000%
30.03.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	397	0.0000%	100.0000%	0.0000%	357	
31.03.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	289	0.0000%	100.0000%	0.0000%	331	0.0000%
01.04.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	303	0.0000%	100.0000%	0.0000%	313	0.0000%
02.04.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	330	0.0000%	100.0000%	0.0000%	308	
03.04.2020	100.0000%	0.0000%	0	_	0.0000%	0		0.0000%	100.0000%	0.0000%	439	0.0000%	100.0000%	0.0000%	321	
04.04.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	405	0.0000%	100.0000%	0.0000%	334	
05.04.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	706	0.0000%	100.0000%	0.0000%	317	
06.04.2020	100.0000%	0.0000%	0	_	0.0000%	0	_	0.0000%	100.0000%	0.0000%	299	0.0000%	100.0000%	0.0000%	288	
07.04.2020	100.0000%	0.0000%	0	_	0.0000%	0	_	0.0000%	100.0000%	0.0000%	329	0.0003%	100.0000%	0.0000%	299	
08.04.2020	100.0000%	0.0000%	0	_	0.0000%	0	_	0.0000%	100.0000%	0.0000%	315	0.0000%	100.0000%	0.0000%	293	
09.04.2020	100.0000%	0.0000%	0		0.0000%	0		0.0000%	100.0000%	0.0000%	340	0.0000%	100.0000%	0.0000%	303	
55.01.2020	100.0000%		0		0.0000%			0.0000%	100.0000%		348		100.0000%	0.0000%	352	

1.10 March 11th to April 9th

				Bartant								Bank's PSU	interfaces			
Date				Dedicate	ed interface					Pict	et Connect			We	alth App	
Date	AISP / CBPIL	Availability		AISP Perform	nance		CBPII Perfor	mance	Availa	bility	Performan	ce	Availa	bility	Performa	nce
	Uptime	Downtime		Avg response time	Error response	#CBPII Calls	Avg response time	Error response	Uptime	Downtime	Avg response time	Error response	Uptime	Downtime	Avg response time	Error response
				(ms)	rate		(ms)	rate			(ms)	rate			(ms)	rate
10.04.2020	100.0000%	0.0000%	0	7	0.0000%	0		0.0000%	100.0000%	0.0000%	388	0.0000%	100.0000%	0.0000%	320	0.0000%
11.04.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	461	0.0000%	100.0000%	0.0000%	316	0.0000%
12.04.2020	100.0000%	0.0000%	0	<u></u>	0.0000%	0	-	0.0000%	100.0000%	0.0000%	483	0.0000%	100.0000%	0.0000%	328	0.0000%
13.04.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	338	0.0000%	100.0000%	0.0000%	312	0.0000%
14.04.2020	100.0000%	0.0000%	0	-	0.0000%	0		0.0000%	100.0000%	0.0000%	314	0.0000%	100.0000%	0.0000%	310	0.0000%
15.04.2020	100.0000%	0.0000%	0	2	0.0000%	0		0.0000%	100.0000%	0.0000%	320	0.0000%	100.0000%	0.0000%	343	0.0000%
16.04.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	314	0.0000%	100.0000%	0.0000%	309	0.0000%
17.04.2020	100.0000%	0.0000%	0	<u>.</u>	0.0000%	0	-	0.0000%	100.0000%	0.0000%	334	0.0000%	100.0000%	0.0000%	312	0.0000%
18.04.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	464	0.0000%	100.0000%	0.0000%	313	0.0000%
19.04.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	424	0.0000%	100.0000%	0.0000%	326	0.0000%
20.04.2020	100.0000%	0.0000%	0	<u></u>	0.0000%	0	-	0.0000%	100.0000%	0.0000%	322	0.0000%	100.0000%	0.0000%	291	0.0000%
21.04.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	324	0.0000%	100.0000%	0.0000%	303	0.0000%
22.04.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	328	0.0000%	100.0000%	0.0000%	300	0.0000%
23.04.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	286	0.0000%	100.0000%	0.0000%	289	0.0000%
24.04.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	383	0.0000%	100.0000%	0.0000%	295	0.0000%
25.04.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	410	0.0000%	100.0000%	0.0000%	301	0.0000%
26.04.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	396	0.0000%	100.0000%	0.0000%	295	0.0000%
27.04.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	307	0.0000%	100.0000%	0.0000%	295	0.0000%
28.04.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	330	0.0000%	100.0000%	0.0000%	308	0.0000%
29.04.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	367	0.0000%	100.0000%	0.0000%	298	0.0000%
30.04.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	311	0.0000%	100.0000%	0.0000%	293	0.0000%
01.05.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	410	0.0000%	100.0000%	0.0000%	288	0.0000%
02.05.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	474	0.0000%	100.0000%	0.0000%	294	0.0000%
03.05.2020	100.0000%	0.0000%	0	_	0.0000%	0	-	0.0000%	100.0000%	0.0000%	496	0.0000%	100.0000%	0.0000%	287	0.0000%
04.05.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	404	0.0000%	100.0000%	0.0000%	290	0.0000%
05.05.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	410	0.0000%	100.0000%	0.0000%	305	0.0000%
06.05.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	478	0.0000%	100.0000%	0.0000%	317	0.0000%
07.05.2020	100.0000%	0.0000%	0	_	0.0000%	0	-	0.0000%	100.0000%	0.0000%	469	0.0003%	100.0000%	0.0000%	310	0.0000%
08.05.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	401	0.0000%	100.0000%	0.0000%	312	0.0000%
09.05.2020	100.0000%	0.0000%	0	_	0.0000%	0	-	0.0000%	100.0000%	0.0000%	420	0.0000%	100.0000%	0.0000%	310	0.0000%
	100.0000%		0	-	0.0000%	0	-	0.0000%	100.0000%			0.0000%	100.0000%	0.0000%	306	0.0000%

1.11 April 10th till May 9th

										Bank's PSU	interfaces			
Date		Dedicate	ed interface					Picte	et Connect			We	ealth App	
Date		AISP Perform	mance		CBPII Perfor	mance	Avail	ibility	Performa	nce	Availa	bility	Performa	псе
	#AISP Calls	Avg response time (ms)	Error response rate	#CBPII Calls	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate
10.05.2020	0	5	0.0000%	0		0.0000%	100.0000%	0.0000%	500	0.0000%	100.0000%	0.0000%	362	0.0000%
11.05.2020	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	405	0.0000%	100.0000%	0.0000%	388	0.0000%
12.05.2020	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	403	0.0000%	100.0000%	0.0000%	353	0.0000%
13.05.2020	0	2	0.0000%	0		0.0000%	100.0000%	0.0000%	414	0.0000%	100.0000%	0.0000%	374	0.0000%
14.05.2020	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	363	0.0000%	100.0000%	0.0000%	380	0.0000%
15.05.2020	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	393	0.0000%	100.0000%	0.0000%	356	0.0000%
16.05.2020	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	522	0.0000%	100.0000%	0.0000%	362	0.0000%
17.05.2020		-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	432	0.0000%	100.0000%	0.0000%	375	
18.05.2020		2	0.0000%	0	-	0.0000%	100.0000%	0.0000%	367	0.0000%	100.0000%	0.0000%	863	
19.05.2020			0.0000%	0	-	0.0000%	100.0000%	0.0000%	365	0.0000%	100.0000%	0.0000%	327	
20.05.2020		-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	328	0.0000%	100.0000%	0.0000%	322	
21.05.2020		2	0.0000%	0	121	0.0000%	100.0000%	0.0000%	350	0.0000%	100.0000%	0.0000%	329	
22.05.2020		-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	353	0.0000%	100.0000%	0.0000%	308	
23.05.2020		-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	418	0.0000%	100.0000%	0.0000%	450	
24.05.2020		-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	537	0.0000%	100.0000%	0.0000%	320	
25.05.2020		-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	544	0.0000%	100.0000%	0.0000%	326	
26.05.2020		2	0.0000%	0	-	0.0000%	100.0000%	0.0000%	424	0.0000%	100.0000%	0.0000%	366	
27.05.2020		~	0.0000%	0	-	0.0000%	100.0000%	0.0000%	390	0.0000%	100.0000%	0.0000%	477	
28.05.2020		-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	333	0.0000%	100.0000%	0.0000%	384	
29.05.2020		2	0.0000%	0	121	0.0000%	100.0000%	0.0000%	320	0.0000%	100.0000%	0.0000%	373	
30.05.2020		-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	385	0.0000%	100.0000%	0.0000%	352	
31.05.2020		-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	419	0.0000%	100.0000%	0.0000%	353	
01.06.2020		-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	305	0.0000%	100.0000%	0.0000%	353	
02.06.2020		-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	295	0.0000%	100.0000%	0.0000%	360	
03.06.2020		-	0.0000%	0		0.0000%	100.0000%	0.0000%	290	0.0000%	100.0000%	0.0000%	341	
04.06.2020		-	0.0000%	0		0.0000%	100.0000%	0.0000%	305	0.0000%	100.0000%	0.0000%	378	
05.06.2020		-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	339	0.0000%	100.0000%	0.0000%	328	
06.06.2020		-	0.0000%	0	12	0.0000%	100.0000%	0.0000%	385	0.0003%	100.0000%	0.0000%	324	
07.06.2020		_	0.0000%	0		0.0000%	100.0000%	0.0000%	410	0.0000%	100.0000%	0.0000%	362	
08.06.2020			0.0000%	0		0.0000%	100.0000%	0.0000%	321	0.0000%	100.0000%	0.0000%	345	
00.00.2020	- 0		0.0000%	0		0.0000%	100.0000%				100.0000%	0.0000%	377	

1.12 May 10th to June 8th

					d interface							Bank's PSU	interfaces				
Date				Dedicate	d interface				Pictet Connect Wealth App								
Date	AISP / CBPII	Availability		AISP Perform	папсе		CBPII Perfor	mance	Availa	bility	Performance		Availability		Performa	nce	
	Uptime	Downtime	#AISP Calls	Avg response time (ms)	Error response rate	#CBPII Calls	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime .	Downtime	Avg response time (ms)	Error response rate	
09.06.2020	100.0000%	0.0000%	0	2	0.0000%	0	100 A	0.0000%	100.0000%	0.0000%	323	0.0000%	100.0000%	0.0000%	345	0.0000%	
10.06.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	297	0.0000%	100.0000%	0.0000%	350	0.0000%	
11.06.2020	100.0000%	0.0000%	0	-	0.0000%	0		0.0000%	100.0000%	0.0000%	305	0.0000%	100.0000%	0.0000%	344	0.0000%	
12.06.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	313	0.0000%	100.0000%	0.0000%	320	0.0000%	
13.06.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	376	0.0000%	100.0000%	0.0000%	331	0.0000%	
14.06.2020	100.0000%	0.0000%	0	2	0.0000%	0	-	0.0000%	100.0000%	0.0000%	359	0.0000%	100.0000%	0.0000%	319	0.0000%	
15.06.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	297	0.0000%	100.0000%	0.0000%	320	0.0000%	
16.06.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	304	0.0000%	100.0000%	0.0000%	339	0.0000%	
17.06.2020	100.0000%	0.0000%	0	2	0.0000%	0		0.0000%	100.0000%	0.0000%	473	0.0000%	100.0000%	0.0000%	327	0.0000%	
18.06.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	340	0.0000%	100.0000%	0.0000%	341	0.0000%	
19.06.2020	100.0000%	0.0000%	0	-	0.0000%	0	w/	0.0000%	100.0000%	0.0000%	321	0.0000%	100.0000%	0.0000%	315	0.0000%	
20.06.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	420	0.0000%	100.0000%	0.0000%	317	0.0000%	
21.06.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	362	0.0000%	100.0000%	0.0000%	303	0.0000%	
22.06.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	325	0.0000%	100.0000%	0.0000%	358	0.0000%	
23.06.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	354	0.0000%	100.0000%	0.0000%	313	0.0000%	
24.06.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	362	0.0000%	100.0000%	0.0000%	343	0.0000%	
25.06.2020	100.0000%	0.0000%	0	2	0.0000%	0		0.0000%	100.0000%	0.0000%	396	0.0000%	100.0000%	0.0000%	311	0.0000%	
26.06.2020	100.0000%	0.0000%	0		0.0000%	0		0.0000%	100.0000%	0.0000%	388	0.0000%	100.0000%	0.0000%	326	0.0000%	
27.06.2020	100.0000%	0.0000%	0	-	0.0000%	0	÷	0.0000%	100.0000%	0.0000%	459	0.0000%	100.0000%	0.0000%	319	0.0000%	
28.06.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	601	0.0000%	100.0000%	0.0000%	284	0.0000%	
29.06.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	541	0.0000%	100.0000%	0.0000%	302	0.0000%	
30.06.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	334	0.0000%	100.0000%	0.0000%	324	0.0000%	
	100.0000%	0.0000%	0	5	0.0000%	0		0.0000%	100.0000%	0.0000%	375	0.0000%	100.0000%	0.0000%	325	0.0000%	

1.13 June 9th to June 30th

									Bank's PSU interfaces									
Date				Dedicati	ed interface				Pictet Connect Wealth App									
Date	AISP / CBPIL	Availability		AISP Perfor	mance		CBPII Perform	mance	Availa	ıbility	Performar	100	Availability		Performance			
	Uptime	Downtime	#AISP Calls	Avg response time	Error response	#CBPII Calls	Avg response time	Error response	Uptime	Downtime	Avg response time	Error response	Uptime	Downtime	Avg response time	Error response		
				(ms)	rate		(ms)	rate			(ms)	rate			(ms)	rate		
01.07.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	417	0,0000%	100,0000%	0,0000%	290	0,0000%		
02.07.2020	100,0000%	0,0000%	0	-	0,0000%	0		0,0000%	100,0000%	0,0000%	342	0,0000%	100,0000%	0,0000%	313	0,0000%		
03.07.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	340	0,0000%	100,0000%	0,0000%	312	0,0000%		
04.07.2020	100,0000%	0,0000%	0	-	0,0000%	0	•	0,0000%	100,0000%	0,0000%	407	0,0000%	100,0000%	0,0000%	302	0,0000%		
05.07.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	384	0,0000%	100,0000%	0,0000%	307	0,0000%		
06.07.2020	100,0000%	0,0000%	0	5	0,0000%	0		0,0000%	100,0000%	0,0000%	313	0,0000%	100,0000%	0,0000%	315	0,0000%		
07.07.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	307	0,0000%	100,0000%	0,0000%	330	0,0000%		
08.07.2020	100,0000%	0,0000%	0	2	0,0000%	0	-	0,0000%	100,0000%	0,0000%	317	0,0000%	100,0000%	0,0000%	332	0,0000%		
09.07.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	341	0,0000%	100,0000%	0,0000%	322	0,0000%		
10.07.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	345	0,0000%	100,0000%	0,0000%	300	0,0000%		
11.07.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	411	0,0000%	100,0000%	0,0000%	305	0,0000%		
12.07.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	385	0,0000%	100,0000%	0,0000%	306	0,0000%		
13.07.2020	100,0000%	0,0000%	0	-	0.0000%	0		0.0000%	100.0000%	0.0000%	393	0.0000%	100.0000%	0.0000%	297	0.0000%		
14.07.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	323	0,0000%	100,0000%	0,0000%	302	0,0000%		
15.07.2020	100,0000%	0,0000%	0	-	0,0000%	0		0,0000%	100,0000%	0,0000%	319	0,0000%	100,0000%	0,0000%	292	0,0000%		
16.07.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	342	0,0000%	100,0000%	0,0000%	604	0,0000%		
17.07.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	343	0,0000%	100,0000%	0,0000%	403	0,0000%		
18.07.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	408	0,0000%	100,0000%	0,0000%	387	0,0000%		
19.07.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	373	0,0000%	100,0000%	0,0000%	342	0,0000%		
20.07.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	341	0,0000%	100,0000%	0,0000%	432	0,0000%		
21.07.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	330	0,0000%	100,0000%	0,0000%	426	0,0000%		
22.07.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	328	0,0000%	100,0000%	0,0000%	485	0,0000%		
23.07.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	340	0,0000%	100,0000%	0,0000%	342	0,0000%		
24.07.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	347	0,0000%	100,0000%	0,0000%	537	0,0000%		
25.07.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	449	0,0000%	100,0000%	0,0000%	539	0,0000%		
26.07.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	392	0,0000%	100,0000%	0,0000%	484	0,0000%		
27.07.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	310	0,0000%	100,0000%	0,0000%	412	0,0000%		
28.07.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	304	0,0000%	100,0000%	0,0000%	421	0,0000%		
29.07.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	325	0,0000%	100,0000%	0,0000%	437	0,0000%		
30.07.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	312	0,0000%	100,0000%	0,0000%	378	0,0000%		
31.07.2020	100,0000%	0,0000%	0	-	0,0000%	0		0,0000%	100,0000%	0,0000%	313	0,0000%	100,0000%	0,0000%	1 058	0,0000%		
	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	352	0,0000%	100,0000%	0,0000%	397	0,0000%		

1.14 July 1st to July 31st

				Dedieste								Bank's PSU	interfaces			
Date				Dedicate	d interface					Pic	ctet Connect			١	Vealth App	
Date	AISP / CBPIL	Availability		AISP Perform	nance		CBPII Perform	nance	Availa	ıbility	Performanc	e	Availa	bility	Performan	се
	Uptime	Downtime		Avg response time (ms)	Error response	#CBPII Calls	Avg response time (ms)	Error response	Uptime	Downtime	Avg response time (ms)	Error response	Uptime	Downtime	Avg response time (ms)	Error response
					rate			rate				rate				rate
01.08.2020	100.0000%	0.0000%	(-	0.0000%	C	-	0.0000%	100.0000%	0.0000%	394	0.0000%	100.0000%	0.0000%	623	0.0000%
02.08.2020	100.0000%	0.0000%	0	-	0.0000%	C	-	0.0000%	100.0000%	0.0000%	390	0.0000%	100.0000%	0.0000%	581	0.0000%
03.08.2020	100.0000%	0.0000%	0	-	0.0000%	C	-	0.0000%	100.0000%	0.0000%		0.0000%	100.0000%	0.0000%	349	0.0000%
04.08.2020	100.0000%	0.0000%	(-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	330	0.0000%	100.0000%	0.0000%	530	0.0000%
05.08.2020	100.0000%	0.0000%	(-	0.0000%	C	-	0.0000%	100.0000%	0.0000%	314	0.0000%	100.0000%	0.0000%	436	0.0000%
06.08.2020	100.0000%	0.0000%	(-	0.0000%	C	-	0.0000%	100.0000%	0.0000%	311	0.0000%	100.0000%	0.0000%	468	0.0000%
07.08.2020	100.0000%	0.0000%	(-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	343	0.0000%	100.0000%	0.0000%	338	0.0000%
08.08.2020	100.0000%	0.0000%	(-	0.0000%	C	-	0.0000%	100.0000%	0.0000%	379	0.0000%	100.0000%	0.0000%	434	0.0000%
09.08.2020	100.0000%	0.0000%	(-	0.0000%	C	-	0.0000%	100.0000%	0.0000%	357	0.0000%	100.0000%	0.0000%	429	0.0000%
10.08.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	312	0.0000%	100.0000%	0.0000%	899	0.0000%
11.08.2020	100.0000%	0.0000%	(-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	323	0.0000%	100.0000%	0.0000%	728	0.0000%
12.08.2020	100.0000%	0.0000%	(-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	334	0.0000%	100.0000%	0.0000%	363	0.0000%
13.08.2020	100.0000%	0.0000%	(-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	318	0.0000%	100.0000%	0.0000%	385	0.0000%
14.08.2020	100.0000%	0.0000%	(-	0.0000%	C	-	0.0000%	100.0000%	0.0000%	354	0.0000%	100.0000%	0.0000%	501	0.0000%
15.08.2020	100.0000%	0.0000%	0	-	0.0000%	C	-	0.0000%	100.0000%	0.0000%	406	0.0000%	100.0000%	0.0000%	404	0.0000%
16.08.2020	100.0000%	0.0000%	(-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	389	0.0000%	100.0000%	0.0000%	490	0.0000%
17.08.2020	100.0000%	0.0000%	(-	0.0000%	C	-	0.0000%	100.0000%	0.0000%	314	0.0000%	100.0000%	0.0000%	413	0.0000%
18.08.2020	100.0000%	0.0000%	(-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	322	0.0000%	100.0000%	0.0000%	442	0.0000%
19.08.2020	100.0000%	0.0000%	(-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	328	0.0000%	100.0000%	0.0000%	1'263	0.0000%
20.08.2020	100.0000%	0.0000%	(-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	321	0.0000%	100.0000%	0.0000%	464	0.0000%
21.08.2020	100.0000%	0.0000%	(-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	331	0.0000%	100.0000%	0.0000%	385	0.0000%
22.08.2020	100.0000%	0.0000%	(-	0.0000%	C	-	0.0000%	100.0000%	0.0000%	404	0.0000%	100.0000%	0.0000%	336	0.0000%
23.08.2020	100.0000%	0.0000%	(2	0.0000%	C	-	0.0000%	100.0000%	0.0000%	392	0.0000%	100.0000%	0.0000%	454	0.0000%
24.08.2020	100.0000%	0.0000%	(-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	334	0.0000%	100.0000%	0.0000%	422	0.0000%
25.08.2020	100.0000%	0.0000%	(-	0.0000%	C	-	0.0000%	100.0000%	0.0000%	341	0.0000%	100.0000%	0.0000%	453	0.0000%
26.08.2020	100.0000%	0.0000%	(-	0.0000%	C	-	0.0000%	100.0000%	0.0000%	332	0.0000%	100.0000%	0.0000%	861	0.0000%
27.08.2020	100.0000%	0.0000%	(-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	330	0.0000%	100.0000%	0.0000%	491	0.0000%
28.08.2020	100.0000%	0.0000%	(-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	304	0.0000%	100.0000%	0.0000%	385	0.0000%
29.08.2020	100.0000%	0.0000%	(-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	325	0.0000%	100.0000%	0.0000%	501	0.0000%
30.08.2020	100.0000%	0.0000%	(-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	312	0.0000%	100.0000%	0.0000%	404	0.0000%
31.08.2020	100.0000%	0.0000%	(-	0.0000%	C	-	0.0000%	100.0000%	0.0000%	313	0.0000%	100.0000%	0.0000%	490	0.0000%
	100.0000%	0.0000%	C	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	341	0.0000%	100.0000%	0.0000%	507	0.0000%

1.15 August 1st to August 31st

				Dedicate	d interface				Bank's PSU interfaces										
Date				Dedicate	a interface					Pi	ctet Connect		Wealth App						
Date	AISP / CBPIL	Availability		AISP Perform	ance		CBPII Perform	nance	Availa	bility	Performan	ce	Availa	bility	Performanc	ce			
	Uptime	Downtime		Avg response time (ms)	Error response	#CBPII Calls	Avg response time (ms)	Error response	Uptime	Downtime	Avg response time (ms)	Error response	Uptime	Downtime	Avg response time (ms)	Error response			
					rate			rate				rate				rate			
01.09.2020	100.0000%	0.0000%	(-	0.0000%	() –	0.0000%	100.0000%	0.0000%	339	0.0000%	100.0000%	0.0000%	341	0.0000%			
02.09.2020	100.0000%	0.0000%	() -	0.0000%	(- (0.0000%	100.0000%	0.0000%	331	0.0000%	100.0000%	0.0000%	310	0.0000%			
03.09.2020	100.0000%	0.0000%	() -	0.0000%	() –	0.0000%	100.0000%	0.0000%	327	0.0000%	100.0000%	0.0000%	410	0.0000%			
04.09.2020	100.0000%	0.0000%	() -	0.0000%	() -	0.0000%	100.0000%	0.0000%	353	0.0000%	100.0000%	0.0000%	388	0.0000%			
05.09.2020	100.0000%	0.0000%	() -	0.0000%	() -	0.0000%	100.0000%	0.0000%	411	0.0000%	100.0000%	0.0000%	490	0.0000%			
06.09.2020	100.0000%	0.0000%	() -	0.0000%	() -	0.0000%	100.0000%	0.0000%	408	0.0000%	100.0000%	0.0000%	1'038	0.0000%			
07.09.2020	100.0000%	0.0000%	() -	0.0000%	() -	0.0000%	100.0000%	0.0000%	335	0.0000%	100.0000%	0.0000%	356	0.0000%			
08.09.2020	100.0000%	0.0000%	() -	0.0000%	() -	0.0000%	100.0000%	0.0000%	328	0.0000%	100.0000%	0.0000%	330	0.0000%			
09.09.2020	100.0000%	0.0000%	() –	0.0000%	() -	0.0000%	100.0000%	0.0000%	323	0.0000%	100.0000%	0.0000%	334	0.0000%			
10.09.2020	100.0000%	0.0000%	() -	0.0000%	() -	0.0000%	100.0000%	0.0000%	321	0.0000%	100.0000%	0.0000%	320	0.0000%			
11.09.2020	100.0000%	0.0000%	() -	0.0000%	() –	0.0000%	100.0000%	0.0000%	338	0.0000%	100.0000%	0.0000%	341	0.0000%			
12.09.2020	100.0000%	0.0000%	(- (0.0000%	(- (0.0000%	100.0000%	0.0000%	444	0.0000%	100.0000%	0.0000%	319	0.0000%			
13.09.2020	100.0000%	0.0000%	() -	0.0000%	() -	0.0000%	100.0000%	0.0000%	400	0.0000%	100.0000%	0.0000%	318	0.0000%			
14.09.2020	100.0000%	0.0000%	() -	0.0000%	() –	0.0000%	100.0000%	0.0000%	319	0.0000%	100.0000%	0.0000%	316	0.0000%			
15.09.2020	100.0000%	0.0000%	() -	0.0000%	(- (0.0000%	100.0000%	0.0000%	330	0.0000%	100.0000%	0.0000%	359	0.0000%			
16.09.2020	100.0000%	0.0000%	(-	0.0000%	() –	0.0000%	100.0000%	0.0000%	318	0.0000%	100.0000%	0.0000%	333	0.0000%			
17.09.2020	100.0000%	0.0000%	() -	0.0000%	() –	0.0000%	100.0000%	0.0000%	335	0.0000%	100.0000%	0.0000%	315	0.0000%			
18.09.2020	100.0000%	0.0000%	() -	0.0000%	() –	0.0000%	100.0000%	0.0000%	358	0.0000%	100.0000%	0.0000%	306	0.0000%			
19.09.2020	100.0000%	0.0000%	() -	0.0000%	() –	0.0000%	100.0000%	0.0000%	421	0.0000%	100.0000%	0.0000%	338	0.0000%			
20.09.2020	100.0000%	0.0000%	() -	0.0000%	() -	0.0000%	100.0000%	0.0000%	421	0.0000%	100.0000%	0.0000%	310	0.0000%			
21.09.2020	100.0000%	0.0000%	() -	0.0000%	() –	0.0000%	100.0000%	0.0000%	379	0.0000%	100.0000%	0.0000%	307	0.0000%			
22.09.2020	100.0000%	0.0000%	() -	0.0000%	(-	0.0000%	100.0000%	0.0000%	379	0.0000%	100.0000%	0.0000%	309	0.0000%			
23.09.2020	100.0000%	0.0000%	() -	0.0000%	() –	0.0000%	100.0000%	0.0000%	382	0.0000%	100.0000%	0.0000%	332	0.0000%			
24.09.2020	100.0000%	0.0000%	() -	0.0000%	() –	0.0000%	100.0000%	0.0000%	408	0.0000%	100.0000%	0.0000%	318	0.0000%			
25.09.2020	100.0000%	0.0000%	() -	0.0000%	() –	0.0000%	100.0000%	0.0000%	381	0.0000%	100.0000%	0.0000%	348	0.0000%			
26.09.2020	100.0000%	0.0000%	() -	0.0000%	() -	0.0000%	100.0000%	0.0000%	427	0.0000%	100.0000%	0.0000%	311	0.0000%			
27.09.2020	100.0000%	0.0000%	() -	0.0000%	() -	0.0000%	100.0000%	0.0000%	392	0.0000%	100.0000%	0.0000%	318	0.0000%			
28.09.2020	100.0000%	0.0000%	() -	0.0000%	() –	0.0000%	100.0000%	0.0000%	331	0.0000%	100.0000%	0.0000%	298	0.0000%			
29.09.2020	100.0000%	0.0000%	() -	0.0000%	() -	0.0000%	100.0000%	0.0000%		0.0000%	100.0000%	0.0000%		0.0000%			
30.09.2020	100.0000%	0.0000%	() -	0.0000%	() -	0.0000%	100.0000%	0.0000%		0.0000%	100.0000%	0.0000%	312	0.0000%			
	100.0000%	0.0000%	(- 1	0.0000%	· (-	0.0000%	100.0000%	0.0000%	362	0.0000%	100.0000%	0.0000%		0.0000%			

1.16 September 1st to September 30th

									Bank's PSU interfaces										
Date _				Dedicate	d interface					Pic	tet Connect			W	/ealth App				
Date	AISP / CBPIL	Availability		AISP Perform	nance		CBPII Perform	nance	Availa	bility	Performance		Availa	bility	Performan	ice			
	Uptime	Downtime		Avg response time (ms)	Error response	#CBPII Calls	Avg response time (ms)	Error response	Uptime	Downtime	Avg response time (ms)	Error response	Uptime	Downtime	Avg response time (ms)	Error response			
					rate			rate				rate				rate			
01.10.2020	100,0000%	0,0000%	0	-	0,0000%	C	-	0,0000%	100,0000%	0,0000%	350	0,0000%	100,0000%	0,0000%		0,0000%			
02.10.2020	100,0000%	0,0000%	0	- 1	0,0000%	C	-	0,0000%	100,0000%	0,0000%	348	0,0000%	100,0000%	0,0000%	365	0,0000%			
03.10.2020	100,0000%	0,0000%	0	-	0,0000%	C	-	0,0000%	100,0000%	0,0000%	438	0,0000%	100,0000%	0,0000%		0,0000%			
04.10.2020	100,0000%	0,0000%	0	-	0,0000%	C	-	0,0000%	100,0000%	0,0000%	387	0,0000%	100,0000%	0,0000%	524	0,0000%			
05.10.2020	100,0000%	0,0000%	0	-	0,0000%	C	-	0,0000%	100,0000%	0,0000%	365	0,0000%	100,0000%	0,0000%	608	0,0000%			
06.10.2020	100,0000%	0,0000%	0	-	0,0000%	C	-	0,0000%	100,0000%	0,0000%	343	0,0000%	100,0000%	0,0000%	450	0,0000%			
07.10.2020	100,0000%	0,0000%	0	-	0,0000%	C	-	0,0000%	100,0000%	0,0000%	329	0,0000%	100,0000%	0,0000%	527	0,0000%			
08.10.2020	100,0000%	0,0000%	0	-	0,0000%	C	-	0,0000%	100,0000%	0,0000%	327	0,0000%	100,0000%	0,0000%	684	0,0000%			
09.10.2020	100,0000%	0,0000%	0	-	0,0000%	C	-	0,0000%	100,0000%	0,0000%	337	0,0000%	100,0000%	0,0000%	533	0,0000%			
10.10.2020	100,0000%	0,0000%	0	-	0,0000%	C	-	0,0000%	100,0000%	0,0000%	390	0,0000%	100,0000%	0,0000%	480	0,0000%			
11.10.2020	100,0000%	0,0000%	0	-	0,0000%	C	-	0,0000%	100,0000%	0,0000%	432	0,0000%	100,0000%	0,0000%	659	0,0000%			
12.10.2020	100,0000%	0,0000%	0	-	0,0000%	C	-	0,0000%	100,0000%	0,0000%	437	0,0000%	100,0000%	0,0000%	619	0,0000%			
13.10.2020	100,0000%	0,0000%	0	-	0,0000%	C	-	0,0000%	99,9900%	0.0100%	304	0,0000%	100,0000%	0,0000%	598	0,0000%			
14.10.2020	100,0000%	0,0000%	0		0,0000%	C	-	0,0000%	100,0000%	0,0000%	331	0,0000%	100,0000%	0,0000%	909	0,0000%			
15.10.2020	100,0000%	0,0000%	0	-	0,0000%	C	-	0,0000%	100,0000%	0,0000%	334	0,0000%	100,0000%	0,0000%	539	0,0000%			
16.10.2020	100,0000%	0,0000%	0	-	0,0000%	C	-	0,0000%	100,0000%	0,0000%	381	0,0000%	100,0000%	0,0000%	423	0,0000%			
17.10.2020	100,0000%	0,0000%	0	-	0,0000%	C	-	0,0000%	100,0000%	0,0000%	409	0,0000%	100,0000%	0,0000%	572	0,0000%			
18.10.2020	100,0000%	0,0000%	0	-	0,0000%	C	-	0,0000%	100,0000%	0,0000%	407	0,0000%	100,0000%	0,0000%	569	0,0000%			
19.10.2020	100,0000%	0,0000%	0	-	0,0000%	C	-	0,0000%	100,0000%	0,0000%	329	0,0000%	100,0000%	0,0000%	485	0,0000%			
20.10.2020	100,0000%	0,0000%	0	-	0,0000%	C	-	0,0000%	100,0000%	0,0000%	323	0,0000%	100,0000%	0,0000%	482	0,0000%			
21.10.2020	100,0000%	0,0000%	0	-	0,0000%	C	-	0,0000%	100,0000%	0,0000%	325	0,0000%	100,0000%	0,0000%	613	0,0000%			
22.10.2020	100,0000%	0,0000%	0	-	0,0000%	C	-	0,0000%	100,0000%	0,0000%	326	0,0000%	100,0000%	0,0000%	499	0,0000%			
23.10.2020	100,0000%	0,0000%	0	-	0,0000%	C	-	0,0000%	100,0000%	0,0000%	350	0,0000%	100,0000%	0,0000%	406	0,0000%			
24.10.2020	100,0000%	0,0000%	0	-	0,0000%	C	-	0,0000%	100,0000%	0,0000%	430	0,0000%	100,0000%	0,0000%	558	0,0000%			
25.10.2020	100,0000%	0,0000%	0	-	0,0000%	C	-	0,0000%	100,0000%	0,0000%	391	0,0000%	100,0000%	0,0000%	540	0,0000%			
26.10.2020	100.0000%	0.0000%	0	-	0.0000%	C	-	0.0000%	100,0000%	0.0000%	323	0.0000%	100.0000%	0.0000%	514	0.0000%			
27.10.2020	100.0000%	0.0000%	0	-	0.0000%	C	-	0.0000%	100.0000%	0.0000%	336	0.0000%	100.0000%	0.0000%	432	0.0000%			
28.10.2020	100.0000%	0.0000%	0	-	0.0000%	C	-	0.0000%	100.0000%	0.0000%	328	0.0000%	100.0000%	0.0000%	789	0.0000%			
29.10.2020	100,0000%	0.0000%	0	-	0.0000%	C	1	0,0000%	100,0000%	0.0000%	331	0.0000%	100.0000%	0.0000%	546	0.0000%			
30.10.2020	100.0000%	0.0000%	0	-	0.0000%	C	-	0.0000%	100,0000%	0.0000%	359	0.0000%	100.0000%	0.0000%	177	0.0000%			
31.10.2020	100.0000%	0.0000%	0	-	0.0000%	C	-	0.0000%	100.0000%	0.0000%	404	0.0000%	100.0000%	0.0000%	194	0.0000%			
	100.0000%	0.0000%	0	· .	0.0000%		-	0.0000%	99,9997%	0.0003%		0.0000%	100.0000%	0.0000%		0.0000%			

1.17 October 1st to October 31st

				Barrata					Bank's PSU interfaces									
Date _				Dedicate	d interface				Pictet Connect Wealth App									
Date	AISP / CBPIL	Availability		AISP Perform	nance		CBPII Perfor	mance	Availa	bility	Performan	ice	Availa	bility	Performan	nce		
	Uptime	Downtime		Avg response time (ms)	Error response	#CBPII Calls	Avg response time (ms)	Error response	Uptime	Downtime	Avg response time (ms)	Error response	Uptime	Downtime	Avg response time (ms)	Error response		
					rate			rate				rate				rate		
01.11.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	380	0,0000%	100,0000%	0,0000%	493			
02.11.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	300	0,0000%	100,0000%	0,0000%	639			
03.11.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	295	0,0000%	100,0000%	0,0000%	625			
04.11.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	291	0,0000%	100,0000%	0,0000%	663			
05.11.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	294	0,0000%	100,0000%	0,0000%	371	0,0000%		
06.11.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	99,8900%	0,1100%	1 077	0,0000%	99,8500%	0,0000%	1 359	0,0000%		
07.11.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	745	0,0000%	100,0000%	0,0000%	1 050	0,0000%		
08.11.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	315	0,0000%	100,0000%	0,0000%	596	0,0000%		
09.11.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	329	0,0000%	100,0000%	0,0000%	551	0,0000%		
10.11.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	288	0,0000%	100,0000%	0,0000%	738	0,0000%		
11.11.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	291	0,0000%	100,0000%	0,0000%	482	0,0000%		
12.11.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	304	0,0000%	100,0000%	0,0000%	653	0,0000%		
13.11.2020	100,0000%	0.0000%	0	-	0,0000%	0	-	0.0000%	100,0000%	0,0000%	309	0.0000%	100,0000%	0,0000%	495	0,0000%		
14.11.2020	100,0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100,0000%	0,0000%	355	0.0000%	100,0000%	0.0000%	514	0.0000%		
15.11.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	329	0.0000%	100.0000%	0.0000%	689	0.0000%		
16.11.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	328	0.0000%	100.0000%	0.0000%	638	0.0000%		
17.11.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	292	0.0000%	100.0000%	0.0000%	526	0.0000%		
18.11.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	317	0.0000%	100.0000%	0.0000%	326	0.0000%		
19.11.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0,0000%	283	0.0000%	100,0000%	0,0000%	307	0.0000%		
20.11.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	296	0.0000%	100,0000%	0.0000%	316	0.0000%		
21.11.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	331	0.0000%	100.0000%	0.0000%	293	0.0000%		
22.11.2020	100.0000%	0.0000%	0	-	0,0000%	0	-	0.0000%	100.0000%	0.0000%	330	0.0000%	100.0000%	0.0000%	302			
23.11.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	271	0.0000%	100.0000%	0.0000%	322	0.0000%		
24.11.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100,0000%	0.0000%	292	0.0000%	100.0000%	0.0000%	315	0.0000%		
25.11.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100,0000%	0.0000%	292	0.0000%	100.0000%	0.0000%	342			
26.11.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	296	0.0000%	100.0000%	0,0000%	339			
27.11.2020	100,0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0,0000%	306	0.0000%	100,0000%	0.0000%	357			
28.11.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100,0000%	0.0000%	308	0.0000%	100.0000%	0.0000%	354			
29.11.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100,0000%	0.0000%	312	0.0000%	100.0000%	0.0000%	370			
30.11.2020	100.0000%	0.0000%	0	-	0.0000%	0	_	0.0000%	100,0000%	0.0000%	282	0.0000%	100.0000%	0.0000%	408			
00.11.2020	100,0000%	0.0000%	· .	-	0.0000%	0	-	0.0000%	99.9963%	0.0037%	348	0.0000%	99.9929%	0.0000%	514			

1.18 November 1st to November 30th

				P. C				Bank's PSU interfaces										
Date _				Dedicate	ed interface					Pic	tet Connect			N	/ealth App			
Date	AISP / CBPIL	Availability		AISP Perform	nance		CBPII Perform	nance	Availal	bility	Performan	се	Availability		Performar	nce		
	Uptime	Downtime		Avg response time (ms)	Error response	#CBPII Calls	Avg response time (ms)	Error response	Uptime	Downtime	Avg response time (ms)	Error response	Uptime	Downtime	Avg response time (ms)	Error response		
					rate			rate				rate				rate		
01.12.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%		0,0000%	100,0000%	0,0000%				
02.12.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	284	0,0000%	100,0000%	0,0000%		0,0000%		
03.12.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	315	0,0000%	100,0000%	0,0000%	389	0,0000%		
04.12.2020	100,0000%	0,000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	307	0,0000%	100,0000%	0,0000%	373	0,0000%		
05.12.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	335	0,0000%	100,0000%	0,0000%	350	0,0000%		
06.12.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	313	0,0000%	100,0000%	0,0000%	336	0,0000%		
07.12.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	288	0,0000%	100,0000%	0,0000%	356	0,0000%		
08.12.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	319	0,0000%	100,0000%	0,0000%	350	0,0000%		
09.12.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	288	0,0000%	100,0000%	0,0000%	361	0,0000%		
10.12.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	303	0,0000%	100,0000%	0,0000%	353	0,0000%		
11.12.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	295	0,0000%	100,0000%	0,0000%	345	0,0000%		
12.12.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	336	0,0000%	100,0000%	0,0000%	347	0,0000%		
13.12.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	319	0,0000%	100,0000%	0,0000%	349	0,0000%		
14.12.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	295	0,0000%	100,0000%	0,0000%	357	0,0000%		
15.12.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	293	0,0000%	100,0000%	0,0000%	375	0,0000%		
16.12.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	286	0.0000%	100.0000%	0.0000%	404	0.0000%		
17.12.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	282	0.0000%	100.0000%	0.0000%	584	0.0000%		
18.12.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	295	0.0000%	100.0000%	0.0000%	466	0.0000%		
19.12.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	321	0.0000%	100.0000%	0.0000%	397	0.0000%		
20.12.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	320	0.0000%	100,0000%	0.0000%	369	0.0000%		
21.12.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		0.0000%	100.0000%	0.0000%	380	0.0000%		
22.12.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	292	0.0000%	100.0000%	0.0000%	404	0.0000%		
23.12.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		0.0000%	100.0000%	0.0000%		0.0000%		
24.12.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	321	0.0000%	100.0000%	0.0000%	356	0.0000%		
25.12.2020	100,0000%	0.0000%	0	_	0.0000%	0	-	0.0000%	100.0000%	0.0000%		0.0000%	100.0000%	0.0000%	401	0.0000%		
26.12.2020	100,0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100,0000%	0.0000%		0.0000%	100,0000%	0.0000%	379	0.0000%		
27.12.2020	100,0000%	0.0000%	0		0.0000%	0		0.0000%	100,0000%	0.0000%	330	0.0000%	100,0000%	0.0000%	576	0.0000%		
28.12.2020	100,0000%	0.0000%	0		0.0000%	0		0,0000%	100,0000%	0.0000%	303	0.0000%	100,0000%	0.0000%	481	0.0000%		
29.12.2020	100,0000%	0.0000%	0		0.0000%	0		0.0000%	100,0000%	0.0000%	297	0.0000%	100,0000%	0.0000%	372	0.0000%		
30.12.2020	100,0000%	0.0000%	0		0.0000%	0		0.0000%	100,0000%	0.0000%	291	0.0000%	100,0000%	0.0000%	396	0,0000%		
31.12.2020	100,0000%	0.0000%	0		0.0000%	0		0.0000%	100,0000%	0,0000%		0.0000%	100,0000%	0.0000%	372	0.0000%		
51.12.2020	100,0000%	0.0000%	0	•	0.0000%	r 1		0.0000%	100,0000%	0,0000%		0,0000%		0.0000%		0,0000%		

1.19 December 1st to December 31st