


## Availability and performance daily statistics of dedicated interface and all PSU interfaces

January 1<sup>ST</sup> 2021 to December 31<sup>st</sup> 2022



## 1 Daily statistics

1.20 January 1<sup>st</sup> to January 31<sup>st</sup>

Date	Dedicated interface									Bank's PSU interfaces							
	AISP / CBPII Availability			AISP Performance			CBPII Performance			Pictet Connect				Wealth App			
	Uptime		#AISP Calls	Avg response time (ms)		Error response rate	Avg response time (ms)		Error response rate	Availability		Performance		Availability		Performance	
		Downtime															
01.01.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	327	0,0000%	100,0000%	0,0000%	498	0,0000%
02.01.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	344	0,0000%	100,0000%	0,0000%	430	0,0000%
03.01.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	328	0,0000%	100,0000%	0,0000%	403	0,0000%
04.01.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	314	0,0000%	100,0000%	0,0000%	402	0,0000%
05.01.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	294	0,0000%	100,0000%	0,0000%	414	0,0000%
06.01.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	298	0,0000%	100,0000%	0,0000%	404	0,0000%
07.01.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	302	0,0000%	100,0000%	0,0000%	379	0,0000%
08.01.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	305	0,0000%	100,0000%	0,0000%	422	0,0000%
09.01.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	328	0,0000%	100,0000%	0,0000%	386	0,0000%
10.01.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	325	0,0000%	100,0000%	0,0000%	365	0,0000%
11.01.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	367	0,0000%	100,0000%	0,0000%	465	0,0000%
12.01.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	462	0,0000%	100,0000%	0,0000%	430	0,0000%
13.01.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	383	0,0000%	100,0000%	0,0000%	414	0,0000%
14.01.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	356	0,0000%	100,0000%	0,0000%	459	0,0000%
15.01.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	360	0,0000%	100,0000%	0,0000%	465	0,0000%
16.01.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	403	0,0000%	100,0000%	0,0000%	479	0,0000%
17.01.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	394	0,0000%	100,0000%	0,0000%	470	0,0000%
18.01.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	358	0,0000%	100,0000%	0,0000%	446	0,0000%
19.01.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	373	0,0000%	100,0000%	0,0000%	523	0,0000%
20.01.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	370	0,0000%	100,0000%	0,0000%	456	0,0000%
21.01.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	375	0,0000%	100,0000%	0,0000%	554	0,0000%
22.01.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	396	0,0000%	100,0000%	0,0000%	445	0,0000%
23.01.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	477	0,0000%	100,0000%	0,0000%	471	0,0000%
24.01.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	366	0,0000%	100,0000%	0,0000%	440	0,0000%
25.01.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	369	0,0000%	100,0000%	0,0000%	426	0,0000%
26.01.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	362	0,0000%	100,0000%	0,0000%	428	0,0000%
27.01.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	380	0,0000%	100,0000%	0,0000%	462	0,0000%
28.01.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	375	0,0000%	100,0000%	0,0000%	497	0,0000%
29.01.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	406	0,0000%	100,0000%	0,0000%	505	0,0000%
30.01.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	452	0,0000%	100,0000%	0,0000%	496	0,0000%
31.01.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	447	0,0000%	100,0000%	0,0000%	725	0,0000%
	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	365	0,0000%	100,0000%	0,0000%	448	0,0000%

## 1.21 February 1<sup>st</sup> to February 28<sup>th</sup>

Date	Dedicated interface								Bank's PSU interfaces							
									Pictet Connect				Wealth App			
	AISP / CBPII Availability		#AISP Calls	AISP Performance		#CBPII Calls	CBPII Performance		Availability		Performance		Availability		Performance	
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate
01.02.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	378	0,0000%	100,0000%	0,0000%	460	0,0000%
02.02.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	379	0,0000%	100,0000%	0,0000%	473	0,0000%
03.02.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	368	0,0000%	100,0000%	0,0000%	526	0,0000%
04.02.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	386	0,0000%	100,0000%	0,0000%	599	0,0000%
05.02.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	410	0,0000%	100,0000%	0,0000%	544	0,0000%
06.02.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	461	0,0000%	100,0000%	0,0000%	483	0,0000%
07.02.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	431	0,0000%	100,0000%	0,0000%	424	0,0000%
08.02.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	375	0,0000%	100,0000%	0,0000%	462	0,0000%
09.02.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	376	0,0000%	100,0000%	0,0000%	553	0,0000%
10.02.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	380	0,0000%	100,0000%	0,0000%	506	0,0000%
11.02.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	397	0,0000%	100,0000%	0,0000%	544	0,0000%
12.02.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	410	0,0000%	100,0000%	0,0000%	615	0,0000%
13.02.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	460	0,0000%	100,0000%	0,0000%	465	0,0000%
14.02.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	99,9900%	0,0100%	465	0,0000%	100,0000%	0,0000%	472	0,0000%
15.02.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	394	0,0000%	100,0000%	0,0000%	518	0,0000%
16.02.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	438	0,0000%	100,0000%	0,0000%	675	0,0000%
17.02.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	431	0,0000%	100,0000%	0,0000%	464	0,0000%
18.02.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	439	0,0000%	100,0000%	0,0000%	643	0,0000%
19.02.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	430	0,0000%	100,0000%	0,0000%	664	0,0000%
20.02.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	543	0,0000%	100,0000%	0,0000%	507	0,0000%
21.02.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	540	0,0000%	100,0000%	0,0000%	750	0,0000%
22.02.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	505	0,0000%	100,0000%	0,0000%	573	0,0000%
23.02.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	459	0,0000%	100,0000%	0,0000%	558	0,0000%
24.02.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	459	0,0000%	100,0000%	0,0000%	556	0,0000%
25.02.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	490	0,0000%	100,0000%	0,0000%	553	0,0000%
26.02.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	468	0,0000%	100,0000%	0,0000%	638	0,0000%
27.02.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	533	0,0000%	100,0000%	0,0000%	581	0,0000%
28.02.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	526	0,0000%	100,0000%	0,0000%	602	0,0000%
	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	99,9996%	0,0004%	440	0,0000%	100,0000%	0,0000%	550	0,0000%



## 1.22 March 1<sup>st</sup> to March 31<sup>st</sup>

Date	Dedicated interface								Bank's PSU interfaces							
									Pictet Connect				Wealth App			
	AISP / CBPII Availability		#AISP Calls	AISP Performance		#CBPII Calls	CBPII Performance		Availability		Performance		Availability		Performance	
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate
01.03.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	451	0,0000%	100,0000%	0,0000%	747	0,0000%
02.03.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	457	0,0000%	100,0000%	0,0000%	606	0,0000%
03.03.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	668	0,0000%	100,0000%	0,0000%	413	0,0000%
04.03.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	1 422	0,0000%	100,0000%	0,0000%	514	0,0000%
05.03.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	376	0,0000%	100,0000%	0,0000%	471	0,0000%
06.03.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	410	0,0000%	100,0000%	0,0000%	393	0,0000%
07.03.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	429	0,0000%	100,0000%	0,0000%	377	0,0000%
08.03.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	427	0,0000%	100,0000%	0,0000%	740	0,0000%
09.03.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	409	0,0000%	100,0000%	0,0000%	527	0,0000%
10.03.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	410	0,0000%	100,0000%	0,0000%	484	0,0000%
11.03.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	459	0,0000%	100,0000%	0,0000%	500	0,0000%
12.03.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	498	0,0000%	100,0000%	0,0000%	456	0,0000%
13.03.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	531	0,0000%	100,0000%	0,0000%	417	0,0000%
14.03.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	529	0,0000%	100,0000%	0,0000%	524	0,0000%
15.03.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	480	0,0000%	100,0000%	0,0000%	503	0,0000%
16.03.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	449	0,0000%	100,0000%	0,0000%	858	0,0000%
17.03.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	402	0,0000%	100,0000%	0,0000%	610	0,0000%
18.03.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	366	0,0000%	100,0000%	0,0000%	1 455	0,0000%
19.03.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	378	0,0000%	100,0000%	0,0000%	472	0,0000%
20.03.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	459	0,0000%	100,0000%	0,0000%	473	0,0000%
21.03.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	439	0,0000%	100,0000%	0,0000%	491	0,0000%
22.03.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	382	0,0000%	100,0000%	0,0000%	635	0,0000%
23.03.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	383	0,0000%	100,0000%	0,0000%	422	0,0000%
24.03.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	413	0,0000%	100,0000%	0,0000%	451	0,0000%
25.03.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	422	0,0000%	100,0000%	0,0000%	473	0,0000%
26.03.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	473	0,0000%	100,0000%	0,0000%	439	0,0000%
27.03.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	454	0,0000%	100,0000%	0,0000%	548	0,0000%
28.03.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	451	0,0000%	100,0000%	0,0000%	519	0,0000%
29.03.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	382	0,0000%	100,0000%	0,0000%	602	0,0000%
30.03.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	413	0,0000%	100,0000%	0,0000%	439	0,0000%
31.03.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	400	0,0000%	100,0000%	0,0000%	625	0,0000%
	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	474	0,0000%	100,0000%	0,0000%	552	0,0000%



## 1.23 April 1<sup>st</sup> to April 30<sup>th</sup>

Date	Dedicated interface									Bank's PSU interfaces							
										Pictet Connect				Wealth App			
	AISP / CBPII Availability		#AISP Calls	AISP Performance		#CBPII Calls	CBPII Performance		Availability		Performance		Availability		Performance		
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	
01/04/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	467	0.0000%	100.0000%	0.0000%	525	0.0000%	
02/04/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	495	0.0000%	100.0000%	0.0000%	439	0.0000%	
03/04/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	538	0.0000%	100.0000%	0.0000%	365	0.0000%	
04/04/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	530	0.0000%	100.0000%	0.0000%	363	0.0000%	
05/04/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	377	0.0000%	100.0000%	0.0000%	362	0.0000%	
06/04/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	351	0.0000%	100.0000%	0.0000%	367	0.0000%	
07/04/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	354	0.0000%	100.0000%	0.0000%	422	0.0000%	
08/04/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	273	0.0000%	100.0000%	0.0000%	353	0.0000%	
09/04/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	276	0.0000%	100.0000%	0.0000%	380	0.0000%	
10/04/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	391	0.0000%	100.0000%	0.0000%	369	0.0000%	
11/04/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	347	0.0000%	100.0000%	0.0000%	357	0.0000%	
12/04/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	257	0.0000%	100.0000%	0.0000%	372	0.0000%	
13/04/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	317	0.0000%	100.0000%	0.0000%	381	0.0000%	
14/04/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	210	0.0000%	100.0000%	0.0000%	379	0.0000%	
15/04/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	201	0.0000%	100.0000%	0.0000%	380	0.0000%	
16/04/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	221	0.0000%	100.0000%	0.0000%	364	0.0000%	
17/04/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	296	0.0000%	100.0000%	0.0000%	364	0.0000%	
18/04/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	269	0.0000%	100.0000%	0.0000%	419	0.0000%	
19/04/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	189	0.0000%	100.0000%	0.0000%	369	0.0000%	
20/04/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	218	0.0000%	100.0000%	0.0000%	369	0.0000%	
21/04/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	198	0.0000%	100.0000%	0.0000%	350	0.0000%	
22/04/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	197	0.0000%	100.0000%	0.0000%	333	0.0000%	
23/04/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	224	0.0000%	100.0000%	0.0000%	352	0.0000%	
24/04/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	285	0.0000%	100.0000%	0.0000%	318	0.0000%	
25/04/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	283	0.0000%	100.0000%	0.0000%	310	0.0000%	
26/04/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	209	0.0000%	100.0000%	0.0000%	337	0.0000%	
27/04/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	247	0.0000%	100.0000%	0.0000%	321	0.0000%	
28/04/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	219	0.0000%	100.0000%	0.0000%	334	0.0000%	
29/04/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	203	0.0000%	100.0000%	0.0000%	325	0.0000%	
30/04/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	226	0.0000%	100.0000%	0.0000%	318	0.0000%	
	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	296	0.0000%	100.0000%	0.0000%	367	0.0000%	

## 1.24 May 1<sup>st</sup> to May 31<sup>st</sup>

Date	Dedicated interface								Bank's PSU interfaces							
									Pictet Connect				Wealth App			
	AISP / CBPII Availability		#AISP Calls	AISP Performance		#CBPII Calls	CBPII Performance		Availability		Performance		Availability		Performance	
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate
01/05/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	274	0.0000%	100.0000%	0.0000%	328	0.0000%
02/05/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	258	0.0000%	100.0000%	0.0000%	340	0.0000%
03/05/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	206	0.0000%	100.0000%	0.0000%	323	0.0000%
04/05/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	196	0.0000%	100.0000%	0.0000%	340	0.0000%
05/05/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	236	0.0000%	100.0000%	0.0000%	343	0.0000%
06/05/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	190	0.0000%	100.0000%	0.0000%	356	0.0000%
07/05/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	259	0.0000%	100.0000%	0.0000%	353	0.0000%
08/05/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	275	0.0000%	100.0000%	0.0000%	347	0.0000%
09/05/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	267	0.0000%	100.0000%	0.0000%	349	0.0000%
10/05/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	194	0.0000%	100.0000%	0.0000%	352	0.0000%
11/05/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	198	0.0000%	100.0000%	0.0000%	359	0.0000%
12/05/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	201	0.0000%	100.0000%	0.0000%	337	0.0000%
13/05/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	209	0.0000%	100.0000%	0.0000%	342	0.0000%
14/05/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	218	0.0000%	100.0000%	0.0000%	349	0.0000%
15/05/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	287	0.0000%	100.0000%	0.0000%	355	0.0000%
16/05/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	277	0.0000%	100.0000%	0.0000%	341	0.0000%
17/05/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	214	0.0000%	100.0000%	0.0000%	355	0.0000%
18/05/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	196	0.0000%	100.0000%	0.0000%	340	0.0000%
19/05/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	227	0.0000%	100.0000%	0.0000%	340	0.0000%
20/05/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	213	0.0000%	100.0000%	0.0000%	362	0.0000%
21/05/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	251	0.0000%	100.0000%	0.0000%	345	0.0000%
22/05/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	278	0.0000%	100.0000%	0.0000%	360	0.0000%
23/05/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	284	0.0000%	100.0000%	0.0000%	355	0.0000%
24/05/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	205	0.0000%	100.0000%	0.0000%	372	0.0000%
25/05/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	194	0.0000%	100.0000%	0.0000%	620	0.0000%
26/05/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	210	0.0000%	100.0000%	0.0000%	387	0.0000%
27/05/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	184	0.0000%	100.0000%	0.0000%	392	0.0000%
28/05/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	220	0.0000%	100.0000%	0.0000%	382	0.0000%
29/05/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	278	0.0000%	100.0000%	0.0000%	404	0.0000%
30/05/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	267	0.0000%	100.0000%	0.0000%	394	0.0000%
31/05/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	199	0.0000%	100.0000%	0.0000%	357	0.0000%
	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	232	0.0000%	100.0000%	0.0000%	364	0.0000%



## 1.25 June 1<sup>st</sup> to June 30<sup>th</sup>

Date	Dedicated interface									Bank's PSU interfaces							
										Pictet Connect				Wealth App			
	AISP / CBPII Availability		#AISP Calls	AISP Performance		#CBPII Calls	CBPII Performance		Availability		Performance		Availability		Performance		
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	
01/06/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	186	0.0000%	100.0000%	0.0000%	359	0.0000%
02/06/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	185	0.0000%	100.0000%	0.0000%	350	0.0000%
03/06/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	202	0.0000%	100.0000%	0.0000%	359	0.0000%
04/06/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	209	0.0000%	100.0000%	0.0000%	351	0.0000%
05/06/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	274	0.0000%	100.0000%	0.0000%	366	0.0000%
06/06/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	269	0.0000%	100.0000%	0.0000%	367	0.0000%
07/06/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	187	0.0000%	100.0000%	0.0000%	371	0.0000%
08/06/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	191	0.0000%	100.0000%	0.0000%	465	0.0000%
09/06/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	194	0.0000%	100.0000%	0.0000%	355	0.0000%
10/06/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	219	0.0000%	100.0000%	0.0000%	344	0.0000%
11/06/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	244	0.0000%	100.0000%	0.0000%	335	0.0000%
12/06/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	309	0.0000%	100.0000%	0.0000%	376	0.0000%
13/06/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	304	0.0000%	100.0000%	0.0000%	346	0.0000%
14/06/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	235	0.0000%	100.0000%	0.0000%	343	0.0000%
15/06/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	252	0.0000%	100.0000%	0.0000%	367	0.0000%
16/06/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	230	0.0000%	100.0000%	0.0000%	338	0.0000%
17/06/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	219	0.0000%	100.0000%	0.0000%	341	0.0000%
18/06/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	246	0.0000%	100.0000%	0.0000%	357	0.0000%
19/06/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	322	0.0000%	100.0000%	0.0000%	339	0.0000%
20/06/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	294	0.0000%	100.0000%	0.0000%	335	0.0000%
21/06/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	234	0.0000%	100.0000%	0.0000%	361	0.0000%
22/06/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	245	0.0000%	100.0000%	0.0000%	339	0.0000%
23/06/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	235	0.0000%	100.0000%	0.0000%	352	0.0000%
24/06/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	224	0.0000%	100.0000%	0.0000%	349	0.0000%
25/06/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	229	0.0000%	100.0000%	0.0000%	341	0.0000%
26/06/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	299	0.0000%	100.0000%	0.0000%	344	0.0000%
27/06/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	296	0.0000%	100.0000%	0.0000%	340	0.0000%
28/06/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	232	0.0000%	100.0000%	0.0000%	337	0.0000%
29/06/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	333	0.0000%	100.0000%	0.0000%	330	0.0000%
30/06/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	229	0.0000%	100.0000%	0.0000%	349	0.0000%
	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	244	0.0000%	100.0000%	0.0000%	354	0.0000%

## 1.26 July 1<sup>st</sup> to July 31<sup>st</sup>

Date	Dedicated interface								Bank's PSU interfaces							
									Pictet Connect				Wealth App			
									Availability		Performance		Availability		Performance	
	Uptime	Downtime	#AISP Calls	Avg response time (ms)	Error response rate	#CBPII Calls	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate
01.07.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	180	0,0000%	100,0000%	0,0000%	358	0,0000%
02.07.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	205	0,0000%	100,0000%	0,0000%	363	0,0000%
03.07.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	262	0,0000%	100,0000%	0,0000%	364	0,0000%
04.07.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	372	0,0000%	100,0000%	0,0000%	419	0,0000%
05.07.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	249	0,0000%	100,0000%	0,0000%	373	0,0000%
06.07.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	253	0,0000%	100,0000%	0,0000%	360	0,0000%
07.07.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	170	0,0000%	100,0000%	0,0000%	353	0,0000%
08.07.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	179	0,0000%	100,0000%	0,0000%	366	0,0000%
09.07.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	236	0,0000%	100,0000%	0,0000%	457	0,0000%
10.07.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	262	0,0000%	100,0000%	0,0000%	433	0,0000%
11.07.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	339	0,0000%	100,0000%	0,0000%	416	0,0000%
12.07.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	182	0,0000%	100,0000%	0,0000%	443	0,0000%
13.07.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	219	0,0000%	100,0000%	0,0000%	409	0,0000%
14.07.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	277	0,0000%	100,0000%	0,0000%	373	0,0000%
15.07.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	287	0,0000%	100,0000%	0,0000%	369	0,0000%
16.07.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	280	0,0000%	100,0000%	0,0000%	352	0,0000%
17.07.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	365	0,0000%	100,0000%	0,0000%	482	0,0000%
18.07.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	303	0,0000%	100,0000%	0,0000%	351	0,0000%
19.07.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	259	0,0000%	100,0000%	0,0000%	340	0,0000%
20.07.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	243	0,0000%	100,0000%	0,0000%	361	0,0000%
21.07.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	376	0,0000%	100,0000%	0,0000%	335	0,0000%
22.07.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	288	0,0000%	100,0000%	0,0000%	340	0,0000%
23.07.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	306	0,0000%	100,0000%	0,0000%	347	0,0000%
24.07.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	371	0,0000%	100,0000%	0,0000%	345	0,0000%
25.07.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	357	0,0000%	100,0000%	0,0000%	323	0,0000%
26.07.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	301	0,0000%	100,0000%	0,0000%	369	0,0000%
27.07.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	308	0,0000%	100,0000%	0,0000%	341	0,0000%
28.07.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	296	0,0000%	100,0000%	0,0000%	349	0,0000%
29.07.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	309	0,0000%	100,0000%	0,0000%	341	0,0000%
30.07.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	340	0,0000%	100,0000%	0,0000%	332	0,0000%
31.07.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	377	0,0000%	100,0000%	0,0000%	326	0,0000%
	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	282	0,0000%	100,0000%	0,0000%	371	0,0000%



## 1.27 August 1<sup>st</sup> to August 31<sup>st</sup>

Date	Dedicated interface								Bank's PSU interfaces							
									Pictet Connect				Wealth App			
	AISP / CBPII Availability		#AISP Calls	AISP Performance		#CBPII Calls	CBPII Performance		Availability		Performance		Availability		Performance	
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate
01.08.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	350	0,0000%	100,0000%	0,0000%	335	0,0000%
02.08.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	244	0,0000%	100,0000%	0,0000%	345	0,0000%
03.08.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	278	0,0000%	100,0000%	0,0000%	339	0,0000%
04.08.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	290	0,0000%	100,0000%	0,0000%	340	0,0000%
05.08.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	269	0,0000%	100,0000%	0,0000%	340	0,0000%
06.08.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	209	0,0000%	100,0000%	0,0000%	356	0,0000%
07.08.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	270	0,0000%	100,0000%	0,0000%	365	0,0000%
08.08.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	255	0,0000%	100,0000%	0,0000%	366	0,0000%
09.08.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	185	0,0000%	100,0000%	0,0000%	357	0,0000%
10.08.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	193	0,0000%	100,0000%	0,0000%	360	0,0000%
11.08.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	197	0,0000%	100,0000%	0,0000%	363	0,0000%
12.08.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	199	0,0000%	100,0000%	0,0000%	379	0,0000%
13.08.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	246	0,0000%	100,0000%	0,0000%	375	0,0000%
14.08.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	292	0,0000%	100,0000%	0,0000%	381	0,0000%
15.08.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	267	0,0000%	100,0000%	0,0000%	369	0,0000%
16.08.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	321	0,0000%	100,0000%	0,0000%	372	0,0000%
17.08.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	299	0,0000%	100,0000%	0,0000%	380	0,0000%
18.08.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	210	0,0000%	100,0000%	0,0000%	378	0,0000%
19.08.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	299	0,0000%	100,0000%	0,0000%	388	0,0000%
20.08.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	240	0,0000%	100,0000%	0,0000%	522	0,0000%
21.08.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	280	0,0000%	100,0000%	0,0000%	399	0,0000%
22.08.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	279	0,0000%	100,0000%	0,0000%	395	0,0000%
23.08.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	242	0,0000%	100,0000%	0,0000%	373	0,0000%
24.08.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	312	0,0000%	100,0000%	0,0000%	450	0,0000%
25.08.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	269	0,0000%	100,0000%	0,0000%	410	0,0000%
26.08.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	276	0,0000%	100,0000%	0,0000%	339	0,0000%
27.08.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	279	0,0000%	100,0000%	0,0000%	447	0,0000%
28.08.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	99,9700%	0,0300%	442	0,0000%	99,9000%	0,1000%	342	0,0000%
29.08.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	300	0,0000%	100,0000%	0,0000%	345	0,0000%
30.08.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	273	0,0000%	100,0000%	0,0000%	444	0,0000%
31.08.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	357	0,0000%	100,0000%	0,0000%	350	0,0000%
	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	99,9990%	0,0010%	269	0,0000%	100,0000%	0,0032%	378	0,0000%

## 1.28 September 1<sup>st</sup> to September 30<sup>th</sup>

Date	Dedicated interface									Bank's PSU interfaces							
	AISP / CBPII Availability			AISP Performance			CBPII Performance			Pictet Connect				Wealth App			
	Availability		#AISP Calls	Performance		#CBPII Calls	Performance			Availability		Performance		Availability		Performance	
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate		Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate
01.09.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	367	0,0000%	100,0000%	0,0000%	345	0,0000%
02.09.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	251	0,0000%	100,0000%	0,0000%	358	0,0000%
03.09.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	222	0,0000%	100,0000%	0,0000%	348	0,0000%
04.09.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		98,3600%	1,6400%	267	0,0000%	100,0000%	0,0000%	361	0,0000%
05.09.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	264	0,0000%	100,0000%	0,0000%	360	0,0000%
06.09.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	196	0,0000%	100,0000%	0,0000%	363	0,0000%
07.09.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	179	0,0000%	100,0000%	0,0000%	364	0,0000%
08.09.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	176	0,0000%	100,0000%	0,0000%	351	0,0000%
09.09.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	182	0,0000%	100,0000%	0,0000%	343	0,0000%
10.09.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	202	0,0000%	100,0000%	0,0000%	354	0,0000%
11.09.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	260	0,0000%	100,0000%	0,0000%	359	0,0000%
12.09.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	235	0,0000%	100,0000%	0,0000%	357	0,0000%
13.09.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	170	0,0000%	100,0000%	0,0000%	368	0,0000%
14.09.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	169	0,0000%	100,0000%	0,0000%	366	0,0000%
15.09.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	178	0,0000%	100,0000%	0,0000%	366	0,0000%
16.09.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	172	0,0000%	100,0000%	0,0000%	348	0,0000%
17.09.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	205	0,0000%	100,0000%	0,0000%	350	0,0000%
18.09.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	254	0,0000%	100,0000%	0,0000%	335	0,0000%
19.09.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	242	0,0000%	100,0000%	0,0000%	337	0,0000%
20.09.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	263	0,0000%	100,0000%	0,0000%	354	0,0000%
21.09.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	173	0,0000%	100,0000%	0,0000%	351	0,0000%
22.09.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	180	0,0000%	100,0000%	0,0000%	379	0,0000%
23.09.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	195	0,0000%	100,0000%	0,0000%	377	0,0000%
24.09.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	205	0,0000%	100,0000%	0,0000%	358	0,0000%
25.09.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	254	0,0000%	100,0000%	0,0000%	345	0,0000%
26.09.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	241	0,0000%	100,0000%	0,0000%	356	0,0000%
27.09.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	211	0,0000%	100,0000%	0,0000%	360	0,0000%
28.09.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	189	0,0000%	100,0000%	0,0000%	349	0,0000%
29.09.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	178	0,0000%	100,0000%	0,0000%	358	0,0000%
30.09.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	179	0,0000%	100,0000%	0,0000%	356	0,0000%
	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		99,9453%	0,0547%	215	0,0000%	100,0000%	0,0000%	356	0,0000%



## 1.29 October 1<sup>st</sup> to October 31<sup>st</sup>

Date	Dedicated interface								Bank's PSU interfaces							
									Pictet Connect				Wealth App			
	AISP / CBPII Availability		#AISP Calls	AISP Performance		#CBPII Calls	CBPII Performance		Availability		Performance		Availability		Performance	
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate
01.10.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	205	0,0000%	100,0000%	0,0000%	399	0,0000%
02.10.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	244	0,0000%	100,0000%	0,0000%	362	0,0000%
03.10.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	230	0,0000%	100,0000%	0,0000%	364	0,0000%
04.10.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	183	0,0000%	100,0000%	0,0000%	353	0,0000%
05.10.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	176	0,0000%	100,0000%	0,0000%	344	0,0000%
06.10.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	172	0,0000%	100,0000%	0,0000%	379	0,0000%
07.10.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	186	0,0000%	100,0000%	0,0000%	345	0,0000%
08.10.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	199	0,0000%	100,0000%	0,0000%	343	0,0000%
09.10.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	264	0,0000%	100,0000%	0,0000%	357	0,0000%
10.10.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	241	0,0000%	100,0000%	0,0000%	366	0,0000%
11.10.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	181	0,0000%	100,0000%	0,0000%	356	0,0000%
12.10.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	189	0,0000%	100,0000%	0,0000%	357	0,0000%
13.10.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	189	0,0000%	100,0000%	0,0000%	352	0,0000%
14.10.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	161	0,0000%	100,0000%	0,0000%	351	0,0000%
15.10.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	184	0,0000%	100,0000%	0,0000%	362	0,0000%
16.10.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	251	0,0000%	100,0000%	0,0000%	362	0,0000%
17.10.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	287	0,0000%	100,0000%	0,0000%	375	0,0000%
18.10.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	201	0,0000%	100,0000%	0,0000%	351	0,0000%
19.10.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	156	0,0000%	100,0000%	0,0000%	352	0,0000%
20.10.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	173	0,0000%	100,0000%	0,0000%	346	0,0000%
21.10.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	99,9900%	0,0100%	557	0,0000%	100,0000%	0,0000%	379	0,0000%
22.10.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	175	0,0000%	100,0000%	0,0000%	380	0,0000%
23.10.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	259	0,0000%	100,0000%	0,0000%	364	0,0000%
24.10.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	227	0,0000%	100,0000%	0,0000%	366	0,0000%
25.10.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	152	0,0000%	100,0000%	0,0000%	352	0,0000%
26.10.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	146	0,0000%	100,0000%	0,0000%	336	0,0000%
27.10.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	173	0,0000%	100,0000%	0,0000%	352	0,0000%
28.10.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	163	0,0000%	100,0000%	0,0000%	334	0,0000%
29.10.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	186	0,0000%	100,0000%	0,0000%	339	0,0000%
30.10.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	244	0,0000%	100,0000%	0,0000%	357	0,0000%
31.10.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	233	0,0000%	100,0000%	0,0000%	348	0,0000%
	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	99,9997%	0,0003%	212	0,0000%	100,0000%	0,0000%	358	0,0000%

### 1.30 November 1<sup>st</sup> to November 30<sup>th</sup>

Date	Dedicated interface								Bank's PSU interfaces							
									Pictet Connect				Wealth App			
	AISP / CBPII Availability		#AISP Calls	AISP Performance		#CBPII Calls	CBPII Performance		Availability		Performance		Availability		Performance	
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate
01.11.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	147	0,0000%	100,0000%	0,0000%	331	0,0000%
02.11.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	183	0,0000%	100,0000%	0,0000%	340	0,0000%
03.11.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	172	0,0000%	100,0000%	0,0000%	347	0,0000%
04.11.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	481	0,0000%	100,0000%	0,0000%	351	0,0000%
05.11.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	174	0,0000%	100,0000%	0,0000%	351	0,0000%
06.11.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	234	0,0000%	100,0000%	0,0000%	380	0,0000%
07.11.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	198	0,0000%	100,0000%	0,0000%	390	0,0000%
08.11.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	137	0,0000%	100,0000%	0,0000%	361	0,0000%
09.11.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	122	0,0000%	100,0000%	0,0000%	369	0,0000%
10.11.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	145	0,0000%	100,0000%	0,0000%	379	0,0000%
11.11.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	147	0,0000%	100,0000%	0,0000%	388	0,0000%
12.11.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	174	0,0000%	100,0000%	0,0000%	388	0,0000%
13.11.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	99,9900%	0,0100%	526	0,0000%	100,0000%	0,0000%	376	0,0000%
14.11.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	235	0,0000%	100,0000%	0,0000%	375	0,0000%
15.11.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	166	0,0000%	100,0000%	0,0000%	427	0,0000%
16.11.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	166	0,0000%	100,0000%	0,0000%	357	0,0000%
17.11.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	153	0,0000%	100,0000%	0,0000%	354	0,0000%
18.11.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	152	0,0000%	100,0000%	0,0000%	358	0,0000%
19.11.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	181	0,0000%	100,0000%	0,0000%	390	0,0000%
20.11.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	248	0,0000%	100,0000%	0,0000%	365	0,0000%
21.11.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	316	0,0000%	100,0000%	0,0000%	368	0,0000%
22.11.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	500	0,0000%	100,0000%	0,0000%	481	0,0000%
23.11.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	194	0,0000%	100,0000%	0,0000%	348	0,0000%
24.11.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	173	0,0000%	100,0000%	0,0000%	353	0,0000%
25.11.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	190	0,0000%	100,0000%	0,0000%	379	0,0000%
26.11.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	198	0,0000%	100,0000%	0,0000%	366	0,0000%
27.11.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	276	0,0000%	100,0000%	0,0000%	532	0,0000%
28.11.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	240	0,0000%	100,0000%	0,0000%	361	0,0000%
29.11.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	175	0,0000%	100,0000%	0,0000%	351	0,0000%
30.11.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	166	0,0000%	100,0000%	0,0000%	374	0,0000%
	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	99,9997%	0,0003%	219	0,0000%	100,0000%	0,0000%	376	0,0000%



### 1.31 December 1<sup>st</sup> to December 31<sup>st</sup>

Date	Dedicated interface								Bank's PSU interfaces							
									Pictet Connect				Wealth App			
	AISP / CBPII Availability		#AISP Calls	AISP Performance		#CBPII Calls	CBPII Performance		Availability		Performance		Availability		Performance	
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate
01.12.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	183	0,0000%	100,0000%	0,0000%	472	0,0000%
02.12.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	169	0,0000%	100,0000%	0,0000%	448	0,0000%
03.12.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	196	0,0000%	100,0000%	0,0000%	414	0,0000%
04.12.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	254	0,0000%	100,0000%	0,0000%	397	0,0000%
05.12.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	234	0,0000%	100,0000%	0,0000%	348	0,0000%
06.12.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	171	0,0000%	100,0000%	0,0000%	347	0,0000%
07.12.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	575	0,0000%	100,0000%	0,0000%	357	0,0000%
08.12.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	191	0,0000%	100,0000%	0,0000%	355	0,0000%
09.12.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	204	0,0000%	100,0000%	0,0000%	329	0,0000%
10.12.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	252	0,0000%	100,0000%	0,0000%	337	0,0000%
11.12.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	330	0,0000%	100,0000%	0,0000%	341	0,0000%
12.12.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	99,9900%	0,0100%	315	0,0000%	100,0000%	0,0000%	350	0,0000%
13.12.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	293	0,0000%	100,0000%	0,0000%	360	0,0000%
14.12.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	174	0,0000%	99,8500%	0,0000%	330	0,0000%
15.12.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	171	0,0000%	100,0000%	0,0000%	371	0,0000%
16.12.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	164	0,0000%	100,0000%	0,0000%	354	0,0000%
17.12.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	223	0,0000%	100,0000%	0,0000%	373	0,0000%
18.12.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	334	0,0000%	100,0000%	0,0000%	352	0,0000%
19.12.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	302	0,0000%	100,0000%	0,0000%	350	0,0000%
20.12.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	99,9900%	0,0100%	183	0,0000%	100,0000%	0,0000%	346	0,0000%
21.12.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	193	0,0000%	100,0000%	0,0000%	329	0,0000%
22.12.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	173	0,0000%	100,0000%	0,0000%	399	0,0000%
23.12.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	217	0,0000%	100,0000%	0,0000%	333	0,0000%
24.12.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	261	0,0000%	100,0000%	0,0000%	341	0,0000%
25.12.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	344	0,0000%	100,0000%	0,0000%	342	0,0000%
26.12.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	293	0,0000%	100,0000%	0,0000%	352	0,0000%
27.12.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	204	0,0000%	100,0000%	0,0000%	351	0,0000%
28.12.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	233	0,0000%	100,0000%	0,0000%	349	0,0000%
29.12.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	301	0,0000%	100,0000%	0,0000%	336	0,0000%
30.12.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	286	0,0000%	100,0000%	0,0000%	372	0,0000%
31.12.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	304	0,0000%	100,0000%	0,0000%	348	0,0000%
	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	99,9994%	0,0006%	247	0,0000%	99,9929%	0,0000%	361	0,0000%

### 1.32 January 1<sup>st</sup> to January 31<sup>st</sup>

Date	Dedicated interface									Bank's PSU interfaces							
	AISP / CBPII Availability			AISP Performance			CBPII Performance			Pictet Connect				Wealth App			
	Uptime		#AISP Calls	Avg response time (ms)		Error response rate	Avg response time (ms)		Error response rate	Availability		Performance		Availability		Performance	
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate		Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate
01.01.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%		100,0000%	0,0000%	483	0,0000%	100,0000%	0,0000%	376	0,0000%
02.01.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%		100,0000%	0,0000%	331	0,0000%	100,0000%	0,0000%	362	0,0000%
03.01.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%		100,0000%	0,0000%	339	0,0000%	100,0000%	0,0000%	376	0,0000%
04.01.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%		100,0000%	0,0000%	357	0,0000%	100,0000%	0,0000%	333	0,0000%
05.01.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%		100,0000%	0,0000%	315	0,0000%	100,0000%	0,0000%	333	0,0000%
06.01.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%		100,0000%	0,0000%	401	0,0000%	100,0000%	0,0000%	340	0,0000%
07.01.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%		100,0000%	0,0000%	351	0,0000%	100,0000%	0,0000%	320	0,0000%
08.01.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%		100,0000%	0,0000%	367	0,0000%	100,0000%	0,0000%	320	0,0000%
09.01.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%		100,0000%	0,0000%	368	0,0000%	100,0000%	0,0000%	318	0,0000%
10.01.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%		100,0000%	0,0000%	334	0,0000%	100,0000%	0,0000%	312	0,0000%
11.01.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%		100,0000%	0,0000%	215	0,0000%	100,0000%	0,0000%	318	0,0000%
12.01.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%		100,0000%	0,0000%	223	0,0000%	100,0000%	0,0000%	344	0,0000%
13.01.2022	100,0000%	0,0000%	2	913	0,0000%	0	-	0,0000%		100,0000%	0,0000%	177	0,0000%	100,0000%	0,0000%	306	0,0000%
14.01.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%		100,0000%	0,0000%	203	0,0000%	100,0000%	0,0000%	317	0,0000%
15.01.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%		100,0000%	0,0000%	338	0,0000%	100,0000%	0,0000%	320	0,0000%
16.01.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%		100,0000%	0,0000%	260	0,0000%	100,0000%	0,0000%	325	0,0000%
17.01.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%		100,0000%	0,0000%	192	0,0000%	100,0000%	0,0000%	319	0,0000%
18.01.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%		100,0000%	0,0000%	207	0,0000%	100,0000%	0,0000%	313	0,0000%
19.01.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%		100,0000%	0,0000%	203	0,0000%	100,0000%	0,0000%	308	0,0000%
20.01.2022	100,0000%	0,0000%	2	818	0,0000%	0	-	0,0000%		100,0000%	0,0000%	265	0,0000%	100,0000%	0,0000%	328	0,0000%
21.01.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%		100,0000%	0,0000%	282	0,0000%	100,0000%	0,0000%	316	0,0000%
22.01.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%		100,0000%	0,0000%	347	0,0000%	100,0000%	0,0000%	320	0,0000%
23.01.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%		100,0000%	0,0000%	290	0,0000%	100,0000%	0,0000%	331	0,0000%
24.01.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%		100,0000%	0,0000%	284	0,0000%	100,0000%	0,0000%	309	0,0000%
25.01.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%		100,0000%	0,0000%	356	0,0000%	100,0000%	0,0000%	314	0,0000%
26.01.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%		100,0000%	0,0000%	281	0,0000%	100,0000%	0,0000%	318	0,0000%
27.01.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%		100,0000%	0,0000%	211	0,0000%	100,0000%	0,0000%	284	0,0000%
28.01.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%		100,0000%	0,0000%	765	0,0000%	100,0000%	0,0000%	277	0,0000%
29.01.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%		100,0000%	0,0000%	515	0,0000%	100,0000%	0,0000%	288	0,0000%
30.01.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%		100,0000%	0,0000%	332	0,0000%	100,0000%	0,0000%	282	0,0000%
31.01.2022	100,0000%	0,0000%	2	950	0,0000%	0	-	0,0000%		100,0000%	0,0000%	353	0,0000%	100,0000%	0,0000%	304	0,0000%
	100,0000%	0,0000%	6	893	0,0000%	0	-	0,0000%		100,0000%	0,0000%	321	0,0000%	100,0000%	0,0000%	320	0,0000%



### 1.33 February 1<sup>st</sup> to February 28<sup>th</sup>

Date	Dedicated interface									Bank's PSU interfaces							
	AISP / CBPII Availability			AISP Performance			CBPII Performance			Pictet Connect				Wealth App			
	Uptime		#AISP Calls	Avg response time (ms)		Error response rate	Avg response time (ms)		Error response rate	Availability		Performance		Availability		Performance	
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate		Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate
01.02.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	273	0,0000%	100,0000%	0,0000%	362	0,0000%
02.02.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	270	0,0000%	100,0000%	0,0000%	618	0,0000%
03.02.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	190	0,0000%	100,0000%	0,0000%	382	0,0000%
04.02.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	189	0,0000%	100,0000%	0,0000%	293	0,0000%
05.02.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	262	0,0000%	100,0000%	0,0000%	291	0,0000%
06.02.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	227	0,0000%	100,0000%	0,0000%	290	0,0000%
07.02.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	140	0,0000%	100,0000%	0,0000%	281	0,0000%
08.02.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	144	0,0000%	100,0000%	0,0000%	281	0,0000%
09.02.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	146	0,0000%	100,0000%	0,0000%	285	0,0000%
10.02.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	158	0,0000%	100,0000%	0,0000%	278	0,0000%
11.02.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	176	0,0000%	100,0000%	0,0000%	282	0,0000%
12.02.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	271	0,0000%	100,0000%	0,0000%	292	0,0000%
13.02.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	235	0,0000%	100,0000%	0,0000%	291	0,0000%
14.02.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	180	0,0000%	100,0000%	0,0000%	400	0,0000%
15.02.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	172	0,0000%	100,0000%	0,0000%	323	0,0000%
16.02.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	179	0,0000%	100,0000%	0,0000%	288	0,0000%
17.02.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	163	0,0000%	100,0000%	0,0000%	286	0,0000%
18.02.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	187	0,0000%	100,0000%	0,0000%	284	0,0000%
19.02.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	268	0,0000%	100,0000%	0,0000%	279	0,0000%
20.02.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	944	0,0000%	100,0000%	0,0000%	285	0,0000%
21.02.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	193	0,0000%	100,0000%	0,0000%	283	0,0000%
22.02.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	167	0,0000%	100,0000%	0,0000%	277	0,0000%
23.02.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	171	0,0000%	100,0000%	0,0000%	275	0,0000%
24.02.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	329	0,0000%	100,0000%	0,0000%	305	0,0000%
25.02.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	211	0,0000%	100,0000%	0,0000%	299	0,0000%
26.02.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	451	0,0000%	100,0000%	0,0000%	283	0,0000%
27.02.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	268	0,0000%	100,0000%	0,0000%	293	0,0000%
28.02.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	204	0,0000%	100,0000%	0,0000%	296	0,0000%
	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	242	0,0000%	100,0000%	0,0000%	310	0,0000%

### 1.34 March 1<sup>st</sup> to March 31<sup>st</sup>

Date	Dedicated interface								Bank's PSU interfaces							
									Pictet Connect				Wealth App			
									Availability		Performance		Availability		Performance	
	Uptime	Downtime	#AISP Calls	Avg response time (ms)	Error response rate	#CBPII Calls	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate
01.03.2022	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	199	0.0000%	100.0000%	0.0000%	541	0.0000%
02.03.2022	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	168	0.0000%	100.0000%	0.0000%	312	0.0000%
03.03.2022	100.0000%	0.0000%	4	787	0.0000%	0	-	0.0000%	100.0000%	0.0000%	167	0.0000%	100.0000%	0.0000%	292	0.0000%
04.03.2022	100.0000%	0.0000%	2	780	0.0000%	0	-	0.0000%	100.0000%	0.0000%	203	0.0000%	100.0000%	0.0000%	302	0.0000%
05.03.2022	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	269	0.0000%	100.0000%	0.0000%	310	0.0000%
06.03.2022	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	249	0.0000%	100.0000%	0.0000%	294	0.0000%
07.03.2022	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	304	0.0000%	100.0000%	0.0000%	294	0.0000%
08.03.2022	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	360	0.0000%	100.0000%	0.0000%	313	0.0000%
09.03.2022	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	218	0.0000%	100.0000%	0.0000%	289	0.0000%
10.03.2022	100.0000%	0.0000%	2	15	100.0000%	0	-	0.0000%	100.0000%	0.0000%	144	0.0000%	100.0000%	0.0000%	294	0.0000%
11.03.2022	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	203	0.0000%	100.0000%	0.0000%	290	0.0000%
12.03.2022	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	319	0.0000%	100.0000%	0.0000%	302	0.0000%
13.03.2022	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	244	0.0000%	100.0000%	0.0000%	322	0.0000%
14.03.2022	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	151	0.0000%	100.0000%	0.0000%	295	0.0000%
15.03.2022	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	160	0.0000%	100.0000%	0.0000%	312	0.0000%
16.03.2022	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	193	0.0000%	100.0000%	0.0000%	308	0.0000%
17.03.2022	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	153	0.0000%	100.0000%	0.0000%	299	0.0000%
18.03.2022	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	180	0.0000%	100.0000%	0.0000%	302	0.0000%
19.03.2022	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	334	0.0000%	100.0000%	0.0000%	307	0.0000%
20.03.2022	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	248	0.0000%	100.0000%	0.0000%	307	0.0000%
21.03.2022	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	207	0.0000%	100.0000%	0.0000%	289	0.0000%
22.03.2022	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	161	0.0000%	100.0000%	0.0000%	300	0.0000%
23.03.2022	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	152	0.0000%	100.0000%	0.0000%	304	0.0000%
24.03.2022	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	166	0.0000%	100.0000%	0.0000%	312	0.0000%
25.03.2022	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	165	0.0000%	100.0000%	0.0000%	324	0.0000%
26.03.2022	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	98.7800%	1.2200%	283	0.0000%	100.0000%	0.0000%	318	0.0000%
27.03.2022	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	239	0.0000%	100.0000%	0.0000%	304	0.0000%
28.03.2022	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	161	0.0000%	100.0000%	0.0000%	304	0.0000%
29.03.2022	100.0000%	0.0000%	2	1 701	0.0000%	0	-	0.0000%	100.0000%	0.0000%	147	0.0000%	100.0000%	0.0000%	304	0.0000%
30.03.2022	100.0000%	0.0000%	2	796	0.0000%	0	-	0.0000%	100.0000%	0.0000%	161	0.0000%	100.0000%	0.0000%	300	0.0000%
31.03.2022	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	159	0.0000%	100.0000%	0.0000%	299	0.0000%
	100.0000%	0.0000%	12	816	3.2258%	0	-	0.0000%	99.9606%	0.0394%	209	0.0000%	100.0000%	0.0000%	311	0.0000%



### 1.35 April 1<sup>st</sup> to April 30<sup>th</sup>

Date	Dedicated interface									Bank's PSU interfaces							
										Pictet Connect				Wealth App			
										Availability		Performance		Availability		Performance	
	Uptime	Downtime	#AISP Calls	Avg response time (ms)	Error response rate	#CBPII Calls	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	
01.04.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	218	0,0000%	100,0000%	0,0000%	306	0,0000%	
02.04.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	255	0,0000%	100,0000%	0,0000%	306	0,0000%	
03.04.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	318	0,0000%	100,0000%	0,0000%	302	0,0000%	
04.04.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	164	0,0000%	100,0000%	0,0000%	304	0,0000%	
05.04.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	160	0,0000%	100,0000%	0,0000%	322	0,0000%	
06.04.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	174	0,0000%	100,0000%	0,0000%	311	0,0000%	
07.04.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	153	0,0000%	100,0000%	0,0000%	299	0,0000%	
08.04.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	192	0,0000%	100,0000%	0,0000%	300	0,0000%	
09.04.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	266	0,0000%	100,0000%	0,0000%	312	0,0000%	
10.04.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	261	0,0000%	100,0000%	0,0000%	318	0,0000%	
11.04.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	154	0,0000%	100,0000%	0,0000%	292	0,0000%	
12.04.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	176	0,0000%	100,0000%	0,0000%	297	0,0000%	
13.04.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	174	0,0000%	100,0000%	0,0000%	296	0,0000%	
14.04.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	184	0,0000%	100,0000%	0,0000%	302	0,0000%	
15.04.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	246	0,0000%	100,0000%	0,0000%	299	0,0000%	
16.04.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	290	0,0000%	100,0000%	0,0000%	315	0,0000%	
17.04.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	284	0,0000%	100,0000%	0,0000%	311	0,0000%	
18.04.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	191	0,0000%	100,0000%	0,0000%	304	0,0000%	
19.04.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	161	0,0000%	100,0000%	0,0000%	292	0,0000%	
20.04.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	148	0,0000%	100,0000%	0,0000%	293	0,0000%	
21.04.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	165	0,0000%	100,0000%	0,0000%	298	0,0000%	
22.04.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	184	0,0000%	100,0000%	0,0000%	297	0,0000%	
23.04.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	281	0,0000%	100,0000%	0,0000%	307	0,0000%	
24.04.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	261	0,0000%	100,0000%	0,0000%	308	0,0000%	
25.04.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	158	0,0000%	100,0000%	0,0000%	295	0,0000%	
26.04.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	180	0,0000%	100,0000%	0,0000%	298	0,0000%	
27.04.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	178	0,0000%	100,0000%	0,0000%	314	0,0000%	
28.04.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	170	0,0000%	100,0000%	0,0000%	295	0,0000%	
29.04.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	192	0,0000%	100,0000%	0,0000%	299	0,0000%	
30.04.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	293	0,0000%	100,0000%	0,0000%	302	0,0000%	
	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	208	0,0000%	100,0000%	0,0000%	303	0,0000%	

### 1.36 May 1<sup>st</sup> to May 31<sup>st</sup>

Date	Dedicated interface								Bank's PSU interfaces							
									Pictet Connect				Wealth App			
	AISP / CBPII Availability		#AISP Calls	AISP Performance		#CBPII Calls	CBPII Performance		Availability		Performance		Availability		Performance	
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate
01.05.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	257	0,0000%	100,0000%	0,0000%	300	0,0000%
02.05.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	160	0,0000%	100,0000%	0,0000%	311	0,0000%
03.05.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	151	0,0000%	100,0000%	0,0000%	354	0,0000%
04.05.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	171	0,0000%	100,0000%	0,0000%	313	0,0000%
05.05.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	168	0,0000%	100,0000%	0,0000%	314	0,0000%
06.05.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	215	0,0000%	100,0000%	0,0000%	303	0,0000%
07.05.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	275	0,0000%	100,0000%	0,0000%	315	0,0000%
08.05.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	290	0,0000%	100,0000%	0,0000%	306	0,0000%
09.05.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	162	0,0000%	100,0000%	0,0000%	298	0,0000%
10.05.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	182	0,0000%	100,0000%	0,0000%	429	0,0000%
11.05.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	164	0,0000%	100,0000%	0,0000%	298	0,0000%
12.05.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	174	0,0000%	100,0000%	0,0000%	291	0,0000%
13.05.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	194	0,0000%	100,0000%	0,0000%	309	0,0000%
14.05.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	99,5900%	0,4100%	274	0,0000%	100,0000%	0,0000%	313	0,0000%
15.05.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	232	0,0000%	100,0000%	0,0000%	320	0,0000%
16.05.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	158	0,0000%	100,0000%	0,0000%	297	0,0000%
17.05.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	155	0,0000%	100,0000%	0,0000%	308	0,0000%
18.05.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	172	0,0000%	100,0000%	0,0000%	331	0,0000%
19.05.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	171	0,0000%	100,0000%	0,0000%	353	0,0000%
20.05.2022	100,0000%	0,0000%	2	1 284	0,0000%	0	-	0,0000%	100,0000%	0,0000%	185	0,0000%	100,0000%	0,0000%	329	0,0000%
21.05.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	251	0,0000%	100,0000%	0,0000%	332	0,0000%
22.05.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	243	0,0000%	100,0000%	0,0000%	393	0,0000%
23.05.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	178	0,0000%	100,0000%	0,0000%	330	0,0000%
24.05.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	192	0,0000%	100,0000%	0,0000%	354	0,0000%
25.05.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	160	0,0000%	100,0000%	0,0000%	348	0,0000%
26.05.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	160	0,0000%	100,0000%	0,0000%	345	0,0000%
27.05.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	191	0,0000%	100,0000%	0,0000%	356	0,0000%
28.05.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	305	0,0000%	100,0000%	0,0000%	349	0,0000%
29.05.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	315	0,0000%	100,0000%	0,0000%	365	0,0000%
30.05.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	439	0,0000%	100,0000%	0,0000%	322	0,0000%
31.05.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	150	0,0000%	100,0000%	0,0000%	377	0,0000%
	100,0000%	0,0000%	2	41	0,0000%	0	-	0,0000%	99,9868%	0,0132%	209	0,0000%	100,0000%	0,0000%	331	0,0000%



### 1.37 June 1<sup>st</sup> to June 30<sup>th</sup>

Date	Dedicated interface									Bank's PSU interfaces							
										Pictet Connect				Wealth App			
	AISP / CBPII Availability		#AISP Calls	AISP Performance		#CBPII Calls	CBPII Performance		Availability		Performance		Availability		Performance		
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	
01.06.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	216	0.0000%	100.0000%	0.0000%	376	0.0000%
02.06.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	178	0.0000%	100.0000%	0.0000%	516	0.0000%
03.06.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	172	0.0000%	100.0000%	0.0000%	337	0.0000%
04.06.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	239	0.0000%	100.0000%	0.0000%	339	0.0000%
05.06.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	222	0.0000%	100.0000%	0.0000%	321	0.0000%
06.06.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	167	0.0000%	100.0000%	0.0000%	320	0.0000%
07.06.2022	100.0000%	0.0000%	2	1 862	0.0000%	0	-	0.0000%		100.0000%	0.0000%	245	0.0000%	100.0000%	0.0000%	326	0.0000%
08.06.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	157	0.0000%	100.0000%	0.0000%	324	0.0000%
09.06.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	151	0.0000%	100.0000%	0.0000%	301	0.0000%
10.06.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	165	0.0000%	100.0000%	0.0000%	295	0.0000%
11.06.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	325	0.0000%	100.0000%	0.0000%	308	0.0000%
12.06.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	275	0.0000%	100.0000%	0.0000%	309	0.0000%
13.06.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	225	0.0000%	100.0000%	0.0000%	387	0.0000%
14.06.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	207	0.0000%	100.0000%	0.0000%	332	0.0000%
15.06.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	213	0.0000%	100.0000%	0.0000%	319	0.0000%
16.06.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	215	0.0000%	100.0000%	0.0000%	323	0.0000%
17.06.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	242	0.0000%	100.0000%	0.0000%	319	0.0000%
18.06.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	315	0.0000%	100.0000%	0.0000%	643	0.0000%
19.06.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	308	0.0000%	100.0000%	0.0000%	333	0.0000%
20.06.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	217	0.0000%	100.0000%	0.0000%	319	0.0000%
21.06.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	212	0.0000%	100.0000%	0.0000%	315	0.0000%
22.06.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	242	0.0000%	100.0000%	0.0000%	312	0.0000%
23.06.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	230	0.0000%	100.0000%	0.0000%	323	0.0000%
24.06.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	375	0.0000%	100.0000%	0.0000%	312	0.0000%
25.06.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	267	0.0000%	100.0000%	0.0000%	308	0.0000%
26.06.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	356	0.0000%	100.0000%	0.0000%	327	0.0000%
27.06.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	385	0.0000%	100.0000%	0.0000%	303	0.0000%
28.06.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	236	0.0000%	100.0000%	0.0000%	301	0.0000%
29.06.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	569	0.0000%	100.0000%	0.0000%	293	0.0000%
30.06.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	182	0.0000%	100.0000%	0.0000%	294	0.0000%
	100.0000%	0.0000%	2	62	0.0000%	0	-	0.0000%		100.0000%	0.0000%	250	0.0000%	100.0000%	0.0000%	338	0.0000%

### 1.38 July 1<sup>st</sup> to July 31<sup>st</sup>

Date	Dedicated interface								Bank's PSU interfaces							
									Pictet Connect				Wealth App			
	AISP / CBPII Availability		#AISP Calls	AISP Performance		#CBPII Calls	CBPII Performance		Availability		Performance		Availability		Performance	
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate
01.07.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	188	0,0000%	100,0000%	0,0000%	295	0,0000%
02.07.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	255	0,0000%	100,0000%	0,0000%	311	0,0000%
03.07.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	229	0,0000%	100,0000%	0,0000%	318	0,0000%
04.07.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	286	0,0000%	100,0000%	0,0000%	298	0,0000%
05.07.2022	100,0000%	0,0000%	2	679	0,0000%	0	-	0,0000%	100,0000%	0,0000%	199	0,0000%	100,0000%	0,0000%	296	0,0000%
06.07.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	175	0,0000%	100,0000%	0,0000%	307	0,0000%
07.07.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	238	0,0000%	100,0000%	0,0000%	296	0,0000%
08.07.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	199	0,0000%	100,0000%	0,0000%	303	0,0000%
09.07.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	286	0,0000%	100,0000%	0,0000%	306	0,0000%
10.07.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	234	0,0000%	100,0000%	0,0000%	312	0,0000%
11.07.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	183	0,0000%	100,0000%	0,0000%	296	0,0000%
12.07.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	179	0,0000%	100,0000%	0,0000%	296	0,0000%
13.07.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	174	0,0000%	100,0000%	0,0000%	301	0,0000%
14.07.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	178	0,0000%	100,0000%	0,0000%	300	0,0000%
15.07.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	213	0,0000%	100,0000%	0,0000%	304	0,0000%
16.07.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	313	0,0000%	100,0000%	0,0000%	322	0,0000%
17.07.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	225	0,0000%	100,0000%	0,0000%	308	0,0000%
18.07.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	216	0,0000%	100,0000%	0,0000%	295	0,0000%
19.07.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	181	0,0000%	100,0000%	0,0000%	292	0,0000%
20.07.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	177	0,0000%	100,0000%	0,0000%	301	0,0000%
21.07.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	177	0,0000%	100,0000%	0,0000%	303	0,0000%
22.07.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	197	0,0000%	99,9900%	0,0000%	299	0,0000%
23.07.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	252	0,0000%	100,0000%	0,0000%	348	0,0000%
24.07.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	233	0,0000%	100,0000%	0,0000%	317	0,0000%
25.07.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	182	0,0000%	100,0000%	0,0000%	305	0,0000%
26.07.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	176	0,0000%	100,0000%	0,0000%	307	0,0000%
27.07.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	169	0,0000%	100,0000%	0,0000%	296	0,0000%
28.07.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	175	0,0000%	100,0000%	0,0000%	303	0,0000%
29.07.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	191	0,0000%	100,0000%	0,0000%	312	0,0000%
30.07.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	243	0,0000%	100,0000%	0,0000%	314	0,0000%
31.07.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	231	0,0000%	100,0000%	0,0000%	300	0,0000%
	100,0000%	0,0000%	2	22	0,0000%	0	-	0,0000%	100,0000%	0,0000%	211	0,0000%	99,9997%	0,0000%	305	0,0000%



### 1.39 August 1<sup>st</sup> to August 31<sup>st</sup>

Date	Dedicated interface									Bank's PSU interfaces							
	AISP / CBPII Availability			AISP Performance			CBPII Performance			Pictet Connect				Wealth App			
	Availability		#AISP Calls	Performance		#CBPII Calls	Performance			Availability		Performance		Availability		Performance	
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate		Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate
01.08.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	175	0,0000%	100,0000%	0,0000%	301	0,0000%
02.08.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	154	0,0000%	100,0000%	0,0000%	295	0,0000%
03.08.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	159	0,0000%	100,0000%	0,0000%	300	0,0000%
04.08.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	175	0,0000%	100,0000%	0,0000%	300	0,0000%
05.08.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	200	0,0000%	100,0000%	0,0000%	299	0,0000%
06.08.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	293	0,0000%	100,0000%	0,0000%	309	0,0000%
07.08.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	369	0,0000%	100,0000%	0,0000%	306	0,0000%
08.08.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	1 018	0,0000%	100,0000%	0,0000%	298	0,0000%
09.08.2022	100,0000%	0,0000%	2	1 230	0,0000%	0	-	0,0000%		100,0000%	0,0000%	174	0,0000%	100,0000%	0,0000%	298	0,0000%
10.08.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	180	0,0000%	100,0000%	0,0000%	299	0,0000%
11.08.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	173	0,0000%	100,0000%	0,0000%	304	0,0000%
12.08.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	188	0,0000%	100,0000%	0,0000%	345	0,0000%
13.08.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	268	0,0000%	100,0000%	0,0000%	302	0,0000%
14.08.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	248	0,0000%	100,0000%	0,0000%	306	0,0000%
15.08.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	182	0,0000%	100,0000%	0,0000%	304	0,0000%
16.08.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	174	0,0000%	100,0000%	0,0000%	306	0,0000%
17.08.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	167	0,0000%	100,0000%	0,0000%	305	0,0000%
18.08.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	164	0,0000%	100,0000%	0,0000%	294	0,0000%
19.08.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	180	0,0000%	100,0000%	0,0000%	308	0,0000%
20.08.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		98,9100%	1,0900%	262	0,0000%	100,0000%	0,0000%	308	0,0000%
21.08.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	226	0,0000%	100,0000%	0,0000%	307	0,0000%
22.08.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	199	0,0000%	100,0000%	0,0000%	299	0,0000%
23.08.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	177	0,0000%	100,0000%	0,0000%	351	0,0000%
24.08.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	170	0,0000%	100,0000%	0,0000%	300	0,0000%
25.08.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	174	0,0000%	100,0000%	0,0000%	307	0,0000%
26.08.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	188	0,0000%	100,0000%	0,0000%	303	0,0000%
27.08.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	256	0,0000%	100,0000%	0,0000%	310	0,0000%
28.08.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	253	0,0000%	100,0000%	0,0000%	316	0,0000%
29.08.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	182	0,0000%	100,0000%	0,0000%	298	0,0000%
30.08.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	174	0,0000%	100,0000%	0,0000%	307	0,0000%
31.08.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	240	0,0000%	100,0000%	0,0000%	323	0,0000%
	100,0000%	0,0000%	2	40	0,0000%	0	-	0,0000%		99,9648%	0,0352%	230	0,0000%	100,0000%	0,0000%	307	0,0000%

## 1.40 September 1<sup>st</sup> to September 30<sup>th</sup>

Date	Dedicated interface								Bank's PSU interfaces							
									Pictet Connect				Wealth App			
	AISP / CBPII Availability		#AISP Calls	AISP Performance		#CBPII Calls	CBPII Performance		Availability		Performance		Availability		Performance	
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate
01.09.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	173	0.0000%	100.0000%	0.0000%	303	0.0000%
02.09.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	193	0.0000%	100.0000%	0.0000%	305	0.0000%
03.09.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	258	0.0000%	100.0000%	0.0000%	303	0.0000%
04.09.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	216	0.0000%	100.0000%	0.0000%	302	0.0000%
05.09.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	173	0.0000%	100.0000%	0.0000%	311	0.0000%
06.09.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	173	0.0000%	100.0000%	0.0000%	298	0.0000%
07.09.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	182	0.0000%	100.0000%	0.0000%	304	0.0000%
08.09.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	180	0.0000%	100.0000%	0.0000%	298	0.0000%
09.09.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	193	0.0000%	100.0000%	0.0000%	302	0.0000%
10.09.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	242	0.0000%	100.0000%	0.0000%	309	0.0000%
11.09.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	247	0.0000%	100.0000%	0.0000%	299	0.0000%
12.09.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	164	0.0000%	100.0000%	0.0000%	317	0.0000%
13.09.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	177	0.0000%	100.0000%	0.0000%	299	0.0000%
14.09.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	173	0.0000%	100.0000%	0.0000%	310	0.0000%
15.09.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	181	0.0000%	100.0000%	0.0000%	294	0.0000%
16.09.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	197	0.0000%	100.0000%	0.0000%	298	0.0000%
17.09.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	244	0.0000%	100.0000%	0.0000%	364	0.0000%
18.09.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	250	0.0000%	100.0000%	0.0000%	302	0.0000%
19.09.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	248	0.0000%	100.0000%	0.0000%	299	0.0000%
20.09.2022	100.0000%	0.0000%	2	1'686	0.0000%	0	-	0.0000%	100.0000%	0.0000%	214	0.0000%	100.0000%	0.0000%	308	0.0000%
21.09.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	204	0.0000%	100.0000%	0.0000%	325	0.0000%
22.09.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	160	0.0000%	100.0000%	0.0000%	339	0.0000%
23.09.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	182	0.0000%	100.0000%	0.0000%	328	0.0000%
24.09.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	232	0.0000%	100.0000%	0.0000%	336	0.0000%
25.09.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	215	0.0000%	100.0000%	0.0000%	337	0.0000%
26.09.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	152	0.0000%	100.0000%	0.0000%	331	0.0000%
27.09.2022	100.0000%	0.0000%	4	638	0.0000%	0	-	0.0000%	100.0000%	0.0000%	161	0.0000%	100.0000%	0.0000%	320	0.0000%
28.09.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	155	0.0000%	100.0000%	0.0000%	325	0.0000%
29.09.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	143	0.0000%	100.0000%	0.0000%	324	0.0000%
30.09.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	161	0.0000%	100.0000%	0.0000%	328	0.0000%
	100.0000%	0.0000%	6	77	0.0000%	0	-	0.0000%	100.0000%	0.0000%	195	0.0000%	100.0000%	0.0000%	314	0.0000%



## 1.41 October 1<sup>st</sup> to October 31<sup>st</sup>

Date	Dedicated interface								Bank's PSU interfaces							
									Pictet Connect				Wealth App			
	AISP / CBPII Availability		#AISP Calls	AISP Performance		#CBPII Calls	CBPII Performance		Availability		Performance		Availability		Performance	
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate
01.10.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	205	0.0000%	100.0000%	0.0000%	330	0.0000%
02.10.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	190	0.0000%	100.0000%	0.0000%	335	0.0000%
03.10.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	150	0.0000%	100.0000%	0.0000%	328	0.0000%
04.10.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9900%	0.0100%	136	0.0000%	100.0000%	0.0000%	337	0.0000%
05.10.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	141	0.0000%	100.0000%	0.0000%	334	0.0000%
06.10.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	151	0.0000%	100.0000%	0.0000%	328	0.0000%
07.10.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	160	0.0000%	100.0000%	0.0000%	347	0.0000%
08.10.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	222	0.0000%	100.0000%	0.0000%	338	0.0000%
09.10.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	227	0.0000%	100.0000%	0.0000%	338	0.0000%
10.10.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	156	0.0000%	100.0000%	0.0000%	331	0.0000%
11.10.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	159	0.0000%	100.0000%	0.0000%	324	0.0000%
12.10.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	167	0.0000%	100.0000%	0.0000%	327	0.0000%
13.10.2022	100.0000%	0.0000%	2	733	0.0000%	0	-	0.0000%	100.0000%	0.0000%	159	0.0000%	100.0000%	0.0000%	351	0.0000%
14.10.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	175	0.0000%	100.0000%	0.0000%	327	0.0000%
15.10.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	240	0.0000%	100.0000%	0.0000%	325	0.0000%
16.10.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	213	0.0000%	100.0000%	0.0000%	327	0.0000%
17.10.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	166	0.0000%	100.0000%	0.0000%	307	0.0000%
18.10.2022	100.0000%	0.0000%	2	707	0.0000%	0	-	0.0000%	100.0000%	0.0000%	212	0.0000%	100.0000%	0.0000%	341	0.0000%
19.10.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	227	0.0000%	100.0000%	0.0000%	328	0.0000%
20.10.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	160	0.0000%	100.0000%	0.0000%	309	0.0000%
21.10.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	496	0.0000%	100.0000%	0.0000%	313	0.0000%
22.10.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	268	0.0000%	100.0000%	0.0000%	314	0.0000%
23.10.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	239	0.0000%	100.0000%	0.0000%	316	0.0000%
24.10.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	178	0.0000%	100.0000%	0.0000%	317	0.0000%
25.10.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	180	0.0000%	100.0000%	0.0000%	318	0.0000%
26.10.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	170	0.0000%	100.0000%	0.0000%	310	0.0000%
27.10.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	167	0.0000%	100.0000%	0.0000%	323	0.0000%
28.10.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	199	0.0000%	100.0000%	0.0000%	308	0.0000%
29.10.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	248	0.0000%	100.0000%	0.0000%	313	0.0000%
30.10.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	220	0.0000%	100.0000%	0.0000%	326	0.0000%
31.10.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	169	0.0000%	100.0000%	0.0000%	309	0.0000%
	100.0000%	0.0000%	4	46	0.0000%	0	-	0.0000%	99.9997%	0.0003%	198	0.0000%	100.0000%	0.0000%	325	0.0000%

## 1.42 November 1<sup>st</sup> to November 30<sup>th</sup>

Date	Dedicated interface									Bank's PSU interfaces							
	AISP / CBPII Availability			AISP Performance			CBPII Performance			Pictet Connect				Wealth App			
	Uptime		#AISP Calls	Avg response time (ms)		Error response rate	Avg response time (ms)		Error response rate	Availability		Performance		Availability		Performance	
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate		Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate
01.11.2022	100.0000%	0.0000%	2	1'790	0.0000%	0	-	0.0000%		100.0000%	0.0000%	168	0.0000%	100.0000%	0.0000%	313	0.0000%
02.11.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	175	0.0000%	100.0000%	0.0000%	318	0.0000%
03.11.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	160	0.0000%	100.0000%	0.0000%	306	0.0000%
04.11.2022	100.0000%	0.0000%	2	728	0.0000%	0	-	0.0000%		100.0000%	0.0000%	177	0.0000%	100.0000%	0.0000%	317	0.0000%
05.11.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	225	0.0000%	100.0000%	0.0000%	308	0.0000%
06.11.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	223	0.0000%	100.0000%	0.0000%	406	0.0000%
07.11.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	154	0.0000%	100.0000%	0.0000%	310	0.0000%
08.11.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	155	0.0000%	100.0000%	0.0000%	304	0.0000%
09.11.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	178	0.0000%	100.0000%	0.0000%	310	0.0000%
10.11.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	177	0.0000%	100.0000%	0.0000%	323	0.0000%
11.11.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	178	0.0000%	100.0000%	0.0000%	321	0.0000%
12.11.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	222	0.0000%	100.0000%	0.0000%	315	0.0000%
13.11.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	236	0.0000%	100.0000%	0.0000%	311	0.0000%
14.11.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	166	0.0000%	100.0000%	0.0000%	303	0.0000%
15.11.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	163	0.0000%	100.0000%	0.0000%	301	0.0000%
16.11.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	165	0.0000%	100.0000%	0.0000%	298	0.0000%
17.11.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	156	0.0000%	100.0000%	0.0000%	302	0.0000%
18.11.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	186	0.0000%	100.0000%	0.0000%	306	0.0000%
19.11.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	237	0.0000%	100.0000%	0.0000%	314	0.0000%
20.11.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	219	0.0000%	100.0000%	0.0000%	308	0.0000%
21.11.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	164	0.0000%	100.0000%	0.0000%	308	0.0000%
22.11.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	176	0.0000%	100.0000%	0.0000%	307	0.0000%
23.11.2022	100.0000%	0.0000%	2	2'016	0.0000%	0	-	0.0000%		100.0000%	0.0000%	184	0.0000%	100.0000%	0.0000%	301	0.0000%
24.11.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	182	0.0000%	100.0000%	0.0000%	305	0.0000%
25.11.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	220	0.0000%	100.0000%	0.0000%	311	0.0000%
26.11.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	258	0.0000%	100.0000%	0.0000%	308	0.0000%
27.11.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	232	0.0000%	100.0000%	0.0000%	320	0.0000%
28.11.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	178	0.0000%	100.0000%	0.0000%	313	0.0000%
29.11.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	167	0.0000%	100.0000%	0.0000%	301	0.0000%
30.11.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	149	0.0000%	100.0000%	0.0000%	304	0.0000%
	100.0000%	0.0000%	6	151	0.0000%	0	-	0.0000%		100.0000%	0.0000%	188	0.0000%	100.0000%	0.0000%	312	0.0000%



### 1.43 December 1<sup>st</sup> to December 31<sup>st</sup>

Date	Dedicated interface								Bank's PSU interfaces							
									Pictet Connect				Wealth App			
	AISP / CBPII Availability		#AISP Calls	AISP Performance		#CBPII Calls	CBPII Performance		Availability		Performance		Availability		Performance	
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate
01.12.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	153	0.0000%	100.0000%	0.0000%	304	0.0000%
02.12.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	175	0.0000%	100.0000%	0.0000%	308	0.0000%
03.12.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	218	0.0000%	100.0000%	0.0000%	313	0.0000%
04.12.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	192	0.0000%	100.0000%	0.0000%	309	0.0000%
05.12.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	152	0.0000%	100.0000%	0.0000%	301	0.0000%
06.12.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	159	0.0000%	100.0000%	0.0000%	299	0.0000%
07.12.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	161	0.0000%	100.0000%	0.0000%	310	0.0000%
08.12.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	151	0.0000%	100.0000%	0.0000%	307	0.0000%
09.12.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	173	0.0000%	100.0000%	0.0000%	314	0.0000%
10.12.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	233	0.0000%	100.0000%	0.0000%	310	0.0000%
11.12.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	206	0.0000%	100.0000%	0.0000%	319	0.0000%
12.12.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	157	0.0000%	100.0000%	0.0000%	305	0.0000%
13.12.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	272	0.0000%	100.0000%	0.0000%	316	0.0000%
14.12.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9400%	0.0600%	332	0.0000%	99.4000%	0.0000%	480	0.0000%
15.12.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	155	0.0000%	100.0000%	0.0000%	308	0.0000%
16.12.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	178	0.0000%	100.0000%	0.0000%	325	0.0000%
17.12.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	224	0.0000%	100.0000%	0.0000%	345	0.0000%
18.12.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	215	0.0000%	100.0000%	0.0000%	328	0.0000%
19.12.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	159	0.0000%	100.0000%	0.0000%	327	0.0000%
20.12.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	150	0.0000%	100.0000%	0.0000%	306	0.0000%
21.12.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	162	0.0000%	100.0000%	0.0000%	321	0.0000%
22.12.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	157	0.0000%	100.0000%	0.0000%	318	0.0000%
23.12.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	179	0.0000%	100.0000%	0.0000%	304	0.0000%
24.12.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	236	0.0000%	100.0000%	0.0000%	310	0.0000%
25.12.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	233	0.0000%	100.0000%	0.0000%	331	0.0000%
26.12.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	186	0.0000%	100.0000%	0.0000%	325	0.0000%
27.12.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	153	0.0000%	100.0000%	0.0000%	308	0.0000%
28.12.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	154	0.0000%	100.0000%	0.0000%	301	0.0000%
29.12.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	169	0.0000%	100.0000%	0.0000%	334	0.0000%
30.12.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	177	0.0000%	100.0000%	0.0000%	302	0.0000%
31.12.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	224	0.0000%	100.0000%	0.0000%	316	0.0000%
	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9981%	0.0019%	187	0.0000%	99.9714%	0.0000%	320	0.0000%