


Availability and performance daily statistics of dedicated interface and all PSU interfaces

January 1ST 2023 to December 31st 2024



1 Daily statistics

1.44 January 1st to January 31st

Date	Dedicated interface									Bank's PSU interfaces							
	AISP / CBPII Availability			AISP Performance			CBPII Performance			Pictet Connect				Wealth App			
	Availability		#AISP Calls	Performance		#CBPII Calls	Performance			Availability		Performance		Availability		Performance	
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate		Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate
01.01.2023	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	203	0,0000%	100,0000%	0,0000%	305	0,0000%
02.01.2023	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	157	0,0000%	100,0000%	0,0000%	308	0,0000%
03.01.2023	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	171	0,0000%	100,0000%	0,0000%	310	0,0000%
04.01.2023	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	149	0,0000%	100,0000%	0,0000%	311	0,0000%
05.01.2023	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	152	0,0000%	100,0000%	0,0000%	299	0,0000%
06.01.2023	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	168	0,0000%	100,0000%	0,0000%	301	0,0000%
07.01.2023	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	208	0,0000%	100,0000%	0,0000%	314	0,0000%
08.01.2023	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	194	0,0000%	100,0000%	0,0000%	317	0,0000%
09.01.2023	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	157	0,0000%	100,0000%	0,0000%	315	0,0000%
10.01.2023	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	192	0,0000%	100,0000%	0,0000%	303	0,0000%
11.01.2023	100,0000%	0,0000%	2	857	0,0000%	0	-	0,0000%		100,0000%	0,0000%	152	0,0000%	100,0000%	0,0000%	350	0,0000%
12.01.2023	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	153	0,0000%	100,0000%	0,0000%	312	0,0000%
13.01.2023	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	173	0,0000%	100,0000%	0,0000%	309	0,0000%
14.01.2023	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	231	0,0000%	100,0000%	0,0000%	318	0,0000%
15.01.2023	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	216	0,0000%	100,0000%	0,0000%	309	0,0000%
16.01.2023	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	169	0,0000%	100,0000%	0,0000%	306	0,0000%
17.01.2023	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	148	0,0000%	100,0000%	0,0000%	326	0,0000%
18.01.2023	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	142	0,0000%	100,0000%	0,0000%	310	0,0000%
19.01.2023	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	164	0,0000%	100,0000%	0,0000%	387	0,0000%
20.01.2023	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	170	0,0000%	100,0000%	0,0000%	375	0,0000%
21.01.2023	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	230	0,0000%	100,0000%	0,0000%	310	0,0000%
22.01.2023	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	224	0,0000%	100,0000%	0,0000%	310	0,0000%
23.01.2023	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	156	0,0000%	100,0000%	0,0000%	306	0,0000%
24.01.2023	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	157	0,0000%	100,0000%	0,0000%	303	0,0000%
25.01.2023	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	157	0,0000%	100,0000%	0,0000%	322	0,0000%
26.01.2023	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	159	0,0000%	100,0000%	0,0000%	362	0,0000%
27.01.2023	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	177	0,0000%	100,0000%	0,0000%	473	0,0000%
28.01.2023	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	229	0,0000%	100,0000%	0,0000%	553	0,0000%
29.01.2023	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	212	0,0000%	100,0000%	0,0000%	459	0,0000%
30.01.2023	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	148	0,0000%	100,0000%	0,0000%	336	0,0000%
31.01.2023	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%		100,0000%	0,0000%	145	0,0000%	100,0000%	0,0000%	365	0,0000%
	100,0000%	0,0000%	2	28	0,0000%	0	-	0,0000%		100,0000%	0,0000%	176	0,0000%	100,0000%	0,0000%	338	0,0000%

1.45 February 1st to February 28th

Date	Dedicated interface									Bank's PSU interfaces							
	AISP / CBPII Availability			AISP Performance			CBPII Performance			Pictet Connect				Wealth App			
	Uptime		#AISP Calls	Avg response time (ms)		Error response rate	Avg response time (ms)		Error response rate	Availability		Performance		Availability		Performance	
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate		Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate
01.02.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	135	0.0000%	100.0000%	0.0000%	457	0.0000%
02.02.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	147	0.0000%	100.0000%	0.0000%	418	0.0000%
03.02.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	166	0.0000%	100.0000%	0.0000%	423	0.0000%
04.02.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	215	0.0000%	100.0000%	0.0000%	449	0.0000%
05.02.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	200	0.0000%	100.0000%	0.0000%	365	0.0000%
06.02.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	144	0.0000%	100.0000%	0.0000%	352	0.0000%
07.02.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	139	0.0000%	100.0000%	0.0000%	380	0.0000%
08.02.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	142	0.0000%	100.0000%	0.0000%	471	0.0000%
09.02.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	131	0.0000%	100.0000%	0.0000%	422	0.0000%
10.02.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	165	0.0000%	100.0000%	0.0000%	436	0.0000%
11.02.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	208	0.0000%	100.0000%	0.0000%	399	0.0000%
12.02.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	186	0.0000%	100.0000%	0.0000%	362	0.0000%
13.02.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	145	0.0000%	100.0000%	0.0000%	407	0.0000%
14.02.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	136	0.0000%	100.0000%	0.0000%	481	0.0000%
15.02.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	140	0.0000%	100.0000%	0.0000%	338	0.0000%
16.02.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	140	0.0000%	100.0000%	0.0000%	381	0.0000%
17.02.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	154	0.0000%	100.0000%	0.0000%	379	0.0000%
18.02.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	209	0.0000%	100.0000%	0.0000%	313	0.0000%
19.02.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	187	0.0000%	100.0000%	0.0000%	314	0.0000%
20.02.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	228	0.0000%	100.0000%	0.0000%	337	0.0000%
21.02.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		99.9900%	0.0100%	144	0.0000%	100.0000%	0.0000%	382	0.0000%
22.02.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	182	0.0000%	100.0000%	0.0000%	452	0.0000%
23.02.2023	100.0000%	0.0000%	2	1'968	0.0000%	0	-	0.0000%		99.9900%	0.0100%	138	0.0000%	100.0000%	0.0000%	833	0.0000%
24.02.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	161	0.0000%	100.0000%	0.0000%	512	0.0000%
25.02.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	207	0.0000%	100.0000%	0.0000%	415	0.0000%
26.02.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	187	0.0000%	100.0000%	0.0000%	466	0.0000%
27.02.2023	100.0000%	0.0000%	4	2'323	0.0000%	0	-	0.0000%		99.9200%	0.0800%	130	0.0000%	99.9400%	0.0600%	410	0.0000%
28.02.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	130	0.0000%	100.0000%	0.0000%	311	0.0000%
	100.0000%	0.0000%	6	153	0.0000%	0	-	0.0000%		99.9964%	0.0036%	164	0.0000%	99.9979%	0.0021%	417	0.0000%

1.46 March 1st to March 31st

Date	Dedicated interface								Bank's PSU interfaces							
									Pictet Connect				Wealth App			
	AISP / CBPII Availability		#AISP Calls	AISP Performance		#CBPII Calls	CBPII Performance		Availability		Performance		Availability		Performance	
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate
01.03.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	135	0.0000%	100.0000%	0.0000%	336	0.0000%
02.03.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	138	0.0000%	100.0000%	0.0000%	427	0.0000%
03.03.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	157	0.0000%	100.0000%	0.0000%	333	0.0000%
04.03.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	206	0.0000%	100.0000%	0.0000%	473	0.0000%
05.03.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	175	0.0000%	100.0000%	0.0000%	361	0.0000%
06.03.2023	100.0000%	0.0000%	1	3'507	0.0000%	0	-	0.0000%	100.0000%	0.0000%	137	0.0000%	100.0000%	0.0000%	436	0.0000%
07.03.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	133	0.0000%	100.0000%	0.0000%	447	0.0000%
08.03.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	141	0.0000%	100.0000%	0.0000%	450	0.0000%
09.03.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	136	0.0000%	100.0000%	0.0000%	400	0.0000%
10.03.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	151	0.0000%	100.0000%	0.0000%	415	0.0000%
11.03.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	199	0.0000%	100.0000%	0.0000%	470	0.0000%
12.03.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	205	0.0000%	100.0000%	0.0000%	431	0.0000%
13.03.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	127	0.0000%	100.0000%	0.0000%	424	0.0000%
14.03.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	140	0.0000%	100.0000%	0.0000%	407	0.0000%
15.03.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	250	0.0000%	100.0000%	0.0000%	327	0.0000%
16.03.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	138	0.0000%	100.0000%	0.0000%	307	0.0000%
17.03.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	152	0.0000%	100.0000%	0.0000%	295	0.0000%
18.03.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	207	0.0000%	100.0000%	0.0000%	273	0.0000%
19.03.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	189	0.0000%	100.0000%	0.0000%	276	0.0000%
20.03.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	131	0.0000%	100.0000%	0.0000%	277	0.0000%
21.03.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	173	0.0000%	100.0000%	0.0000%	271	0.0000%
22.03.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	133	0.0000%	100.0000%	0.0000%	266	0.0000%
23.03.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	129	0.0000%	100.0000%	0.0000%	279	0.0000%
24.03.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	154	0.0000%	100.0000%	0.0000%	269	0.0000%
25.03.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	203	0.0000%	100.0000%	0.0000%	285	0.0000%
26.03.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	186	0.0000%	100.0000%	0.0000%	332	0.0000%
27.03.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	128	0.0000%	100.0000%	0.0000%	277	0.0000%
28.03.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	132	0.0000%	100.0000%	0.0000%	285	0.0000%
29.03.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	129	0.0000%	100.0000%	0.0000%	307	0.0000%
30.03.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	136	0.0000%	100.0000%	0.0000%	286	0.0000%
31.03.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	146	0.0000%	100.0000%	0.0000%	296	0.0000%
	100.0000%	0.0000%	1	113	0.0000%	0	-	0.0000%	100.0000%	0.0000%	158	0.0000%	100.0000%	0.0000%	346	0.0000%

1.47 April 1st to April 30th

Date	Dedicated interface									Bank's PSU interfaces							
	AISP / CBPII Availability			AISP Performance			CBPII Performance			Pictet Connect				Wealth App			
	Uptime		#AISP Calls	Avg response time (ms)		Error response rate	Avg response time (ms)		Error response rate	Availability		Performance		Availability		Performance	
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate		Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate
01.04.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%		100.0000%	0.0000%	194	0.0000%	100.0000%	0.0000%	285	0.0000%
02.04.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%		100.0000%	0.0000%	177	0.0000%	100.0000%	0.0000%	318	0.0000%
03.04.2023	100.0000%	0.0000%	6	756	0.0000%	0	-	0.0000%		100.0000%	0.0000%	136	0.0000%	100.0000%	0.0000%	276	0.0000%
04.04.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%		100.0000%	0.0000%	128	0.0000%	100.0000%	0.0000%	273	0.0000%
05.04.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%		100.0000%	0.0000%	129	0.0000%	100.0000%	0.0000%	291	0.0000%
06.04.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%		100.0000%	0.0000%	146	0.0000%	100.0000%	0.0000%	299	0.0000%
07.04.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%		100.0000%	0.0000%	177	0.0000%	100.0000%	0.0000%	289	0.0000%
08.04.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%		100.0000%	0.0000%	206	0.0000%	100.0000%	0.0000%	305	0.0000%
09.04.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%		100.0000%	0.0000%	196	0.0000%	100.0000%	0.0000%	289	0.0000%
10.04.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%		100.0000%	0.0000%	144	0.0000%	100.0000%	0.0000%	281	0.0000%
11.04.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%		100.0000%	0.0000%	131	0.0000%	100.0000%	0.0000%	292	0.0000%
12.04.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%		100.0000%	0.0000%	132	0.0000%	100.0000%	0.0000%	276	0.0000%
13.04.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%		100.0000%	0.0000%	133	0.0000%	100.0000%	0.0000%	281	0.0000%
14.04.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%		100.0000%	0.0000%	145	0.0000%	100.0000%	0.0000%	287	0.0000%
15.04.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%		100.0000%	0.0000%	203	0.0000%	100.0000%	0.0000%	295	0.0000%
16.04.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%		100.0000%	0.0000%	183	0.0000%	100.0000%	0.0000%	286	0.0000%
17.04.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%		100.0000%	0.0000%	132	0.0000%	100.0000%	0.0000%	277	0.0000%
18.04.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%		100.0000%	0.0000%	137	0.0000%	100.0000%	0.0000%	288	0.0000%
19.04.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%		100.0000%	0.0000%	135	0.0000%	100.0000%	0.0000%	316	0.0000%
20.04.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%		100.0000%	0.0000%	132	0.0000%	100.0000%	0.0000%	287	0.0000%
21.04.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%		100.0000%	0.0000%	160	0.0000%	100.0000%	0.0000%	269	0.0000%
22.04.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%		100.0000%	0.0000%	213	0.0000%	100.0000%	0.0000%	281	0.0000%
23.04.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%		100.0000%	0.0000%	195	0.0000%	100.0000%	0.0000%	291	0.0000%
24.04.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%		100.0000%	0.0000%	141	0.0000%	100.0000%	0.0000%	270	0.0000%
25.04.2023	100.0000%	0.0000%	2	1'455	0.0000%	0	-	0.0000%		100.0000%	0.0000%	143	0.0000%	100.0000%	0.0000%	268	0.0000%
26.04.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%		100.0000%	0.0000%	157	0.0000%	100.0000%	0.0000%	282	0.0000%
27.04.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%		100.0000%	0.0000%	170	0.0000%	100.0000%	0.0000%	282	0.0000%
28.04.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%		100.0000%	0.0000%	169	0.0000%	100.0000%	0.0000%	296	0.0000%
29.04.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%		100.0000%	0.0000%	211	0.0000%	100.0000%	0.0000%	280	0.0000%
30.04.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%		100.0000%	0.0000%	205	0.0000%	100.0000%	0.0000%	286	0.0000%
	100.0000%	0.0000%	8	1'106	0.0000%	0	-	0.0000%		100.0000%	0.0000%	162	0.0000%	100.0000%	0.0000%	287	0.0000%

1.48 May 1st to May 31st

Date	Dedicated interface								Bank's PSU interfaces								
									Pictet Connect				Wealth App				
	AISP / CBPII Availability		#AISP Calls	AISP Performance		#CBPII Calls	CBPII Performance		Availability		Performance		Availability		Performance		
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	
01.05.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	148	0.0000%	100.0000%	0.0000%		274	0.0000%
02.05.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	147	0.0000%	100.0000%	0.0000%		311	0.0000%
03.05.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	151	0.0000%	100.0000%	0.0000%		276	0.0000%
04.05.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	154	0.0000%	100.0000%	0.0000%		273	0.0000%
05.05.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	169	0.0000%	100.0000%	0.0000%		279	0.0000%
06.05.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	194	0.0000%	100.0000%	0.0000%		634	0.0000%
07.05.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	195	0.0000%	100.0000%	0.0000%		307	0.0000%
08.05.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	144	0.0000%	100.0000%	0.0000%		275	0.0000%
09.05.2023	100.0000%	0.0000%	2	1'288	0.0000%	0	-	0.0000%	100.0000%	0.0000%	142	0.0000%	100.0000%	0.0000%		274	0.0000%
10.05.2023	100.0000%	0.0000%	4	466	0.0000%	0	-	0.0000%	100.0000%	0.0000%	137	0.0000%	100.0000%	0.0000%		274	0.0000%
11.05.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	150	0.0000%	100.0000%	0.0000%		275	0.0000%
12.05.2023	100.0000%	0.0000%	4	456	0.0000%	0	-	0.0000%	100.0000%	0.0000%	167	0.0000%	100.0000%	0.0000%		267	0.0000%
13.05.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	216	0.0000%	100.0000%	0.0000%		278	0.0000%
14.05.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	199	0.0000%	100.0000%	0.0000%		323	0.0000%
15.05.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	158	0.0000%	100.0000%	0.0000%		275	0.0000%
16.05.2023	100.0000%	0.0000%	4	509	0.0000%	0	-	0.0000%	100.0000%	0.0000%	146	0.0000%	100.0000%	0.0000%		277	0.0000%
17.05.2023	100.0000%	0.0000%	2	703	0.0000%	0	-	0.0000%	100.0000%	0.0000%	151	0.0000%	100.0000%	0.0000%		322	0.0000%
18.05.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	147	0.0000%	100.0000%	0.0000%		299	0.0000%
19.05.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	161	0.0000%	100.0000%	0.0000%		271	0.0000%
20.05.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	218	0.0000%	100.0000%	0.0000%		278	0.0000%
21.05.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	202	0.0000%	100.0000%	0.0000%		279	0.0000%
22.05.2023	100.0000%	0.0000%	2	864	0.0000%	0	-	0.0000%	100.0000%	0.0000%	180	0.0000%	100.0000%	0.0000%		287	0.0000%
23.05.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	217	0.0000%	100.0000%	0.0000%		287	0.0000%
24.05.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	195	0.0000%	100.0000%	0.0000%		295	0.0000%
25.05.2023	100.0000%	0.0000%	2	1'313	0.0000%	0	-	0.0000%	100.0000%	0.0000%	199	0.0000%	100.0000%	0.0000%		305	0.0000%
26.05.2023	100.0000%	0.0000%	2	499	0.0000%	0	-	0.0000%	100.0000%	0.0000%	216	0.0000%	100.0000%	0.0000%		306	0.0000%
27.05.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	251	0.0000%	100.0000%	0.0000%		317	0.0000%
28.05.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	208	0.0000%	100.0000%	0.0000%		294	0.0000%
29.05.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	166	0.0000%	100.0000%	0.0000%		317	0.0000%
30.05.2023	100.0000%	0.0000%	2	485	0.0000%	0	-	0.0000%	100.0000%	0.0000%	145	0.0000%	100.0000%	0.0000%		288	0.0000%
31.05.2023	100.0000%	0.0000%	12	480	0.0000%	0	-	0.0000%	100.0000%	0.0000%	141	0.0000%	100.0000%	0.0000%		288	0.0000%
	100.0000%	0.0000%	36	706	0.0000%	0	-	0.0000%	100.0000%	0.0000%	175	0.0000%	100.0000%	0.0000%		300	0.0000%

1.49 June 1st to June 30th

Date	Dedicated interface									Bank's PSU interfaces							
	AISP / CBPII Availability			AISP Performance			CBPII Performance			Pictet Connect				Wealth App			
	Uptime		#AISP Calls	Avg response time (ms)		Error response rate	Avg response time (ms)		Error response rate	Availability		Performance		Availability		Performance	
01.06.2023	100.0000%	0.0000%	12	535	0.0000%	0	-	0.0000%	100.0000%	0.0000%	156	0.0000%	100.0000%	0.0000%	284	0.0000%	0.0000%
02.06.2023	100.0000%	0.0000%	10	993	0.0000%	0	-	0.0000%	100.0000%	0.0000%	160	0.0000%	100.0000%	0.0000%	282	0.0000%	0.0000%
03.06.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	211	0.0000%	100.0000%	0.0000%	291	0.0000%	0.0000%
04.06.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	196	0.0000%	100.0000%	0.0000%	296	0.0000%	0.0000%
05.06.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	99.9999%	0.0001%	141	0.0000%	100.0000%	0.0000%	286	0.0000%	0.0000%
06.06.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	167	0.0000%	100.0000%	0.0000%	290	0.0000%	0.0000%
07.06.2023	100.0000%	0.0000%	2	555	0.0000%	0	-	0.0000%	100.0000%	0.0000%	141	0.0000%	100.0000%	0.0000%	291	0.0000%	0.0000%
08.06.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	148	0.0000%	100.0000%	0.0000%	279	0.0000%	0.0000%
09.06.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	153	0.0000%	100.0000%	0.0000%	283	0.0000%	0.0000%
10.06.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	250	0.0000%	100.0000%	0.0000%	292	0.0000%	0.0000%
11.06.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	201	0.0000%	100.0000%	0.0000%	293	0.0000%	0.0000%
12.06.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	142	0.0000%	100.0000%	0.0000%	292	0.0000%	0.0000%
13.06.2023	100.0000%	0.0000%	2	586	0.0000%	0	-	0.0000%	100.0000%	0.0000%	152	0.0000%	100.0000%	0.0000%	315	0.0000%	0.0000%
14.06.2023	100.0000%	0.0000%	4	534	0.0000%	0	-	0.0000%	100.0000%	0.0000%	149	0.0000%	100.0000%	0.0000%	290	0.0000%	0.0000%
15.06.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	135	0.0000%	100.0000%	0.0000%	298	0.0000%	0.0000%
16.06.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	149	0.0000%	100.0000%	0.0000%	294	0.0000%	0.0000%
17.06.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	204	0.0000%	100.0000%	0.0000%	304	0.0000%	0.0000%
18.06.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	194	0.0000%	100.0000%	0.0000%	304	0.0000%	0.0000%
19.06.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	143	0.0000%	100.0000%	0.0000%	299	0.0000%	0.0000%
20.06.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	138	0.0000%	100.0000%	0.0000%	306	0.0000%	0.0000%
21.06.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	133	0.0000%	100.0000%	0.0000%	302	0.0000%	0.0000%
22.06.2023	100.0000%	0.0000%	4	527	0.0000%	0	-	0.0000%	100.0000%	0.0000%	132	0.0000%	100.0000%	0.0000%	332	0.0000%	0.0000%
23.06.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	153	0.0000%	100.0000%	0.0000%	332	0.0000%	0.0000%
24.06.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	206	0.0000%	100.0000%	0.0000%	303	0.0000%	0.0000%
25.06.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	194	0.0000%	100.0000%	0.0000%	311	0.0000%	0.0000%
26.06.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	130	0.0000%	100.0000%	0.0000%	342	0.0000%	0.0000%
27.06.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	125	0.0000%	100.0000%	0.0000%	307	0.0000%	0.0000%
28.06.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	139	0.0000%	100.0000%	0.0000%	291	0.0000%	0.0000%
29.06.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	105	0.0000%	100.0000%	0.0000%	281	0.0000%	0.0000%
30.06.2023	100.0000%	0.0000%	4	1'070	0.0000%	0	-	0.0000%	100.0000%	0.0000%	107	0.0000%	100.0000%	0.0000%	272	0.0000%	0.0000%
	100.0000%	0.0000%	38	686	0.0000%	0	-	0.0000%	100.0000%	0.0000%	158	0.0000%	100.0000%	0.0000%	298	0.0000%	0.0000%

1.50 July 1st to July 31st

Date	Dedicated interface									Bank's PSU interfaces							
	AISP / CBPII Availability			AISP Performance			CBPII Performance			Pictet Connect				Wealth App			
	Uptime		#AISP Calls	Avg response time (ms)		Error response rate	Avg response time (ms)		Error response rate	Availability		Performance		Availability		Performance	
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate		Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate
01.07.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%		100.0000%	0.0000%	116	0.0000%	100.0000%	0.0000%	277	0.0000%
02.07.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%		100.0000%	0.0000%	116	0.0000%	100.0000%	0.0000%	306	0.0000%
03.07.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%		100.0000%	0.0000%	103	0.0000%	100.0000%	0.0000%	267	0.0000%
04.07.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%		100.0000%	0.0000%	103	0.0000%	100.0000%	0.0000%	274	0.0000%
05.07.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%		100.0000%	0.0000%	102	0.0000%	100.0000%	0.0000%	272	0.0000%
06.07.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%		100.0000%	0.0000%	107	0.0000%	100.0000%	0.0000%	273	0.0000%
07.07.2023	100.0000%	0.0000%	2	602	0.0000%	0	-	0.0000%		100.0000%	0.0000%	106	0.0000%	100.0000%	0.0000%	278	0.0000%
08.07.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%		100.0000%	0.0000%	121	0.0000%	100.0000%	0.0000%	284	0.0000%
09.07.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%		100.0000%	0.0000%	128	0.0000%	100.0000%	0.0000%	278	0.0000%
10.07.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%		100.0000%	0.0000%	146	0.0000%	100.0000%	0.0000%	276	0.0000%
11.07.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%		100.0000%	0.0000%	159	0.0000%	100.0000%	0.0000%	274	0.0000%
12.07.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%		100.0000%	0.0000%	304	0.0000%	100.0000%	0.0000%	269	0.0000%
13.07.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%		100.0000%	0.0000%	151	0.0000%	100.0000%	0.0000%	265	0.0000%
14.07.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%		100.0000%	0.0000%	108	0.0000%	100.0000%	0.0000%	274	0.0000%
15.07.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%		100.0000%	0.0000%	121	0.0000%	99.9900%	0.0100%	275	0.0000%
16.07.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%		100.0000%	0.0000%	118	0.0000%	100.0000%	0.0000%	275	0.0000%
17.07.2023	100.0000%	0.0000%	2	1'525	0.0000%	0	-	0.0000%		100.0000%	0.0000%	91	0.0000%	100.0000%	0.0000%	270	0.0000%
18.07.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%		100.0000%	0.0000%	104	0.0000%	100.0000%	0.0000%	272	0.0000%
19.07.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%		100.0000%	0.0000%	117	0.0000%	100.0000%	0.0000%	274	0.0000%
20.07.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%		100.0000%	0.0000%	106	0.0000%	100.0000%	0.0000%	281	0.0000%
21.07.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%		100.0000%	0.0000%	98	0.0000%	100.0000%	0.0000%	293	0.0000%
22.07.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%		100.0000%	0.0000%	131	0.0000%	100.0000%	0.0000%	277	0.0000%
23.07.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%		100.0000%	0.0000%	116	0.0000%	100.0000%	0.0000%	274	0.0000%
24.07.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%		100.0000%	0.0000%	99	0.0000%	100.0000%	0.0000%	269	0.0000%
25.07.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%		100.0000%	0.0000%	118	0.0000%	100.0000%	0.0000%	268	0.0000%
26.07.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%		100.0000%	0.0000%	110	0.0000%	100.0000%	0.0000%	268	0.0000%
27.07.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%		100.0000%	0.0000%	120	0.0000%	100.0000%	0.0000%	281	0.0000%
28.07.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%		100.0000%	0.0000%	80	0.0000%	100.0000%	0.0000%	274	0.0000%
29.07.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%		100.0000%	0.0000%	118	0.0000%	100.0000%	0.0000%	278	0.0000%
30.07.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%		100.0000%	0.0000%	126	0.0000%	100.0000%	0.0000%	278	0.0000%
31.07.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%		100.0000%	0.0000%	85	0.0000%	100.0000%	0.0000%	281	0.0000%
	100.0000%	0.0000%	4	1'063	0.0000%	0	-	0.0000%		100.0000%	0.0000%	120	0.0000%	99.9997%	0.0003%	276	0.0000%

1.51 August 1st to August 31st

Date	Dedicated interface									Bank's PSU interfaces							
	AISP / CBPII Availability			AISP Performance			CBPII Performance			Pictet Connect				Wealth App			
	Uptime		#AISP Calls	Avg response time (ms)		Error response rate	Avg response time (ms)		Error response rate	Availability		Performance		Availability		Performance	
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate		Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate
01.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	91	0.0000%	100.0000%	0.0000%	282	0.0000%
02.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	116	0.0000%	100.0000%	0.0000%	289	0.0000%
03.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	105	0.0000%	100.0000%	0.0000%	276	0.0000%
04.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	107	0.0000%	100.0000%	0.0000%	279	0.0000%
05.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	127	0.0000%	100.0000%	0.0000%	296	0.0000%
06.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	117	0.0000%	100.0000%	0.0000%	278	0.0000%
07.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	87	0.0000%	100.0000%	0.0000%	278	0.0000%
08.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	141	0.0000%	100.0000%	0.0000%	272	0.0000%
09.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	104	0.0000%	100.0000%	0.0000%	274	0.0000%
10.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	119	0.0000%	100.0000%	0.0000%	276	0.0000%
11.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	87	0.0000%	100.0000%	0.0000%	271	0.0000%
12.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	139	0.0000%	100.0000%	0.0000%	279	0.0000%
13.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	134	0.0000%	100.0000%	0.0000%	281	0.0000%
14.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	93	0.0000%	100.0000%	0.0000%	273	0.0000%
15.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	106	0.0000%	100.0000%	0.0000%	287	0.0000%
16.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	97	0.0000%	100.0000%	0.0000%	305	0.0000%
17.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	124	0.0000%	100.0000%	0.0000%	280	0.0000%
18.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	88	0.0000%	100.0000%	0.0000%	283	0.0000%
19.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	97	0.0000%	100.0000%	0.0000%	276	0.0000%
20.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		98.9100%	1.0900%	144	0.0000%	100.0000%	0.0000%	285	0.0000%
21.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	131	0.0000%	100.0000%	0.0000%	279	0.0000%
22.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	88	0.0000%	100.0000%	0.0000%	275	0.0000%
23.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	103	0.0000%	100.0000%	0.0000%	277	0.0000%
24.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	128	0.0000%	100.0000%	0.0000%	275	0.0000%
25.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	86	0.0000%	100.0000%	0.0000%	273	0.0000%
26.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	95	0.0000%	100.0000%	0.0000%	278	0.0000%
27.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	106	0.0000%	100.0000%	0.0000%	294	0.0000%
28.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	93	0.0000%	100.0000%	0.0000%	285	0.0000%
29.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	138	0.0000%	100.0000%	0.0000%	281	0.0000%
30.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	100	0.0000%	100.0000%	0.0000%	275	0.0000%
31.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	131	0.0000%	100.0000%	0.0000%	276	0.0000%
	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		99.9648%	0.0352%	110	0.0000%	100.0000%	0.0000%	280	0.0000%

1.52 September 1st to September 30th

Date	Dedicated interface								Bank's PSU interfaces							
									Pictet Connect				Wealth App			
	AISP / CBPII Availability		#AISP Calls	AISP Performance		#CBPII Calls	CBPII Performance		Availability		Performance		Availability		Performance	
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate
01.09.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	104	0.0000%	100.0000%	0.0000%	276	0.0000%
02.09.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	138	0.0000%	100.0000%	0.0000%	280	0.0000%
03.09.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	210	0.0000%	100.0000%	0.0000%	279	0.0000%
04.09.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	102	0.0000%	100.0000%	0.0000%	276	0.0000%
05.09.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	110	0.0000%	100.0000%	0.0000%	281	0.0000%
06.09.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	103	0.0000%	100.0000%	0.0000%	288	0.0000%
07.09.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	108	0.0000%	100.0000%	0.0000%	278	0.0000%
08.09.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	111	0.0000%	100.0000%	0.0000%	281	0.0000%
09.09.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	98.9200%	1.0800%	135	0.0000%	100.0000%	0.0000%	278	0.0000%
10.09.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	117	0.0000%	100.0000%	0.0000%	288	0.0000%
11.09.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	106	0.0000%	100.0000%	0.0000%	291	0.0000%
12.09.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	109	0.0000%	100.0000%	0.0000%	280	0.0000%
13.09.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	105	0.0000%	100.0000%	0.0000%	278	0.0000%
14.09.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	122	0.0000%	100.0000%	0.0000%	277	0.0000%
15.09.2023	100.0000%	0.0000%	2	1'561	0.0000%	0	-	0.0000%	100.0000%	0.0000%	118	0.0000%	100.0000%	0.0000%	278	0.0000%
16.09.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	190	0.0000%	100.0000%	0.0000%	276	0.0000%
17.09.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	185	0.0000%	100.0000%	0.0000%	286	0.0000%
18.09.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	117	0.0000%	100.0000%	0.0000%	290	0.0000%
19.09.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	138	0.0000%	100.0000%	0.0000%	277	0.0000%
20.09.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	206	0.0000%	100.0000%	0.0000%	299	0.0000%
21.09.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	165	0.0000%	100.0000%	0.0000%	316	0.0000%
22.09.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	128	0.0000%	100.0000%	0.0000%	282	0.0000%
23.09.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	127	0.0000%	100.0000%	0.0000%	343	0.0000%
24.09.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	120	0.0000%	100.0000%	0.0000%	282	0.0000%
25.09.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	106	0.0000%	100.0000%	0.0000%	276	0.0000%
26.09.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	108	0.0000%	100.0000%	0.0000%	273	0.0000%
27.09.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	104	0.0000%	100.0000%	0.0000%	278	0.0000%
28.09.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	106	0.0000%	100.0000%	0.0000%	271	0.0000%
29.09.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	104	0.0000%	100.0000%	0.0000%	265	0.0000%
30.09.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	121	0.0000%	100.0000%	0.0000%	304	0.0000%
	100.0000%	0.0000%	2	1'561	0.0000%	0	-	0.0000%	99.9640%	0.0360%	127	0.0000%	100.0000%	0.0000%	284	0.0000%

1.53 October 1st to October 31st

Date	Dedicated interface								Bank's PSU interfaces							
									Pictet Connect				Wealth App			
	AISP / CBPII Availability		#AISP Calls	AISP Performance		#CBPII Calls	CBPII Performance		Availability		Performance		Availability		Performance	
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate
01.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	116	0.0000%	100.0000%	0.0000%	319	0.0000%
02.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	102	0.0000%	100.0000%	0.0000%	281	0.0000%
03.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	122	0.0000%	100.0000%	0.0000%	274	0.0000%
04.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	105	0.0000%	100.0000%	0.0000%	272	0.0000%
05.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	111	0.0000%	100.0000%	0.0000%	321	0.0000%
06.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	106	0.0000%	100.0000%	0.0000%	268	0.0000%
07.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	126	0.0000%	100.0000%	0.0000%	288	0.0000%
08.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	124	0.0000%	100.0000%	0.0000%	276	0.0000%
09.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	114	0.0000%	100.0000%	0.0000%	283	0.0000%
10.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	150	0.0000%	100.0000%	0.0000%	271	0.0000%
11.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	91	0.0000%	100.0000%	0.0000%	270	0.0000%
12.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	97	0.0000%	100.0000%	0.0000%	276	0.0000%
13.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	88	0.0000%	100.0000%	0.0000%	277	0.0000%
14.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	89	0.0000%	100.0000%	0.0000%	274	0.0000%
15.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	111	0.0000%	100.0000%	0.0000%	276	0.0000%
16.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	92	0.0000%	100.0000%	0.0000%	274	0.0000%
17.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	92	0.0000%	100.0000%	0.0000%	272	0.0000%
18.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	91	0.0000%	100.0000%	0.0000%	269	0.0000%
19.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	91	0.0000%	100.0000%	0.0000%	283	0.0000%
20.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	99	0.0000%	100.0000%	0.0000%	273	0.0000%
21.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	92	0.0000%	100.0000%	0.0000%	304	0.0000%
22.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	96	0.0000%	100.0000%	0.0000%	298	0.0000%
23.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	94	0.0000%	100.0000%	0.0000%	269	0.0000%
24.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9900%	0.0100%	87	0.0000%	100.0000%	0.0000%	284	0.0000%
25.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	95	0.0000%	100.0000%	0.0000%	280	0.0000%
26.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	96	0.0000%	100.0000%	0.0000%	278	0.0000%
27.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	94	0.0000%	100.0000%	0.0000%	299	0.0000%
28.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	101	0.0000%	100.0000%	0.0000%	278	0.0000%
29.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	100	0.0000%	100.0000%	0.0000%	273	0.0000%
30.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	89	0.0000%	100.0000%	0.0000%	283	0.0000%
31.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	101	0.0000%	100.0000%	0.0000%	275	0.0000%
	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9997%	0.0003%	102	0.0000%	100.0000%	0.0000%	281	0.0000%

1.54 November 1st to November 30th

Date	Dedicated interface									Bank's PSU interfaces							
	AISP / CBPII Availability			AISP Performance			CBPII Performance			Pictet Connect				Wealth App			
	Uptime		#AISP Calls	Avg response time (ms)		Error response rate	Avg response time (ms)		Error response rate	Availability		Performance		Availability		Performance	
	Uptime	Downtime								Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate
01.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	90	0.0000%	100.0000%	0.0000%	275	0.0000%
02.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	98	0.0000%	100.0000%	0.0000%	278	0.0000%
03.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	89	0.0000%	100.0000%	0.0000%	278	0.0000%
04.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	99	0.0000%	100.0000%	0.0000%	294	0.0000%
05.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	87	0.0000%	100.0000%	0.0000%	333	0.0000%
06.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	107	0.0000%	100.0000%	0.0000%	323	0.0000%
07.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	105	0.0000%	100.0000%	0.0000%	289	0.0000%
08.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	94	0.0000%	100.0000%	0.0000%	344	0.0000%
09.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	89	0.0000%	100.0000%	0.0000%	358	0.0000%
10.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	95	0.0000%	100.0000%	0.0000%	287	0.0000%
11.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	96	0.0000%	100.0000%	0.0000%	291	0.0000%
12.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	110	0.0000%	100.0000%	0.0000%	282	0.0000%
13.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	112	0.0000%	100.0000%	0.0000%	278	0.0000%
14.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	108	0.0000%	100.0000%	0.0000%	283	0.0000%
15.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	105	0.0000%	100.0000%	0.0000%	277	0.0000%
16.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	91	0.0000%	100.0000%	0.0000%	284	0.0000%
17.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	96	0.0000%	100.0000%	0.0000%	278	0.0000%
18.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	89	0.0000%	100.0000%	0.0000%	367	0.0000%
19.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	107	0.0000%	100.0000%	0.0000%	282	0.0000%
20.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	102	0.0000%	100.0000%	0.0000%	271	0.0000%
21.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	95	0.0000%	100.0000%	0.0000%	278	0.0000%
22.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	86	0.0000%	100.0000%	0.0000%	291	0.0000%
23.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	90	0.0000%	100.0000%	0.0000%	274	0.0000%
24.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	89	0.0000%	100.0000%	0.0000%	282	0.0000%
25.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	121	0.0000%	100.0000%	0.0000%	281	0.0000%
26.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	113	0.0000%	100.0000%	0.0000%	283	0.0000%
27.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	101	0.0000%	100.0000%	0.0000%	288	0.0000%
28.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	89	0.0000%	100.0000%	0.0000%	279	0.0000%
29.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	111	0.0000%	100.0000%	0.0000%	304	0.0000%
30.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	142	0.0000%	100.0000%	0.0000%	283	0.0000%
	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	100	0.0000%	100.0000%	0.0000%	293	0.0000%

1.55 December 1st to December 31st

Date	Dedicated interface									Bank's PSU interfaces							
										Pictet Connect				Wealth App			
	AISP / CBPII Availability			AISP Performance			CBPII Performance			Availability		Performance		Availability		Performance	
	Uptime	Downtime	#AISP Calls	Avg response time (ms)	Error response rate	#CBPII Calls	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	
01.12.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	116	0.0000%	100.0000%	0.0000%	277	0.0000%	
02.12.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	122	0.0000%	100.0000%	0.0000%	272	0.0000%	
03.12.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	96	0.0000%	100.0000%	0.0000%	313	0.0000%	
04.12.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	104	0.0000%	100.0000%	0.0000%	322	0.0000%	
05.12.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	110	0.0000%	100.0000%	0.0000%	290	0.0000%	
06.12.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	116	0.0000%	100.0000%	0.0000%	283	0.0000%	
07.12.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	105	0.0000%	100.0000%	0.0000%	291	0.0000%	
08.12.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	99	0.0000%	100.0000%	0.0000%	281	0.0000%	
09.12.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	99	0.0000%	100.0000%	0.0000%	316	0.0000%	
10.12.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	106	0.0000%	100.0000%	0.0000%	282	0.0000%	
11.12.2023	100.0000%	0.0000%	2	1'722	0.0000%	0	-	0.0000%	100.0000%	0.0000%	94	0.0000%	100.0000%	0.0000%	298	0.0000%	
12.12.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	94	0.0000%	100.0000%	0.0000%	285	0.0000%	
13.12.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	95	0.0000%	100.0000%	0.0000%	293	0.0000%	
14.12.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	89	0.0000%	100.0000%	0.0000%	274	0.0000%	
15.12.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	96	0.0000%	100.0000%	0.0000%	270	0.0000%	
16.12.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	96	0.0000%	100.0000%	0.0000%	287	0.0000%	
17.12.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	99	0.0000%	100.0000%	0.0000%	282	0.0000%	
18.12.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	96	0.0000%	100.0000%	0.0000%	282	0.0000%	
19.12.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	91	0.0000%	100.0000%	0.0000%	285	0.0000%	
20.12.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	96	0.0000%	100.0000%	0.0000%	279	0.0000%	
21.12.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	105	0.0000%	100.0000%	0.0000%	277	0.0000%	
22.12.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	101	0.0000%	100.0000%	0.0000%	286	0.0000%	
23.12.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	104	0.0000%	100.0000%	0.0000%	273	0.0000%	
24.12.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	108	0.0000%	100.0000%	0.0000%	276	0.0000%	
25.12.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	99	0.0000%	100.0000%	0.0000%	277	0.0000%	
26.12.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	135	0.0000%	100.0000%	0.0000%	286	0.0000%	
27.12.2023	100.0000%	0.0000%	4	1'347	0.0000%	0	-	0.0000%	100.0000%	0.0000%	117	0.0000%	100.0000%	0.0000%	278	0.0000%	
28.12.2023	100.0000%	0.0000%	4	516	0.0000%	0	-	0.0000%	100.0000%	0.0000%	105	0.0000%	100.0000%	0.0000%	345	0.0000%	
29.12.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	99	0.0000%	100.0000%	0.0000%	276	0.0000%	
30.12.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	119	0.0000%	100.0000%	0.0000%	275	0.0000%	
31.12.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	110	0.0000%	100.0000%	0.0000%	282	0.0000%	
	100.0000%	0.0000%	10	116	0.0000%	0	-	0.0000%	100.0000%	0.0000%	104	0.0000%	100.0000%	0.0000%	287	0.0000%	

1.56 January 1st to January 31st

Date	Dedicated interface									Bank's PSU interfaces							
	AISP / CBPII Availability			AISP Performance			CBPII Performance			Pictet Connect				Wealth App			
	Uptime		#AISP Calls	Avg response time (ms)		Error response rate	Avg response time (ms)		Error response rate	Availability		Performance		Availability		Performance	
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate		Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate
01.01.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	125	0.0000%	100.0000%	0.0000%	283	0.0000%
02.01.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	102	0.0000%	100.0000%	0.0000%	290	0.0000%
03.01.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	117	0.0000%	100.0000%	0.0000%	317	0.0000%
04.01.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	135	0.0000%	100.0000%	0.0000%	292	0.0000%
05.01.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	115	0.0000%	100.0000%	0.0000%	314	0.0000%
06.01.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	135	0.0000%	100.0000%	0.0000%	284	0.0000%
07.01.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	131	0.0000%	100.0000%	0.0000%	394	0.0000%
08.01.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	117	0.0000%	100.0000%	0.0000%	336	0.0000%
09.01.2024	100.0000%	0.0000%	8	511	0.0000%	0	-	0.0000%		100.0000%	0.0000%	94	0.0000%	100.0000%	0.0000%	304	0.0000%
10.01.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	127	0.0000%	100.0000%	0.0000%	285	0.0000%
11.01.2024	100.0000%	0.0000%	4	540	0.0000%	0	-	0.0000%		100.0000%	0.0000%	147	0.0000%	100.0000%	0.0000%	328	0.0000%
12.01.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	117	0.0000%	100.0000%	0.0000%	281	0.0000%
13.01.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	186	0.0000%	100.0000%	0.0000%	300	0.0000%
14.01.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	305	0.0000%	100.0000%	0.0000%	291	0.0000%
15.01.2024	100.0000%	0.0000%	4	514	0.0000%	0	-	0.0000%		100.0000%	0.0000%	156	0.0000%	100.0000%	0.0000%	278	0.0000%
16.01.2024	100.0000%	0.0000%	24	1'347	0.0000%	0	-	0.0000%		100.0000%	0.0000%	107	0.0000%	100.0000%	0.0000%	297	0.0000%
17.01.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	138	0.0000%	100.0000%	0.0000%	284	0.0000%
18.01.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	156	0.0000%	100.0000%	0.0000%	289	0.0000%
19.01.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	132	0.0000%	100.0000%	0.0000%	302	0.0000%
20.01.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	209	0.0000%	100.0000%	0.0000%	294	0.0000%
21.01.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	168	0.0000%	100.0000%	0.0000%	295	0.0000%
22.01.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	113	0.0000%	100.0000%	0.0000%	317	0.0000%
23.01.2024	100.0000%	0.0000%	22	1'335	0.0000%	0	-	0.0000%		100.0000%	0.0000%	101	0.0000%	100.0000%	0.0000%	310	0.0000%
24.01.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	188	0.0000%	100.0000%	0.0000%	288	0.0000%
25.01.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	179	0.0000%	100.0000%	0.0000%	288	0.0000%
26.01.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	114	0.0000%	100.0000%	0.0000%	312	0.0000%
27.01.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	253	0.0000%	100.0000%	0.0000%	288	0.0000%
28.01.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	323	0.0000%	100.0000%	0.0000%	285	0.0000%
29.01.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	210	0.0000%	100.0000%	0.0000%	299	0.0000%
30.01.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	147	0.0000%	100.0000%	0.0000%	331	0.0000%
31.01.2024	100.0000%	0.0000%	6	2'870	0.0000%	0	-	0.0000%		100.0000%	0.0000%	257	0.0000%	100.0000%	0.0000%	297	0.0000%
	100.0000%	0.0000%	68	230	0.0000%	0	-	0.0000%		100.0000%	0.0000%	158	0.0000%	100.0000%	0.0000%	302	0.0000%

1.57 February 1st to February 29th

Date	Dedicated interface									Bank's PSU interfaces							
	AISP / CBPII Availability			AISP Performance			CBPII Performance			Pictet Connect				Wealth App			
	Uptime		#AISP Calls	Avg response time (ms)		Error response rate	Avg response time (ms)		Error response rate	Availability		Performance		Availability		Performance	
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate		Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate
01.02.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		117	0.0000%	100.0000%	0.0000%	302	0.0000%
02.02.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		155	0.0000%	100.0000%	0.0000%	287	0.0000%
03.02.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		271	0.0000%	100.0000%	0.0000%	284	0.0000%
04.02.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		331	0.0000%	100.0000%	0.0000%	292	0.0000%
05.02.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		103	0.0000%	100.0000%	0.0000%	300	0.0000%
06.02.2024	100.0000%	0.0000%	8	3'781	0.0000%	0	-	0.0000%	100.0000%	0.0000%		116	0.0000%	100.0000%	0.0000%	296	0.0000%
07.02.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		189	0.0000%	100.0000%	0.0000%	291	0.0000%
08.02.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		97	0.0000%	100.0000%	0.0000%	279	0.0000%
09.02.2024	100.0000%	0.0000%	2	5'337	0.0000%	0	-	0.0000%	100.0000%	0.0000%		103	0.0000%	100.0000%	0.0000%	297	0.0000%
10.02.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		317	0.0000%	100.0000%	0.0000%	292	0.0000%
11.02.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		318	0.0000%	100.0000%	0.0000%	293	0.0000%
12.02.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		226	0.0000%	100.0000%	0.0000%	289	0.0000%
13.02.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		260	0.0000%	100.0000%	0.0000%	293	0.0000%
14.02.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		119	0.0000%	100.0000%	0.0000%	287	0.0000%
15.02.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		245	0.0000%	100.0000%	0.0000%	285	0.0000%
16.02.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		162	0.0000%	100.0000%	0.0000%	288	0.0000%
17.02.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		470	0.0000%	100.0000%	0.0000%	297	0.0000%
18.02.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		338	0.0000%	100.0000%	0.0000%	289	0.0000%
19.02.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		169	0.0000%	100.0000%	0.0000%	279	0.0000%
20.02.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		132	0.0000%	100.0000%	0.0000%	289	0.0000%
21.02.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		163	0.0000%	100.0000%	0.0000%	292	0.0000%
22.02.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		173	0.0000%	100.0000%	0.0000%	297	0.0000%
23.02.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		128	0.0000%	100.0000%	0.0000%	288	0.0000%
24.02.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		347	0.0000%	100.0000%	0.0000%	281	0.0000%
25.02.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		347	0.0000%	100.0000%	0.0000%	288	0.0000%
26.02.2024	100.0000%	0.0000%	8	658	0.0000%	0	-	0.0000%	100.0000%	0.0000%		151	0.0000%	100.0000%	0.0000%	279	0.0000%
27.02.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		120	0.0000%	100.0000%	0.0000%	284	0.0000%
28.02.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		134	0.0000%	100.0000%	0.0000%	293	0.0000%
29.02.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		137	0.0000%	100.0000%	0.0000%	285	0.0000%
	100.0000%	0.0000%	18	337	0.0000%	0	-	0.0000%	100.0000%	0.0000%		205	0.0000%	100.0000%	0.0000%	290	0.0000%

1.58 March 1st to March 31st

Date	Dedicated interface									Bank's PSU interfaces							
										Pictet Connect				Wealth App			
	AISP / CBPII Availability		#AISP Calls	AISP Performance		#CBPII Calls	CBPII Performance		Availability		Performance		Availability		Performance		
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	
01.03.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	108	0.0000%	100.0000%	0.0000%	276	0.0000%
02.03.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	216	0.0000%	100.0000%	0.0000%	280	0.0000%
03.03.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	231	0.0000%	100.0000%	0.0000%	280	0.0000%
04.03.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	101	0.0000%	100.0000%	0.0000%	285	0.0000%
05.03.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	98	0.0000%	100.0000%	0.0000%	277	0.0000%
06.03.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	106	0.0000%	100.0000%	0.0000%	277	0.0000%
07.03.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		99.9800%	0.0200%	130	0.0000%	100.0000%	0.0000%	279	0.0000%
08.03.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	105	0.0000%	100.0000%	0.0000%	294	0.0000%
09.03.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	192	0.0000%	100.0000%	0.0000%	277	0.0000%
10.03.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	222	0.0000%	100.0000%	0.0000%	288	0.0000%
11.03.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	114	0.0000%	100.0000%	0.0000%	288	0.0000%
12.03.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	106	0.0000%	100.0000%	0.0000%	300	0.0000%
13.03.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	95	0.0000%	100.0000%	0.0000%	298	0.0000%
14.03.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	123	0.0000%	100.0000%	0.0000%	299	0.0000%
15.03.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	116	0.0000%	100.0000%	0.0000%	277	0.0000%
16.03.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	201	0.0000%	100.0000%	0.0000%	281	0.0000%
17.03.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	268	0.0000%	100.0000%	0.0000%	330	0.0000%
18.03.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	120	0.0000%	100.0000%	0.0000%	294	0.0000%
19.03.2024	100.0000%	0.0000%	4	5'703	0.0000%	0	-	0.0000%		100.0000%	0.0000%	122	0.0000%	100.0000%	0.0000%	288	0.0000%
20.03.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	125	0.0000%	100.0000%	0.0000%	288	0.0000%
21.03.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	111	0.0000%	100.0000%	0.0000%	289	0.0000%
22.03.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	124	0.0000%	100.0000%	0.0000%	294	0.0000%
23.03.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	270	0.0000%	100.0000%	0.0000%	291	0.0000%
24.03.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	324	0.0000%	100.0000%	0.0000%	297	0.0000%
25.03.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	181	0.0000%	100.0000%	0.0000%	294	0.0000%
26.03.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	198	0.0000%	100.0000%	0.0000%	291	0.0000%
27.03.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	108	0.0000%	100.0000%	0.0000%	292	0.0000%
28.03.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	151	0.0000%	100.0000%	0.0000%	276	0.0000%
29.03.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	265	0.0000%	100.0000%	0.0000%	271	0.0000%
30.03.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	487	0.0000%	100.0000%	0.0000%	274	0.0000%
31.03.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	410	0.0000%	100.0000%	0.0000%	279	0.0000%
	100.0000%	0.0000%	4	184	0.0000%	0	-	0.0000%		99.9994%	0.0006%	178	0.0000%	100.0000%	0.0000%	287	0.0000%

1.59 April 1st to April 30th

Date	Dedicated interface									Bank's PSU interfaces							
	AISP / CBPII Availability			AISP Performance			CBPII Performance			Pictet Connect				Wealth App			
	Uptime		#AISP Calls	Avg response time (ms)		Error response rate	Avg response time (ms)		Error response rate	Availability		Performance		Availability		Performance	
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate		Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate
01.04.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		287	0.0000%	100.0000%	0.0000%	284	0.0000%
02.04.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		261	0.0000%	100.0000%	0.0000%	291	0.0000%
03.04.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		189	0.0000%	100.0000%	0.0000%	284	0.0000%
04.04.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		155	0.0000%	100.0000%	0.0000%	285	0.0000%
05.04.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		174	0.0000%	100.0000%	0.0000%	307	0.0000%
06.04.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		354	0.0000%	100.0000%	0.0000%	287	0.0000%
07.04.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		388	0.0000%	100.0000%	0.0000%	279	0.0000%
08.04.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		203	0.0000%	100.0000%	0.0000%	321	0.0000%
09.04.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		248	0.0000%	100.0000%	0.0000%	283	0.0000%
10.04.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		186	0.0000%	100.0000%	0.0000%	286	0.0000%
11.04.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		193	0.0000%	100.0000%	0.0000%	280	0.0000%
12.04.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		136	0.0000%	100.0000%	0.0000%	293	0.0000%
13.04.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		272	0.0000%	100.0000%	0.0000%	281	0.0000%
14.04.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		327	0.0000%	100.0000%	0.0000%	287	0.0000%
15.04.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		136	0.0000%	100.0000%	0.0000%	292	0.0000%
16.04.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		173	0.0000%	100.0000%	0.0000%	290	0.0000%
17.04.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		181	0.0000%	100.0000%	0.0000%	285	0.0000%
18.04.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		231	0.0000%	100.0000%	0.0000%	282	0.0000%
19.04.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		210	0.0000%	100.0000%	0.0000%	273	0.0000%
20.04.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		290	0.0000%	100.0000%	0.0000%	257	0.0000%
21.04.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		384	0.0000%	100.0000%	0.0000%	264	0.0000%
22.04.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		258	0.0000%	100.0000%	0.0000%	263	0.0000%
23.04.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		200	0.0000%	100.0000%	0.0000%	260	0.0000%
24.04.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		198	0.0000%	100.0000%	0.0000%	260	0.0000%
25.04.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		124	0.0000%	100.0000%	0.0000%	269	0.0000%
26.04.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		233	0.0000%	100.0000%	0.0000%	267	0.0000%
27.04.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		371	0.0000%	100.0000%	0.0000%	266	0.0000%
28.04.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		429	0.0000%	100.0000%	0.0000%	270	0.0000%
29.04.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		165	0.0000%	100.0000%	0.0000%	267	0.0000%
30.04.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		182	0.0000%	100.0000%	0.0000%	264	0.0000%
	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		238	0.0000%	100.0000%	0.0000%	279	0.0000%

1.60 May 1st to May 31st

Date	Dedicated interface									Bank's PSU interfaces							
										Pictet Connect				Wealth App			
	AISP / CBPII Availability		#AISP Calls	AISP Performance		#CBPII Calls	CBPII Performance		Availability		Performance		Availability		Performance		
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	
01.05.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	190	0.0000%	100.0000%	0.0000%	261	0.0000%
02.05.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	189	0.0000%	100.0000%	0.0000%	258	0.0000%
03.05.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	193	0.0000%	100.0000%	0.0000%	267	0.0000%
04.05.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	329	0.0000%	100.0000%	0.0000%	293	0.0000%
05.05.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	358	0.0000%	100.0000%	0.0000%	277	0.0000%
06.05.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	201	0.0000%	100.0000%	0.0000%	271	0.0000%
07.05.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	173	0.0000%	100.0000%	0.0000%	264	0.0000%
08.05.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	215	0.0000%	100.0000%	0.0000%	263	0.0000%
09.05.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	216	0.0000%	100.0000%	0.0000%	262	0.0000%
10.05.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	159	0.0000%	100.0000%	0.0000%	268	0.0000%
11.05.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	309	0.0000%	100.0000%	0.0000%	295	0.0000%
12.05.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	411	0.0000%	100.0000%	0.0000%	279	0.0000%
13.05.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	322	0.0000%	100.0000%	0.0000%	261	0.0000%
14.05.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	214	0.0000%	100.0000%	0.0000%	266	0.0000%
15.05.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	195	0.0000%	100.0000%	0.0000%	258	0.0000%
16.05.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	131	0.0000%	100.0000%	0.0000%	261	0.0000%
17.05.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	116	0.0000%	100.0000%	0.0000%	270	0.0000%
18.05.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	203	0.0000%	100.0000%	0.0000%	256	0.0000%
19.05.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	378	0.0000%	100.0000%	0.0000%	262	0.0000%
20.05.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	133	0.0000%	100.0000%	0.0000%	256	0.0000%
21.05.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	144	0.0000%	100.0000%	0.0000%	272	0.0000%
22.05.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	124	0.0000%	100.0000%	0.0000%	253	0.0000%
23.05.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	108	0.0000%	100.0000%	0.0000%	256	0.0000%
24.05.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	130	0.0000%	100.0000%	0.0000%	265	0.0000%
25.05.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	255	0.0000%	100.0000%	0.0000%	278	0.0000%
26.05.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	289	0.0000%	99.9700%	0.0300%	276	0.0000%
27.05.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	198	0.0000%	100.0000%	0.0000%	286	0.0000%
28.05.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	146	0.0000%	100.0000%	0.0000%	289	0.0000%
29.05.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	311	0.0000%	100.0000%	0.0000%	287	0.0000%
30.05.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	122	0.0000%	100.0000%	0.0000%	279	0.0000%
31.05.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	134	0.0000%	100.0000%	0.0000%	290	0.0000%
	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	213	0.0000%	99.9990%	0.0010%	270	0.0000%

1.61 June 1st to June 30th

Date	Dedicated interface									Bank's PSU interfaces							
	AISP / CBPII Availability			AISP Performance			CBPII Performance			Pictet Connect				Wealth App			
	Uptime		#AISP Calls	Avg response time (ms)		Error response rate	Avg response time (ms)		Error response rate	Availability		Performance		Availability		Performance	
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate		Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate
01.06.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		156	0.0000%	100.0000%	0.0000%	274	0.0000%
02.06.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		201	0.0000%	100.0000%	0.0000%	285	0.0000%
03.06.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		120	0.0000%	100.0000%	0.0000%	282	0.0000%
04.06.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		123	0.0000%	100.0000%	0.0000%	280	0.0000%
05.06.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		143	0.0000%	100.0000%	0.0000%	292	0.0000%
06.06.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		113	0.0000%	100.0000%	0.0000%	298	0.0000%
07.06.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		157	0.0000%	100.0000%	0.0000%	286	0.0000%
08.06.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		136	0.0000%	100.0000%	0.0000%	287	0.0000%
09.06.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		165	0.0000%	100.0000%	0.0000%	279	0.0000%
10.06.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		98	0.0000%	100.0000%	0.0000%	281	0.0000%
11.06.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		101	0.0000%	100.0000%	0.0000%	295	0.0000%
12.06.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		93	0.0000%	100.0000%	0.0000%	294	0.0000%
13.06.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		92	0.0000%	100.0000%	0.0000%	287	0.0000%
14.06.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		106	0.0000%	100.0000%	0.0000%	289	0.0000%
15.06.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		122	0.0000%	100.0000%	0.0000%	283	0.0000%
16.06.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		154	0.0000%	100.0000%	0.0000%	288	0.0000%
17.06.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		182	0.0000%	100.0000%	0.0000%	291	0.0000%
18.06.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		161	0.0000%	100.0000%	0.0000%	285	0.0000%
19.06.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		129	0.0000%	100.0000%	0.0000%	307	0.0000%
20.06.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		158	0.0000%	100.0000%	0.0000%	281	0.0000%
21.06.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		120	0.0000%	100.0000%	0.0000%	169	0.0000%
22.06.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		108	0.0000%	100.0000%	0.0000%	165	0.0000%
23.06.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		143	0.0000%	100.0000%	0.0000%	179	0.0000%
24.06.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		125	0.0000%	100.0000%	0.0000%	164	0.0000%
25.06.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9900%	0.0100%		216	0.0000%	100.0000%	0.0000%	170	0.0000%
26.06.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		181	0.0000%	100.0000%	0.0000%	175	0.0000%
27.06.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		123	0.0000%	100.0000%	0.0000%	188	0.0000%
28.06.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		119	0.0000%	100.0000%	0.0000%	159	0.0000%
29.06.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		117	0.0000%	100.0000%	0.0000%	163	0.0000%
30.06.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%		249	0.0000%	100.0000%	0.0000%	165	0.0000%
	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9997%	0.0003%		140	0.0000%	100.0000%	0.0000%	248	0.0000%

1.62 July 1st to July 31st

Date	Dedicated interface									Bank's PSU interfaces							
	AISP / CBPII Availability			AISP Performance			CBPII Performance			Pictet Connect				Wealth App			
	Uptime		#AISP Calls	Avg response time (ms)		Error response rate	Avg response time (ms)		Error response rate	Availability		Performance		Availability		Performance	
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate		Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate
01.07.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	185	0.0000%	100.0000%	0.0000%	177	0.0000%
02.07.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	169	0.0000%	100.0000%	0.0000%	171	0.0000%
03.07.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	105	0.0000%	100.0000%	0.0000%	172	0.0000%
04.07.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	111	0.0000%	100.0000%	0.0000%	173	0.0000%
05.07.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	196	0.0000%	100.0000%	0.0000%	176	0.0000%
06.07.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	201	0.0000%	100.0000%	0.0000%	168	0.0000%
07.07.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	126	0.0000%	100.0000%	0.0000%	176	0.0000%
08.07.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	107	0.0000%	100.0000%	0.0000%	178	0.0000%
09.07.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	169	0.0000%	100.0000%	0.0000%	177	0.0000%
10.07.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	178	0.0000%	100.0000%	0.0000%	169	0.0000%
11.07.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	103	0.0000%	100.0000%	0.0000%	170	0.0000%
12.07.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	97	0.0000%	100.0000%	0.0000%	171	0.0000%
13.07.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	129	0.0000%	100.0000%	0.0000%	167	0.0000%
14.07.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	239	0.0000%	100.0000%	0.0000%	203	0.0000%
15.07.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	101	0.0000%	100.0000%	0.0000%	183	0.0000%
16.07.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	112	0.0000%	100.0000%	0.0000%	171	0.0000%
17.07.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	83	0.0000%	100.0000%	0.0000%	164	0.0000%
18.07.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	78	0.0000%	100.0000%	0.0000%	195	0.0000%
19.07.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	84	0.0000%	100.0000%	0.0000%	190	0.0000%
20.07.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	82	0.0000%	100.0000%	0.0000%	176	0.0000%
21.07.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	294	0.0000%	100.0000%	0.0000%	178	0.0000%
22.07.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	80	0.0000%	100.0000%	0.0000%	178	0.0000%
23.07.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	79	0.0000%	100.0000%	0.0000%	161	0.0000%
24.07.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	149	0.0000%	100.0000%	0.0000%	159	0.0000%
25.07.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	131	0.0000%	100.0000%	0.0000%	158	0.0000%
26.07.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	84	0.0000%	100.0000%	0.0000%	154	0.0000%
27.07.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	82	0.0000%	100.0000%	0.0000%	156	0.0000%
28.07.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	83	0.0000%	100.0000%	0.0000%	156	0.0000%
29.07.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	176	0.0000%	100.0000%	0.0000%	235	0.0000%
30.07.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	84	0.0000%	100.0000%	0.0000%	155	0.0000%
31.07.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	79	0.0000%	100.0000%	0.0000%	158	0.0000%
	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%		100.0000%	0.0000%	128	0.0000%	100.0000%	0.0000%	173	0.0000%

1.63 August 1st to August 31st

Date	Dedicated interface								Bank's PSU interfaces							
									Pictet Connect				Wealth App			
	AISP / CBPII Availability		#AISP Calls	AISP Performance		#CBPII Calls	CBPII Performance		Availability		Performance		Availability		Performance	
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate
01.08.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	81	0.0000%	100.0000%	0.0000%	165	0.0000%
02.08.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	82	0.0000%	100.0000%	0.0000%	154	0.0000%
03.08.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	83	0.0000%	100.0000%	0.0000%	156	0.0000%
04.08.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	81	0.0000%	100.0000%	0.0000%	152	0.0000%
05.08.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	83	0.0000%	100.0000%	0.0000%	153	0.0000%
06.08.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	169	0.0000%	100.0000%	0.0000%	158	0.0000%
07.08.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	80	0.0000%	100.0000%	0.0000%	155	0.0000%
08.08.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	85	0.0000%	100.0000%	0.0000%	156	0.0000%
09.08.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	82	0.0000%	100.0000%	0.0000%	158	0.0000%
10.08.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9600%	0.0400%	136	0.0000%	99.9800%	0.0200%	223	0.0000%
11.08.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.7900%	0.2100%	94	0.0000%	100.0000%	0.0000%	207	0.0000%
12.08.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	97	0.0000%	100.0000%	0.0000%	202	0.0000%
13.08.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	91	0.0000%	100.0000%	0.0000%	198	0.0000%
14.08.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	110	0.0000%	100.0000%	0.0000%	412	0.0000%
15.08.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	93	0.0000%	100.0000%	0.0000%	183	0.0000%
16.08.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	93	0.0000%	100.0000%	0.0000%	182	0.0000%
17.08.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	98	0.0000%	100.0000%	0.0000%	180	0.0000%
18.08.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	100	0.0000%	100.0000%	0.0000%	187	0.0000%
19.08.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	93	0.0000%	100.0000%	0.0000%	179	0.0000%
20.08.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	92	0.0000%	100.0000%	0.0000%	189	0.0000%
21.08.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	92	0.0000%	100.0000%	0.0000%	183	0.0000%
22.08.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	102	0.0000%	100.0000%	0.0000%	188	0.0000%
23.08.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	159	0.0000%	100.0000%	0.0000%	195	0.0000%
24.08.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	96	0.0000%	100.0000%	0.0000%	201	0.0000%
25.08.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	106	0.0000%	100.0000%	0.0000%	190	0.0000%
26.08.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	90	0.0000%	100.0000%	0.0000%	187	0.0000%
27.08.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	188	0.0000%	100.0000%	0.0000%	225	0.0000%
28.08.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	90	0.0000%	100.0000%	0.0000%	205	0.0000%
29.08.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	89	0.0000%	100.0000%	0.0000%	240	0.0000%
30.08.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	91	0.0000%	100.0000%	0.0000%	236	0.0000%
31.08.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	126	0.0000%	99.9900%	0.0100%	200	0.0000%
	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9919%	0.0081%	102	0.0000%	99.9990%	0.0010%	194	0.0000%

1.64 September 1st to September 30th

Date	Dedicated interface								Bank's PSU interfaces							
									Pictet Connect				Wealth App			
	AISP / CBPII Availability		#AISP Calls	AISP Performance		#CBPII Calls	CBPII Performance		Availability		Performance		Availability		Performance	
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate
01.09.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	93	0.0000%	100.0000%	0.0000%	191	0.0000%
02.09.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	91	0.0000%	100.0000%	0.0000%	190	0.0000%
03.09.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	93	0.0000%	100.0000%	0.0000%	212	0.0000%
04.09.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	91	0.0000%	100.0000%	0.0000%	199	0.0000%
05.09.2024	100.0000%	0.0000%	4	1	0.0000%	0	-	0.0000%	100.0000%	0.0000%	96	0.0000%	100.0000%	0.0000%	188	0.0000%
06.09.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	90	0.0000%	100.0000%	0.0000%	194	0.0000%
07.09.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	93	0.0000%	100.0000%	0.0000%	206	0.0000%
08.09.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	93	0.0000%	100.0000%	0.0000%	193	0.0000%
09.09.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	92	0.0000%	100.0000%	0.0000%	198	0.0000%
10.09.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	91	0.0000%	100.0000%	0.0000%	191	0.0000%
11.09.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	81	0.0000%	100.0000%	0.0000%	167	0.0000%
12.09.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	79	0.0000%	100.0000%	0.0000%	172	0.0000%
13.09.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	82	0.0000%	100.0000%	0.0000%	174	0.0000%
14.09.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	84	0.0000%	100.0000%	0.0000%	229	0.0000%
15.09.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	82	0.0000%	100.0000%	0.0000%	177	0.0000%
16.09.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	80	0.0000%	100.0000%	0.0000%	172	0.0000%
17.09.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	81	0.0000%	100.0000%	0.0000%	178	0.0000%
18.09.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	83	0.0000%	100.0000%	0.0000%	190	0.0000%
19.09.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	79	0.0000%	100.0000%	0.0000%	192	0.0000%
20.09.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	86	0.0000%	100.0000%	0.0000%	173	0.0000%
21.09.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	98.1300%	1.8700%	81	0.0000%	100.0000%	0.0000%	184	0.0000%
22.09.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	83	0.0000%	100.0000%	0.0000%	177	0.0000%
23.09.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	81	0.0000%	100.0000%	0.0000%	290	0.0000%
24.09.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	89	0.0000%	100.0000%	0.0000%	172	0.0000%
25.09.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	80	0.0000%	100.0000%	0.0000%	186	0.0000%
26.09.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	80	0.0000%	100.0000%	0.0000%	177	0.0000%
27.09.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	91	0.0000%	100.0000%	0.0000%	147	0.0000%
28.09.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	82	0.0000%	100.0000%	0.0000%	147	0.0000%
29.09.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	81	0.0000%	99.8700%	0.1300%	150	0.0000%
30.09.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	79	0.0000%	100.0000%	0.0000%	152	0.0000%
	100.0000%	0.0000%	4	0	0.0000%	0	-	0.0000%	99.9377%	0.0623%	86	0.0000%	99.9957%	0.0043%	186	0.0000%

1.65 October 1st to October 31st

Date	Dedicated interface						Bank's PSU interfaces							
							Pictet Connect				Wealth App			
	AISP Performance			#CBPIT Calls	CBPIT Performance		Availability		Performance		Availability		Performance	
	Avg response time (ms)	Error response rate			Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate
01.10.2024	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	80	0.0000%	100.0000%	0.0000%	148	0.0000%	
02.10.2024	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	80	0.0000%	100.0000%	0.0000%	163	0.0000%	
03.10.2024	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	89	0.0000%	100.0000%	0.0000%	149	0.0000%	
04.10.2024	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	81	0.0000%	100.0000%	0.0000%	249	0.0000%	
05.10.2024	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	81	0.0000%	100.0000%	0.0000%	140	0.0000%	
06.10.2024	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	232	0.0000%	100.0000%	0.0000%	175	0.0000%	
07.10.2024	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	77	0.0000%	100.0000%	0.0000%	148	0.0000%	
08.10.2024	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	77	0.0000%	100.0000%	0.0000%	190	0.0000%	
09.10.2024	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	78	0.0000%	100.0000%	0.0000%	189	0.0000%	
10.10.2024	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	79	0.0000%	100.0000%	0.0000%	167	0.0000%	
11.10.2024	-	0.0000%	0	-	0.0000%	99.8900%	0.1100%	979	0.0000%	99.9900%	0.0100%	958	0.0000%	
12.10.2024	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	681	0.0000%	100.0000%	0.0000%	1'192	0.0000%	
13.10.2024	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	656	0.0000%	100.0000%	0.0000%	1'176	0.0000%	
14.10.2024	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	163	0.0000%	100.0000%	0.0000%	469	0.0000%	
15.10.2024	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	86	0.0000%	100.0000%	0.0000%	812	0.0000%	
16.10.2024	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	99	0.0000%	100.0000%	0.0000%	367	0.0000%	
17.10.2024	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	80	0.0000%	100.0000%	0.0000%	150	0.0000%	
18.10.2024	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	82	0.0000%	100.0000%	0.0000%	202	0.0000%	
19.10.2024	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	145	0.0000%	100.0000%	0.0000%	165	0.0000%	
20.10.2024	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	83	0.0000%	100.0000%	0.0000%	155	0.0000%	
21.10.2024	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	81	0.0000%	100.0000%	0.0000%	153	0.0000%	
22.10.2024	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	85	0.0000%	100.0000%	0.0000%	156	0.0000%	
23.10.2024	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	82	0.0000%	100.0000%	0.0000%	174	0.0000%	
24.10.2024	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	84	0.0000%	100.0000%	0.0000%	169	0.0000%	
25.10.2024	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	237	0.0000%	100.0000%	0.0000%	288	0.0000%	
26.10.2024	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	134	0.0000%	100.0000%	0.0000%	153	0.0000%	
27.10.2024	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	108	0.0000%	100.0000%	0.0000%	170	0.0000%	
28.10.2024	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	86	0.0000%	100.0000%	0.0000%	164	0.0000%	
29.10.2024	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	83	0.0000%	100.0000%	0.0000%	170	0.0000%	
30.10.2024	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	85	0.0000%	100.0000%	0.0000%	168	0.0000%	
31.10.2024	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	85	0.0000%	100.0000%	0.0000%	173	0.0000%	
	-	0.0000%	0	-	0.0000%	99.9965%	0.0035%	166	0.0000%	99.9997%	0.0003%	300	0.0000%	

1.66 November 1st to November 30th

Date	Dedicated interface								Bank's PSU interfaces							
									Pictet Connect				Wealth App			
	AISP / CBPII Availability		#AISP Calls	AISP Performance		#CBPII Calls	CBPII Performance		Availability		Performance		Availability		Performance	
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate
01.11.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	85	0.0000%	100.0000%	0.0000%	200	0.0000%
02.11.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	103	0.0000%	100.0000%	0.0000%	176	0.0000%
03.11.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	115	0.0000%	100.0000%	0.0000%	183	0.0000%
04.11.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	83	0.0000%	100.0000%	0.0000%	254	0.0000%
05.11.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	129	0.0000%	100.0000%	0.0000%	200	0.0000%
06.11.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	186	0.0000%	100.0000%	0.0000%	170	0.0000%
07.11.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	103	0.0000%	100.0000%	0.0000%	176	0.0000%
08.11.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	87	0.0000%	100.0000%	0.0000%	157	0.0000%
09.11.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	89	0.0000%	100.0000%	0.0000%	161	0.0000%
10.11.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	117	0.0000%	100.0000%	0.0000%	165	0.0000%
11.11.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	87	0.0000%	100.0000%	0.0000%	179	0.0000%
12.11.2024	100.0000%	0.0000%	2	1'483	0.0000%	0	-	0.0000%	100.0000%	0.0000%	86	0.0000%	100.0000%	0.0000%	160	0.0000%
13.11.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	82	0.0000%	100.0000%	0.0000%	174	0.0000%
14.11.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	88	0.0000%	100.0000%	0.0000%	165	0.0000%
15.11.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	83	0.0000%	100.0000%	0.0000%	168	0.0000%
16.11.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	169	0.0000%	100.0000%	0.0000%	165	0.0000%
17.11.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	83	0.0000%	100.0000%	0.0000%	257	0.0000%
18.11.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	86	0.0000%	100.0000%	0.0000%	209	0.0000%
19.11.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	83	0.0000%	100.0000%	0.0000%	167	0.0000%
20.11.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	81	0.0000%	100.0000%	0.0000%	181	0.0000%
21.11.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	94	0.0000%	100.0000%	0.0000%	175	0.0000%
22.11.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	83	0.0000%	100.0000%	0.0000%	164	0.0000%
23.11.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	82	0.0000%	100.0000%	0.0000%	175	0.0000%
24.11.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	126	0.0000%	100.0000%	0.0000%	162	0.0000%
25.11.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	83	0.0000%	100.0000%	0.0000%	180	0.0000%
26.11.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	88	0.0000%	100.0000%	0.0000%	166	0.0000%
27.11.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	81	0.0000%	100.0000%	0.0000%	173	0.0000%
28.11.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	80	0.0000%	100.0000%	0.0000%	235	0.0000%
29.11.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	82	0.0000%	100.0000%	0.0000%	212	0.0000%
30.11.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	85	0.0000%	100.0000%	0.0000%	170	0.0000%
	100.0000%	0.0000%	2	49	0.0000%	0	-	0.0000%	100.0000%	0.0000%	97	0.0000%	100.0000%	0.0000%	183	0.0000%

1.67 December 1st to December 31st

Date	Dedicated interface									Bank's PSU interfaces									
	AISP / CBPII Availability			AISP Performance			CBPII Performance			Pictet Connect				Wealth App					
	Uptime		#AISP Calls	Avg response time (ms)		Error response rate	#CBPII Calls		Avg response time (ms)		Error response rate	Availability		Performance		Availability		Performance	
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate	Uptime	Downtime		Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate		
01.12.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	85	0.0000%	100.0000%	0.0000%	163	0.0000%			
02.12.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	83	0.0000%	100.0000%	0.0000%	173	0.0000%			
03.12.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	80	0.0000%	100.0000%	0.0000%	182	0.0000%			
04.12.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	83	0.0000%	100.0000%	0.0000%	198	0.0000%			
05.12.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	105	0.0000%	100.0000%	0.0000%	266	0.0000%			
06.12.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	82	0.0000%	100.0000%	0.0000%	168	0.0000%			
07.12.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	83	0.0000%	100.0000%	0.0000%	214	0.0000%			
08.12.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9700%	0.0300%	82	0.0000%	100.0000%	0.0000%	224	0.0000%			
09.12.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	83	0.0000%	100.0000%	0.0000%	173	0.0000%			
10.12.2024	100.0000%	0.0000%	4	1'101	0.0000%	0	-	0.0000%	99.9600%	0.0400%	83	0.0000%	99.9500%	0.0500%	172	0.0000%			
11.12.2024	100.0000%	0.0000%	6	519	0.0000%	0	-	0.0000%	100.0000%	0.0000%	100	0.0000%	100.0000%	0.0000%	171	0.0000%			
12.12.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	188	0.0000%	100.0000%	0.0000%	282	0.0000%			
13.12.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	86	0.0000%	100.0000%	0.0000%	216	0.0000%			
14.12.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	88	0.0000%	100.0000%	0.0000%	230	0.0000%			
15.12.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	87	0.0000%	100.0000%	0.0000%	221	0.0000%			
16.12.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	88	0.0000%	100.0000%	0.0000%	167	0.0000%			
17.12.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	86	0.0000%	100.0000%	0.0000%	180	0.0000%			
18.12.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	122	0.0000%	100.0000%	0.0000%	193	0.0000%			
19.12.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	97	0.0000%	100.0000%	0.0000%	178	0.0000%			
20.12.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	86	0.0000%	100.0000%	0.0000%	200	0.0000%			
21.12.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	183	0.0000%	100.0000%	0.0000%	232	0.0000%			
22.12.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.8900%	0.1100%	361	0.0000%	100.0000%	0.0000%	278	0.0000%			
23.12.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.7500%	0.2500%	466	0.0000%	100.0000%	0.0000%	179	0.0000%			
24.12.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9900%	0.0100%	180	0.0000%	100.0000%	0.0000%	201	0.0000%			
25.12.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9800%	0.0200%	2'500	0.0000%	100.0000%	0.0000%	180	0.0000%			
26.12.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	91	0.0000%	100.0000%	0.0000%	178	0.0000%			
27.12.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	87	0.0000%	100.0000%	0.0000%	187	0.0000%			
28.12.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	90	0.0000%	100.0000%	0.0000%	206	0.0000%			
29.12.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	89	0.0000%	100.0000%	0.0000%	183	0.0000%			
30.12.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	102	0.0000%	100.0000%	0.0000%	184	0.0000%			
31.12.2024	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	91	0.0000%	100.0000%	0.0000%	235	0.0000%			
	100.0000%	0.0000%	10	52	0.0000%	0	-	0.0000%	99.9852%	0.0148%	197	0.0000%	99.9984%	0.0016%	200	0.0000%			