

Availability and performance daily statistics of dedicated interface and all PSU interfaces

January 1st 2025 to December 31st 2025



1 Daily statistics

1.68 January 1st to January 31st

Date	Dedicated interface									Bank's PSU interfaces							
	AISP / CBPII Availability			#AISP Calls	AISP Performance		#CBPII Calls	CBPII Performance		Pictet Connect				Wealth App			
	Uptime	Downtime			Avg response time (ms)	Error response		Avg response time (ms)	Error response	Availability		Performance		Availability		Performance	
									Uptime	Downtime	Avg response time (ms)	Error response	Uptime	Downtime	Avg response time (ms)	Error response	
01.01.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	1'199	0.0000%	100.0000%	0.0000%	235	0.0000%	
02.01.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	86	0.0000%	100.0000%	0.0000%	176	0.0000%	
03.01.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	89	0.0000%	100.0000%	0.0000%	185	0.0000%	
04.01.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	92	0.0000%	100.0000%	0.0000%	193	0.0000%	
05.01.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	92	0.0000%	100.0000%	0.0000%	177	0.0000%	
06.01.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	84	0.0000%	100.0000%	0.0000%	183	0.0000%	
07.01.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	85	0.0000%	100.0000%	0.0000%	181	0.0000%	
08.01.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	88	0.0000%	100.0000%	0.0000%	203	0.0000%	
09.01.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	86	0.0000%	100.0000%	0.0000%	197	0.0000%	
10.01.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	88	0.0000%	100.0000%	0.0000%	177	0.0000%	
11.01.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	208	0.0000%	100.0000%	0.0000%	249	0.0000%	
12.01.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	120	0.0000%	100.0000%	0.0000%	190	0.0000%	
13.01.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	154	0.0000%	100.0000%	0.0000%	201	0.0000%	
14.01.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	99	0.0000%	100.0000%	0.0000%	215	0.0000%	
15.01.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	96	0.0000%	100.0000%	0.0000%	905	0.0000%	
16.01.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	89	0.0000%	100.0000%	0.0000%	200	0.0000%	
17.01.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	89	0.0000%	100.0000%	0.0000%	210	0.0000%	
18.01.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	89	0.0000%	100.0000%	0.0000%	174	0.0000%	
19.01.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	108	0.0000%	100.0000%	0.0000%	193	0.0000%	
20.01.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	179	0.0000%	99.9500%	0.0500%	196	0.0000%	
21.01.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	87	0.0000%	100.0000%	0.0000%	180	0.0000%	
22.01.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	97	0.0000%	100.0000%	0.0000%	191	0.0000%	
23.01.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	89	0.0000%	100.0000%	0.0000%	179	0.0000%	
24.01.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	89	0.0000%	100.0000%	0.0000%	664	0.0000%	
25.01.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	99	0.0000%	100.0000%	0.0000%	184	0.0000%	
26.01.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	117	0.0000%	100.0000%	0.0000%	208	0.0000%	
27.01.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	111	0.0000%	100.0000%	0.0000%	193	0.0000%	
28.01.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	93	0.0000%	100.0000%	0.0000%	233	0.0000%	
29.01.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	264	0.0000%	100.0000%	0.0000%	180	0.0000%	
30.01.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	97	0.0000%	100.0000%	0.0000%	233	0.0000%	
31.01.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	115	0.0000%	100.0000%	0.0000%	193	0.0000%	
	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	144	0.0000%	99.9984%	0.0016%	235	0.0000%	

1.69 February 1st to February 28th

Date	Dedicated interface							Bank's PSU interfaces							
	Availability Downtime	#AISP Calls	AISP Performance		#CBP/II Calls	CBP/II Performance		Pictet Connect				Wealth App			
			Avg response time (ms)	Error response		Avg response time (ms)	Error response	Availability		Performance		Availability		Performance	
								Uptime	Downtime	Avg response time (ms)	Error response	Uptime	Downtime	Avg response time (ms)	Error response
01.02.2025	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	103	0.0000%	100.0000%	0.0000%	180	0.0000%
02.02.2025	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9186%	0.0814%	123	0.0000%	99.9162%	0.0838%	502	0.0000%
03.02.2025	0.0000%	0	-	0.0000%	0	-	0.0000%	99.6952%	0.3048%	170	0.0000%	100.0000%	0.0000%	190	0.0000%
04.02.2025	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9492%	0.0508%	113	0.0000%	100.0000%	0.0000%	184	0.0000%
05.02.2025	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9586%	0.0414%	110	0.0000%	100.0000%	0.0000%	191	0.0000%
06.02.2025	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	92	0.0000%	100.0000%	0.0000%	185	0.0000%
07.02.2025	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	99	0.0000%	99.9179%	0.0821%	250	0.0000%
08.02.2025	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	109	0.0000%	100.0000%	0.0000%	211	0.0000%
09.02.2025	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	134	0.0000%	99.6100%	0.3900%	255	0.0000%
10.02.2025	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	93	0.0000%	99.5404%	0.4596%	232	0.0000%
11.02.2025	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	96	0.0000%	99.7430%	0.2570%	189	0.0000%
12.02.2025	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	96	0.0000%	99.7225%	0.2775%	206	0.0000%
13.02.2025	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	123	0.0000%	100.0000%	0.0000%	196	0.0000%
14.02.2025	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	97	0.0000%	100.0000%	0.0000%	175	0.0000%
15.02.2025	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	108	0.0000%	100.0000%	0.0000%	185	0.0000%
16.02.2025	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	95	0.0000%	100.0000%	0.0000%	181	0.0000%
17.02.2025	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	139	0.0000%	100.0000%	0.0000%	233	0.0000%
18.02.2025	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	84	0.0000%	100.0000%	0.0000%	208	0.0000%
19.02.2025	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	83	0.0000%	100.0000%	0.0000%	202	0.0000%
20.02.2025	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	119	0.0000%	100.0000%	0.0000%	244	0.0000%
21.02.2025	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	90	0.0000%	100.0000%	0.0000%	219	0.0000%
22.02.2025	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	106	0.0000%	100.0000%	0.0000%	177	0.0000%
23.02.2025	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	87	0.0000%	100.0000%	0.0000%	324	0.0000%
24.02.2025	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	112	0.0000%	100.0000%	0.0000%	185	0.0000%
25.02.2025	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9983%	0.0017%	89	0.0000%	100.0000%	0.0000%	183	0.0000%
26.02.2025	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	157	0.0000%	100.0000%	0.0000%	187	0.0000%
27.02.2025	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	84	0.0000%	100.0000%	0.0000%	175	0.0000%
28.02.2025	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	107	0.0000%	100.0000%	0.0000%	196	0.0000%
	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9829%	0.0171%	108	0.0000%	99.9446%	0.0554%	216	0.0000%

1.70 March 1st to March 31st

Date	Dedicated interface							Bank's PSU interfaces								
	AISP / CBPII Availability		#AISP Calls	AISP Performance		#CBPII Calls	CBPII Performance		Pictet Connect				Wealth App			
	Uptime	Downtime		Avg response time (ms)	Error response		Avg response time (ms)	Error response	Availability		Performance		Availability		Performance	
							Uptime	Downtime	Avg response time (ms)	Error response	Uptime	Downtime	Avg response time (ms)	Error response		
01.03.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9737%	0.0263%	94	0.0000%	99.9999%	0.0001%	201	0.0000%
02.03.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	116	0.0000%	100.0000%	0.0000%	219	0.0000%
03.03.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	109	0.0000%	100.0000%	0.0000%	183	0.0000%
04.03.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	127	0.0000%	100.0000%	0.0000%	202	0.0000%
05.03.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	107	0.0000%	100.0000%	0.0000%	184	0.0000%
06.03.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9925%	0.0075%	151	0.0000%	100.0000%	0.0000%	221	0.0000%
07.03.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	84	0.0000%	100.0000%	0.0000%	243	0.0000%
08.03.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	126	0.0000%	100.0000%	0.0000%	248	0.0000%
09.03.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	91	0.0000%	100.0000%	0.0000%	253	0.0000%
10.03.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	89	0.0000%	100.0000%	0.0000%	198	0.0000%
11.03.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	84	0.0000%	100.0000%	0.0000%	197	0.0000%
12.03.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9354%	0.0646%	257	0.0000%	100.0000%	0.0000%	368	0.0000%
13.03.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	165	0.0000%	100.0000%	0.0000%	196	0.0000%
14.03.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	141	0.0000%	100.0000%	0.0000%	186	0.0000%
15.03.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	93	0.0000%	100.0000%	0.0000%	266	0.0000%
16.03.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	92	0.0000%	100.0000%	0.0000%	216	0.0000%
17.03.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	87	0.0000%	100.0000%	0.0000%	349	0.0000%
18.03.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	96	0.0000%	100.0000%	0.0000%	191	0.0000%
19.03.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	102	0.0000%	100.0000%	0.0000%	210	0.0000%
20.03.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9985%	0.0015%	92	0.0000%	100.0000%	0.0000%	227	0.0000%
21.03.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	92	0.0000%	100.0000%	0.0000%	181	0.0000%
22.03.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	91	0.0000%	100.0000%	0.0000%	224	0.0000%
23.03.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	91	0.0000%	100.0000%	0.0000%	178	0.0000%
24.03.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	95	0.0000%	100.0000%	0.0000%	178	0.0000%
25.03.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	94	0.0000%	100.0000%	0.0000%	171	0.0000%
26.03.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	100	0.0000%	100.0000%	0.0000%	185	0.0000%
27.03.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	87	0.0000%	100.0000%	0.0000%	178	0.0000%
28.03.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	88	0.0000%	100.0000%	0.0000%	176	0.0000%
29.03.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	91	0.0000%	100.0000%	0.0000%	175	0.0000%
30.03.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	91	0.0000%	100.0000%	0.0000%	184	0.0000%
31.03.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	94	0.0000%	100.0000%	0.0000%	191	0.0000%
	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9968%	0.0032%	107	0.0000%	100.0000%	0.0000%	212	0.0000%

1.71 April 1st to April 30th

Date	Dedicated interface								Bank's PSU interfaces							
	AISP / CBPII Availability		#AISP Calls	AISP Performance		#CBPII Calls	CBPII Performance		Pictet Connect				Wealth App			
	Uptime	Downtime		Avg response time (ms)	Error response		Avg response time (ms)	Error response	Availability		Performance		Availability		Performance	
							Uptime	Downtime	Avg response time (ms)	Error response	Uptime	Downtime	Avg response time (ms)	Error response		
01.04.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	85	0.0000%	100.0000%	0.0000%	172	0.0000%
02.04.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9914%	0.0086%	154	0.0000%	100.0000%	0.0000%	164	0.0000%
03.04.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	89	0.0000%	100.0000%	0.0000%	181	0.0000%
04.04.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	88	0.0000%	99.9900%	0.0100%	191	0.0000%
05.04.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9666%	0.0334%	108	0.0000%	100.0000%	0.0000%	193	0.0000%
06.04.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	92	0.0000%	100.0000%	0.0000%	174	0.0000%
07.04.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	89	0.0000%	100.0000%	0.0000%	173	0.0000%
08.04.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	86	0.0000%	100.0000%	0.0000%	187	0.0000%
09.04.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	110	0.0000%	100.0000%	0.0000%	179	0.0000%
10.04.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	115	0.0000%	100.0000%	0.0000%	182	0.0000%
11.04.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	88	0.0000%	100.0000%	0.0000%	232	0.0000%
12.04.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	94	0.0000%	100.0000%	0.0000%	276	0.0000%
13.04.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	95	0.0000%	100.0000%	0.0000%	204	0.0000%
14.04.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9763%	0.0237%	202	0.0000%	100.0000%	0.0000%	200	0.0000%
15.04.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9809%	0.0191%	134	0.0000%	100.0000%	0.0000%	177	0.0000%
16.04.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9915%	0.0085%	157	0.0000%	100.0000%	0.0000%	193	0.0000%
17.04.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	126	0.0000%	100.0000%	0.0000%	179	0.0000%
18.04.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	98.8937%	1.1063%	89	0.0000%	100.0000%	0.0000%	193	0.0000%
19.04.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	98.1825%	1.8175%	89	0.0000%	100.0000%	0.0000%	175	0.0000%
20.04.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	88	0.0000%	100.0000%	0.0000%	196	0.0000%
21.04.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	98.3166%	1.6834%	94	0.0000%	100.0000%	0.0000%	168	0.0000%
22.04.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.1705%	0.8295%	83	0.0000%	100.0000%	0.0000%	216	0.0000%
23.04.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	88	0.0000%	100.0000%	0.0000%	193	0.0000%
24.04.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	105	0.0000%	100.0000%	0.0000%	188	0.0000%
25.04.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	92	0.0000%	100.0000%	0.0000%	179	0.0000%
26.04.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	113	0.0000%	100.0000%	0.0000%	195	0.0000%
27.04.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	90	0.0000%	100.0000%	0.0000%	186	0.0000%
28.04.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9924%	0.0076%	142	0.0000%	100.0000%	0.0000%	260	0.0000%
29.04.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	107	0.0000%	100.0000%	0.0000%	210	0.0000%
30.04.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9976%	0.0024%	100	0.0000%	100.0000%	0.0000%	190	0.0000%
	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.8153%	0.1847%	106	0.0000%	99.9997%	0.0003%	194	0.0000%

1.72 May 1st to May 31st

Date	Dedicated interface								Bank's PSU interfaces							
	AISP / CBPII Availability		#AISP Calls	AISP Performance		#CBPII Calls	CBPII Performance		Pictet Connect				Wealth App			
	Uptime	Downtime		Avg response time (ms)	Error response		Avg response time (ms)	Error response	Availability		Performance		Availability		Performance	
							Uptime	Downtime	Avg response time (ms)	Error response	Uptime	Downtime	Avg response time (ms)	Error response		
01.05.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	85	0.0000%	100.0000%	0.0000%	208	0.0000%
02.05.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.1479%	0.8521%	171	0.0000%	99.9546%	0.0454%	374	0.0000%
03.05.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	145	0.0000%	100.0000%	0.0000%	491	0.0000%
04.05.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9702%	0.0298%	195	0.0000%	100.0000%	0.0000%	197	0.0000%
05.05.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	98.8172%	1.1828%	171	0.0000%	100.0000%	0.0000%	237	0.0000%
06.05.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	198	0.0000%	100.0000%	0.0000%	315	0.0000%
07.05.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	111	0.0000%	100.0000%	0.0000%	217	0.0000%
08.05.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	106	0.0000%	100.0000%	0.0000%	217	0.0000%
09.05.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	106	0.0000%	100.0000%	0.0000%	233	0.0000%
10.05.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9763%	0.0237%	112	0.0000%	99.9885%	0.0115%	254	0.0000%
11.05.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	118	0.0000%	99.9769%	0.0231%	218	0.0000%
12.05.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	108	0.0000%	100.0000%	0.0000%	222	0.0000%
13.05.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	136	0.0000%	100.0000%	0.0000%	203	0.0000%
14.05.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	107	0.0000%	100.0000%	0.0000%	238	0.0000%
15.05.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	104	0.0000%	100.0000%	0.0000%	241	0.0000%
16.05.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	107	0.0000%	100.0000%	0.0000%	232	0.0000%
17.05.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	114	0.0000%	100.0000%	0.0000%	228	0.0000%
18.05.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9985%	0.0015%	110	0.0000%	100.0000%	0.0000%	266	0.0000%
19.05.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	104	0.0000%	100.0000%	0.0000%	254	0.0000%
20.05.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9898%	0.0102%	151	0.0000%	100.0000%	0.0000%	268	0.0000%
21.05.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	107	0.0000%	100.0000%	0.0000%	289	0.0000%
22.05.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	126	0.0000%	100.0000%	0.0000%	236	0.0000%
23.05.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	110	0.0000%	100.0000%	0.0000%	223	0.0000%
24.05.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	112	0.0000%	100.0000%	0.0000%	233	0.0000%
25.05.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	110	0.0000%	100.0000%	0.0000%	242	0.0000%
26.05.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	127	0.0000%	100.0000%	0.0000%	250	0.0000%
27.05.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	107	0.0000%	100.0000%	0.0000%	254	0.0000%
28.05.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	122	0.0000%	100.0000%	0.0000%	259	0.0000%
29.05.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	106	0.0000%	100.0000%	0.0000%	237	0.0000%
30.05.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	106	0.0000%	100.0000%	0.0000%	230	0.0000%
31.05.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	116	0.0000%	100.0000%	0.0000%	256	0.0000%
	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9323%	0.0677%	123	0.0000%	99.9974%	0.0026%	252	0.0000%

1.73 June 1st to June 30th

Date	Dedicated interface								Bank's PSU interfaces							
	AISP / CBPII Availability		#AISP Calls	AISP Performance		#CBPII Calls	CBPII Performance		Pictet Connect				Wealth App			
	Uptime	Downtime		Avg response time (ms)	Error response		Avg response time (ms)	Error response	Availability		Performance		Availability		Performance	
							Uptime	Downtime	Avg response time (ms)	Error response	Uptime	Downtime	Avg response time (ms)	Error response		
01.06.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	112	0.0000%	100.0000%	0.0000%	242	0.0000%
02.06.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	110	0.0000%	100.0000%	0.0000%	238	0.0000%
03.06.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	108	0.0000%	100.0000%	0.0000%	231	0.0000%
04.06.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	116	0.0000%	100.0000%	0.0000%	233	0.0000%
05.06.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	122	0.0000%	100.0000%	0.0000%	253	0.0000%
06.06.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	116	0.0000%	100.0000%	0.0000%	229	0.0000%
07.06.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	111	0.0000%	100.0000%	0.0000%	232	0.0000%
08.06.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	119	0.0000%	100.0000%	0.0000%	232	0.0000%
09.06.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	126	0.0000%	100.0000%	0.0000%	239	0.0000%
10.06.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	109	0.0000%	100.0000%	0.0000%	244	0.0000%
11.06.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	112	0.0000%	100.0000%	0.0000%	238	0.0000%
12.06.2025	100.0000%	0.0000%	2	1'930	0.0000%	0	-	0.0000%	100.0000%	0.0000%	112	0.0000%	100.0000%	0.0000%	243	0.0000%
13.06.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	114	0.0000%	100.0000%	0.0000%	255	0.0000%
14.06.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	118	0.0000%	100.0000%	0.0000%	252	0.0000%
15.06.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	122	0.0000%	100.0000%	0.0000%	230	0.0000%
16.06.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	161	0.0000%	100.0000%	0.0000%	276	0.0000%
17.06.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	123	0.0000%	100.0000%	0.0000%	257	0.0000%
18.06.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	108	0.0000%	100.0000%	0.0000%	234	0.0000%
19.06.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	109	0.0000%	100.0000%	0.0000%	245	0.0000%
20.06.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	110	0.0000%	100.0000%	0.0000%	244	0.0000%
21.06.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	115	0.0000%	100.0000%	0.0000%	250	0.0000%
22.06.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	146	0.0000%	100.0000%	0.0000%	254	0.0000%
23.06.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	107	0.0000%	100.0000%	0.0000%	235	0.0000%
24.06.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	109	0.0000%	100.0000%	0.0000%	233	0.0000%
25.06.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	109	0.0000%	100.0000%	0.0000%	374	0.0000%
26.06.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	165	0.0000%	100.0000%	0.0000%	420	0.0000%
27.06.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	108	0.0000%	100.0000%	0.0000%	272	0.0000%
28.06.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	111	0.0000%	100.0000%	0.0000%	264	0.0000%
29.06.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	109	0.0000%	100.0000%	0.0000%	243	0.0000%
30.06.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	211	0.0000%	100.0000%	0.0000%	242	0.0000%
	100.0000%	0.0000%	2	64	0.0000%	0	-	0.0000%	100.0000%	0.0000%	121	0.0000%	100.0000%	0.0000%	254	0.0000%

1.74 July 1st to July 31st

Date	Dedicated interface									Bank's PSU interfaces							
	Availability			AISP Performance			CBP/II Calls			Pictet Connect				Wealth App			
	AISP / CBP/II Uptime	Availability Downtime	#AISP Calls	AISP Performance		#CBP/II Calls	CBP/II Performance		Availability		Performance		Availability		Performance		
				Avg response time (ms)	Error response		Avg response time (ms)	Error response	Uptime	Downtime	Avg response time (ms)	Error response	Uptime	Downtime	Avg response time (ms)	Error response	
01.07.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	108	0.0000%	100.0000%	0.0000%	254	0.0000%	
02.07.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	108	0.0000%	100.0000%	0.0000%	248	0.0000%	
03.07.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	133	0.0000%	100.0000%	0.0000%	238	0.0000%	
04.07.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	109	0.0000%	100.0000%	0.0000%	225	0.0000%	
05.07.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	116	0.0000%	100.0000%	0.0000%	348	0.0000%	
06.07.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	111	0.0000%	100.0000%	0.0000%	245	0.0000%	
07.07.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	154	0.0000%	100.0000%	0.0000%	344	0.0000%	
08.07.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	117	0.0000%	100.0000%	0.0000%	234	0.0000%	
09.07.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	109	0.0000%	100.0000%	0.0000%	237	0.0000%	
10.07.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	108	0.0000%	100.0000%	0.0000%	346	0.0000%	
11.07.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9400%	0.0600%	111	0.0000%	99.9223%	0.0777%	320	0.0000%	
12.07.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	113	0.0000%	100.0000%	0.0000%	245	0.0000%	
13.07.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	113	0.0000%	100.0000%	0.0000%	255	0.0000%	
14.07.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	108	0.0000%	100.0000%	0.0000%	264	0.0000%	
15.07.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	145	0.0000%	99.9977%	0.0023%	239	0.0000%	
16.07.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	106	0.0000%	100.0000%	0.0000%	258	0.0000%	
17.07.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	116	0.0000%	100.0000%	0.0000%	288	0.0000%	
18.07.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	110	0.0000%	100.0000%	0.0000%	262	0.0000%	
19.07.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	133	0.0000%	100.0000%	0.0000%	295	0.0000%	
20.07.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	109	0.0000%	100.0000%	0.0000%	297	0.0000%	
21.07.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	106	0.0000%	100.0000%	0.0000%	258	0.0000%	
22.07.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	107	0.0000%	100.0000%	0.0000%	241	0.0000%	
23.07.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	106	0.0000%	100.0000%	0.0000%	250	0.0000%	
24.07.2025	100.0000%	0.0000%	4	1'202	0.0000%	0	-	0.0000%	100.0000%	0.0000%	103	0.0000%	100.0000%	0.0000%	246	0.0000%	
25.07.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	106	0.0000%	100.0000%	0.0000%	274	0.0000%	
26.07.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	110	0.0000%	100.0000%	0.0000%	284	0.0000%	
27.07.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	115	0.0000%	100.0000%	0.0000%	258	0.0000%	
28.07.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	103	0.0000%	100.0000%	0.0000%	271	0.0000%	
29.07.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	114	0.0000%	100.0000%	0.0000%	266	0.0000%	
30.07.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	107	0.0000%	100.0000%	0.0000%	236	0.0000%	
31.07.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	108	0.0000%	100.0000%	0.0000%	231	0.0000%	
	100.0000%	0.0000%	4		39	0.0000%	0	-	0.0000%	99.9981%	0.0019%	114	0.0000%	99.9974%	0.0026%	266	0.0000%

1.75 August 1st to August 31st

Date	Dedicated interface									Bank's PSU interfaces							
	Availability			AISP Performance			CBPII Performance			Pictet Connect				Wealth App			
	AISP / CBPII Uptime	Availability Downtime	#AISP Calls	AISP Performance Avg response time (ms)	Error response	#CBPII Calls	CBPII Performance Avg response time (ms)	Error response	Availability Uptime	Downtime	Performance Avg response time (ms)	Error response	Availability Uptime	Downtime	Performance Avg response time (ms)	Error response	
01.08.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	107	0.0000%	100.0000%	0.0000%	67	0.0000%	
02.08.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	107	0.0000%	100.0000%	0.0000%	85	0.0000%	
03.08.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	113	0.0000%	100.0000%	0.0000%	91	0.0000%	
04.08.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9904%	0.0096%	108	0.0000%	100.0000%	0.0000%	77	0.0000%	
05.08.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9912%	0.0088%	111	0.0000%	100.0000%	0.0000%	65	0.0000%	
06.08.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	106	0.0000%	100.0000%	0.0000%	77	0.0000%	
07.08.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	107	0.0000%	100.0000%	0.0000%	110	0.0000%	
08.08.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	109	0.0000%	100.0000%	0.0000%	68	0.0000%	
09.08.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	126	0.0000%	100.0000%	0.0000%	95	0.0000%	
10.08.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	113	0.0000%	100.0000%	0.0000%	66	0.0000%	
11.08.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	109	0.0000%	100.0000%	0.0000%	74	0.0000%	
12.08.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	113	0.0000%	100.0000%	0.0000%	85	0.0000%	
13.08.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	109	0.0000%	100.0000%	0.0000%	72	0.0000%	
14.08.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	109	0.0000%	100.0000%	0.0000%	74	0.0000%	
15.08.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	115	0.0000%	100.0000%	0.0000%	78	0.0000%	
16.08.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	132	0.0000%	100.0000%	0.0000%	110	0.0000%	
17.08.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	114	0.0000%	100.0000%	0.0000%	73	0.0000%	
18.08.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	127	0.0000%	100.0000%	0.0000%	75	0.0000%	
19.08.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	114	0.0000%	100.0000%	0.0000%	63	0.0000%	
20.08.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	141	0.0000%	100.0000%	0.0000%	65	0.0000%	
21.08.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9914%	0.0086%	114	0.0000%	100.0000%	0.0000%	221	0.0000%	
22.08.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	109	0.0000%	100.0000%	0.0000%	72	0.0000%	
23.08.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	121	0.0000%	100.0000%	0.0000%	69	0.0000%	
24.08.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	124	0.0000%	100.0000%	0.0000%	79	0.0000%	
25.08.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	117	0.0000%	100.0000%	0.0000%	77	0.0000%	
26.08.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9970%	0.0030%	173	0.0000%	100.0000%	0.0000%	122	0.0000%	
27.08.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	150	0.0000%	100.0000%	0.0000%	86	0.0000%	
28.08.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	117	0.0000%	100.0000%	0.0000%	105	0.0000%	
29.08.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	119	0.0000%	100.0000%	0.0000%	109	0.0000%	
30.08.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	124	0.0000%	100.0000%	0.0000%	71	0.0000%	
31.08.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	119	0.0000%	100.0000%	0.0000%	67	0.0000%	
	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9990%	0.0010%	119	0.0000%	100.0000%	0.0000%	85	0.0000%	

1.76 September 1st to September 30th

Date	Dedicated interface								Bank's PSU interfaces							
	AISP / CBPII Availability		#AISP Calls	AISP Performance		#CBPII Calls	CBPII Performance		Pictet Connect				Wealth App			
	Uptime	Downtime		Avg response time (ms)	Error response		Avg response time (ms)	Error response	Availability		Performance		Availability		Performance	
							Uptime	Downtime	Avg response time (ms)	Error response	Uptime	Downtime	Avg response time (ms)	Error response		
01.09.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	139	0.0000%	100.0000%	0.0000%	212	0.0000%
02.09.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9900%	0.0100%	129	0.0000%	100.0000%	0.0000%	205	0.0000%
03.09.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	164	0.0000%	100.0000%	0.0000%	198	0.0000%
04.09.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	111	0.0000%	100.0000%	0.0000%	204	0.0000%
05.09.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	115	0.0000%	100.0000%	0.0000%	212	0.0000%
06.09.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	122	0.0000%	100.0000%	0.0000%	201	0.0000%
07.09.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	119	0.0000%	100.0000%	0.0000%	200	0.0000%
08.09.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	214	0.0000%	100.0000%	0.0000%	241	0.0000%
09.09.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	137	0.0000%	100.0000%	0.0000%	203	0.0000%
10.09.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	121	0.0000%	100.0000%	0.0000%	200	0.0000%
11.09.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	120	0.0000%	100.0000%	0.0000%	202	0.0000%
12.09.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	116	0.0000%	100.0000%	0.0000%	201	0.0000%
13.09.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	128	0.0000%	100.0000%	0.0000%	205	0.0000%
14.09.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	122	0.0000%	100.0000%	0.0000%	205	0.0000%
15.09.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	116	0.0000%	100.0000%	0.0000%	206	0.0000%
16.09.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	119	0.0000%	100.0000%	0.0000%	222	0.0000%
17.09.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	116	0.0000%	100.0000%	0.0000%	204	0.0000%
18.09.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	123	0.0000%	100.0000%	0.0000%	203	0.0000%
19.09.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	119	0.0000%	100.0000%	0.0000%	200	0.0000%
20.09.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	118	0.0000%	100.0000%	0.0000%	207	0.0000%
21.09.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	114	0.0000%	100.0000%	0.0000%	205	0.0000%
22.09.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	116	0.0000%	100.0000%	0.0000%	202	0.0000%
23.09.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	110	0.0000%	100.0000%	0.0000%	217	0.0000%
24.09.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	113	0.0000%	100.0000%	0.0000%	223	0.0000%
25.09.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	114	0.0000%	100.0000%	0.0000%	202	0.0000%
26.09.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	113	0.0000%	100.0000%	0.0000%	203	0.0000%
27.09.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	119	0.0000%	100.0000%	0.0000%	204	0.0000%
28.09.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	123	0.0000%	100.0000%	0.0000%	203	0.0000%
29.09.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	114	0.0000%	100.0000%	0.0000%	212	0.0000%
30.09.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	112	0.0000%	100.0000%	0.0000%	212	0.0000%
	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9997%	0.0003%	124	0.0000%	100.0000%	0.0000%	207	0.0000%

1.77 October 1st to October 31st

Date	Dedicated interface								Bank's PSU interfaces							
	AISP / CBPII Availability		#AISP Calls	AISP Performance		#CBPII Calls	CBPII Performance		Pictet Connect				Wealth App			
	Uptime	Downtime		Avg response time (ms)	Error response		Avg response time (ms)	Error response	Availability		Performance		Availability		Performance	
							Uptime	Downtime	Avg response time (ms)	Error response	Uptime	Downtime	Avg response time (ms)	Error response		
01.10.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	112	0.0000%	100.0000%	0.0000%	203	0.0000%
02.10.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	110	0.0000%	100.0000%	0.0000%	235	0.0000%
03.10.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	111	0.0000%	100.0000%	0.0000%	212	0.0000%
04.10.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	118	0.0000%	100.0000%	0.0000%	211	0.0000%
05.10.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	115	0.0000%	100.0000%	0.0000%	236	0.0000%
06.10.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	121	0.0000%	100.0000%	0.0000%	225	0.0000%
07.10.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	111	0.0000%	100.0000%	0.0000%	216	0.0000%
08.10.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	110	0.0000%	100.0000%	0.0000%	227	0.0000%
09.10.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	140	0.0000%	99.4880%	0.5120%	221	0.0000%
10.10.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	150	0.0000%	99.8445%	0.1555%	217	0.0000%
11.10.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	113	0.0000%	100.0000%	0.0000%	257	0.0000%
12.10.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9946%	0.0054%	117	0.0000%	100.0000%	0.0000%	226	0.0000%
13.10.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	112	0.0000%	99.6565%	0.3435%	235	0.0000%
14.10.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	115	0.0000%	99.7758%	0.2242%	213	0.0000%
15.10.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	115	0.0000%	99.5228%	0.4772%	245	0.0000%
16.10.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	118	0.0000%	99.7724%	0.2276%	293	0.0000%
17.10.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	117	0.0000%	100.0000%	0.0000%	227	0.0000%
18.10.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	119	0.0000%	100.0000%	0.0000%	243	0.0000%
19.10.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	115	0.0000%	100.0000%	0.0000%	222	0.0000%
20.10.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9931%	0.0069%	118	0.0000%	100.0000%	0.0000%	234	0.0000%
21.10.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	113	0.0000%	100.0000%	0.0000%	224	0.0000%
22.10.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	114	0.0000%	100.0000%	0.0000%	219	0.0000%
23.10.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	112	0.0000%	100.0000%	0.0000%	226	0.0000%
24.10.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	136	0.0000%	100.0000%	0.0000%	241	0.0000%
25.10.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	129	0.0000%	100.0000%	0.0000%	229	0.0000%
26.10.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	114	0.0000%	100.0000%	0.0000%	227	0.0000%
27.10.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	132	0.0000%	100.0000%	0.0000%	262	0.0000%
28.10.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	115	0.0000%	100.0000%	0.0000%	333	0.0000%
29.10.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	115	0.0000%	100.0000%	0.0000%	680	0.0000%
30.10.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9923%	0.0077%	121	0.0000%	100.0000%	0.0000%	421	0.0000%
31.10.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	129	0.0000%	100.0000%	0.0000%	333	0.0000%
	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9994%	0.0006%	119	0.0000%	99.9374%	0.0626%	258	0.0000%

1.78 November 1st to November 30th

Date	Dedicated interface								Bank's PSU interfaces							
	AISP / CBPII Availability		#AISP Calls	AISP Performance		#CBPII Calls	CBPII Performance		Pictet Connect				Wealth App			
	Uptime	Downtime		Avg response time (ms)	Error response		Avg response time (ms)	Error response	Availability		Performance		Availability		Performance	
							Uptime	Downtime	Avg response time (ms)	Error response	Uptime	Downtime	Avg response time (ms)	Error response		
01.11.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	119	0.0000%	100.0000%	0.0000%	391	0.0000%
02.11.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	119	0.0000%	100.0000%	0.0000%	336	0.0000%
03.11.2025	100.0000%	0.0000%	2	1'359	0.0000%	0	-	0.0000%	100.0000%	0.0000%	195	0.0000%	100.0000%	0.0000%	246	0.0000%
04.11.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	122	0.0000%	100.0000%	0.0000%	315	0.0000%
05.11.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	118	0.0000%	100.0000%	0.0000%	249	0.0000%
06.11.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	120	0.0000%	100.0000%	0.0000%	273	0.0000%
07.11.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	118	0.0000%	100.0000%	0.0000%	277	0.0000%
08.11.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	125	0.0000%	100.0000%	0.0000%	247	0.0000%
09.11.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	123	0.0000%	99.9800%	0.0200%	262	0.0000%
10.11.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	124	0.0000%	100.0000%	0.0000%	398	0.0000%
11.11.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9904%	0.0096%	136	0.0000%	100.0000%	0.0000%	261	0.0000%
12.11.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	115	0.0000%	100.0000%	0.0000%	358	0.0000%
13.11.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	112	0.0000%	100.0000%	0.0000%	256	0.0000%
14.11.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	112	0.0000%	100.0000%	0.0000%	254	0.0000%
15.11.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	118	0.0000%	100.0000%	0.0000%	328	0.0000%
16.11.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	114	0.0000%	100.0000%	0.0000%	257	0.0000%
17.11.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	113	0.0000%	100.0000%	0.0000%	328	0.0000%
18.11.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	116	0.0000%	100.0000%	0.0000%	260	0.0000%
19.11.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	111	0.0000%	100.0000%	0.0000%	380	0.0000%
20.11.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	118	0.0000%	100.0000%	0.0000%	249	0.0000%
21.11.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	110	0.0000%	100.0000%	0.0000%	336	0.0000%
22.11.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	154	0.0000%	100.0000%	0.0000%	265	0.0000%
23.11.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	118	0.0000%	100.0000%	0.0000%	326	0.0000%
24.11.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	117	0.0000%	100.0000%	0.0000%	269	0.0000%
25.11.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	111	0.0000%	100.0000%	0.0000%	246	0.0000%
26.11.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9896%	0.0104%	122	0.0000%	100.0000%	0.0000%	310	0.0000%
27.11.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	116	0.0000%	100.0000%	0.0000%	259	0.0000%
28.11.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	114	0.0000%	100.0000%	0.0000%	248	0.0000%
29.11.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	125	0.0000%	100.0000%	0.0000%	261	0.0000%
30.11.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	117	0.0000%	100.0000%	0.0000%	263	0.0000%
	100.0000%	0.0000%	2	45	0.0000%	0	-	0.0000%	99.9993%	0.0007%	122	0.0000%	99.9993%	0.0007%	290	0.0000%

1.79 December 1st to December 31st

Date	Dedicated interface								Bank's PSU interfaces								
	AISP / CBPII Availability		#AISP Calls	AISP Performance			CBPII Performance			Pictet Connect				Wealth App			
	Uptime	Downtime		Avg response time (ms)	Error response	#CBPII Calls	Avg response time (ms)	Error response	Availability		Performance		Availability		Performance		
									Uptime	Downtime	Avg response time (ms)	Error response	Uptime	Downtime	Avg response time (ms)	Error response	
01.12.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	116	0.0000%	100.0000%	0.0000%	350	0.0000%	
02.12.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	142	0.0000%	100.0000%	0.0000%	279	0.0000%	
03.12.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	153	0.0000%	100.0000%	0.0000%	423	0.0000%	
04.12.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	120	0.0000%	100.0000%	0.0000%	240	0.0000%	
05.12.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	125	0.0000%	100.0000%	0.0000%	255	0.0000%	
06.12.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	121	0.0000%	100.0000%	0.0000%	257	0.0000%	
07.12.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	128	0.0000%	100.0000%	0.0000%	261	0.0000%	
08.12.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	146	0.0000%	100.0000%	0.0000%	301	0.0000%	
09.12.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	197	0.0000%	100.0000%	0.0000%	637	0.0000%	
10.12.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9600%	0.0400%	123	0.0000%	99.9900%	0.0100%	244	0.0000%	
11.12.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	119	0.0000%	100.0000%	0.0000%	277	0.0000%	
12.12.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	126	0.0000%	100.0000%	0.0000%	288	0.0000%	
13.12.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	120	0.0000%	100.0000%	0.0000%	310	0.0000%	
14.12.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	118	0.0000%	100.0000%	0.0000%	486	0.0000%	
15.12.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	128	0.0000%	100.0000%	0.0000%	247	0.0000%	
16.12.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	121	0.0000%	100.0000%	0.0000%	258	0.0000%	
17.12.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	122	0.0000%	100.0000%	0.0000%	465	0.0000%	
18.12.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	121	0.0000%	100.0000%	0.0000%	241	0.0000%	
19.12.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	121	0.0000%	100.0000%	0.0000%	252	0.0000%	
20.12.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	118	0.0000%	100.0000%	0.0000%	297	0.0000%	
21.12.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	123	0.0000%	100.0000%	0.0000%	335	0.0000%	
22.12.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	118	0.0000%	100.0000%	0.0000%	253	0.0000%	
23.12.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	122	0.0000%	100.0000%	0.0000%	240	0.0000%	
24.12.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	123	0.0000%	100.0000%	0.0000%	353	0.0000%	
25.12.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	150	0.0000%	100.0000%	0.0000%	264	0.0000%	
26.12.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	121	0.0000%	100.0000%	0.0000%	263	0.0000%	
27.12.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	130	0.0000%	100.0000%	0.0000%	266	0.0000%	
28.12.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	126	0.0000%	100.0000%	0.0000%	232	0.0000%	
29.12.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	117	0.0000%	100.0000%	0.0000%	368	0.0000%	
30.12.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	122	0.0000%	100.0000%	0.0000%	347	0.0000%	
31.12.2025	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	123	0.0000%	100.0000%	0.0000%	271	0.0000%	
	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9987%	0.0013%	128	0.0000%	99.9997%	0.0003%	308	0.0000%	