
Availability and performance daily statistics of dedicated interface and all PSU interfaces

June 14th 2019 to December 31st 2023



1 Daily statistics

1.1 June 14th to July 10th

Date	Dedicated interface									Bank's PSU interfaces							
	AISP / CBPII Availability			AISP Performance			CBPII Performance			Pictet Connect				Wealth App			
	Availability		#AISP Calls	Performance		#CBPII Calls	Performance		Availability		Performance		Availability		Performance		
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	
14.06.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9977%	0.0023%	871	0.0000%	100.0000%	0.0000%	327	0.0039%	
15.06.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9972%	0.0028%	147	0.0144%	100.0000%	0.0000%	304	0.0183%	
16.06.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9973%	0.0027%	801	0.0144%	100.0000%	0.0000%	315	0.0000%	
17.06.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9979%	0.0021%	1'636	0.0000%	100.0000%	0.0000%	336	0.0000%	
18.06.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9978%	0.0022%	2'051	0.0000%	100.0000%	0.0000%	339	0.0059%	
19.06.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9968%	0.0032%	1'257	0.0144%	100.0000%	0.0000%	355	0.0330%	
20.06.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9956%	0.0044%	1'105	0.0289%	100.0000%	0.0000%	316	0.0000%	
21.06.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9977%	0.0023%	520	0.0000%	100.0000%	0.0000%	305	0.0306%	
22.06.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9989%	0.0011%	115	0.0000%	100.0000%	0.0000%	311	0.0000%	
23.06.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9983%	0.0017%	528	0.0000%	100.0000%	0.0000%	318	0.0000%	
24.06.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9954%	0.0046%	1'000	0.0289%	100.0000%	0.0000%	304	0.0000%	
25.06.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9979%	0.0021%	1'869	0.0000%	100.0000%	0.0000%	330	0.0000%	
26.06.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9982%	0.0018%	376	0.0000%	100.0000%	0.0000%	324	0.0000%	
27.06.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9948%	0.0052%	727	0.0289%	100.0000%	0.0000%	312	0.0000%	
28.06.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9964%	0.0036%	721	0.0144%	100.0000%	0.0000%	318	0.0000%	
29.06.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9967%	0.0033%	-	0.0000%	100.0000%	0.0000%	360	0.0000%	
30.06.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9961%	0.0039%	316	0.0144%	100.0000%	0.0000%	329	0.0000%	
01.07.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9998%	0.0002%	708	0.0144%	100.0000%	0.0000%	340	0.0000%	
02.07.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9997%	0.0003%	2'102	0.0000%	100.0000%	0.0000%	318	0.0000%	
03.07.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.6528%	0.3472%	439	0.1011%	100.0000%	0.0000%	318	0.0000%	
04.07.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9997%	0.0003%	690	0.0000%	100.0000%	0.0000%	310	0.0000%	
05.07.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9998%	0.0002%	658	0.0000%	100.0000%	0.0000%	310	0.0000%	
06.07.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9997%	0.0003%	114	0.0000%	100.0000%	0.0000%	311	0.0000%	
07.07.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9997%	0.0003%	160	0.0000%	100.0000%	0.0000%	307	0.0000%	
08.07.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9995%	0.0005%	862	0.0289%	100.0000%	0.0000%	344	0.0000%	
09.07.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9999%	0.0001%	1'499	0.0000%	100.0000%	0.0000%	351	0.0000%	
10.07.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9999%	0.0001%	2'821	0.0000%	100.0000%	0.0000%	343	0.0000%	
	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9852%	0.0148%	892	0.0112%	100.0000%	0.0000%	324	0.0034%	

1.2 July 11th to August 8th

Date	Dedicated interface									Bank's PSU interfaces								
	AISP / CBPII Availability			AISP Performance			CBPII Performance			Pictet Connect				Wealth App				
	Uptime		#AISP Calls	Avg response time (ms)		Error response rate	#CBPII Calls	Avg response time (ms)		Error response rate	Availability		Performance		Availability		Performance	
	Uptime	Downtime		Avg response time (ms)	Error response rate			Avg response time (ms)	Error response rate		Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate
11.07.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	945	0.0000%	100.0000%	0.0000%	353	0.0000%		
12.07.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	1'199	0.0000%	100.0000%	0.0000%	320	0.0000%		
13.07.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	405	0.0000%	100.0000%	0.0000%	380	0.0000%		
14.07.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	356	0.0000%	100.0000%	0.0000%	330	0.0000%		
15.07.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	868	0.0000%	100.0000%	0.0000%	405	0.0000%		
16.07.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	1'101	0.0000%	97.7300%	2.2700%	547	0.0000%		
17.07.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	969	0.0000%	100.0000%	0.0000%	558	0.0000%		
18.07.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	885	0.0000%	100.0000%	0.0000%	340	0.0000%		
19.07.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	1'005	0.0000%	100.0000%	0.0000%	347	0.0000%		
20.07.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	479	0.0000%	100.0000%	0.0000%	314	0.0000%		
21.07.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	370	0.0000%	100.0000%	0.0000%	317	0.0000%		
22.07.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	869	0.0000%	100.0000%	0.0000%	316	0.0000%		
23.07.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	857	0.0000%	100.0000%	0.0000%	330	0.0000%		
24.07.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	1'051	0.0000%	100.0000%	0.0000%	384	0.0000%		
25.07.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	1'049	0.0000%	100.0000%	0.0000%	389	0.0000%		
26.07.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	907	0.0000%	100.0000%	0.0000%	340	0.0000%		
27.07.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	633	0.0000%	100.0000%	0.0000%	302	0.0000%		
28.07.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	489	0.0000%	100.0000%	0.0000%	303	0.0000%		
29.07.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	936	0.0000%	100.0000%	0.0000%	309	0.0000%		
30.07.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	1'044	0.0000%	100.0000%	0.0000%	300	0.0000%		
31.07.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	919	0.0000%	100.0000%	0.0000%	307	0.0000%		
01.08.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	839	0.0000%	100.0000%	0.0000%	322	0.0000%		
02.08.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	880	0.0000%	100.0000%	0.0000%	310	0.0000%		
03.08.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	527	0.0000%	100.0000%	0.0000%	317	0.0000%		
04.08.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	490	0.0000%	100.0000%	0.0000%	332	0.0000%		
05.08.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	891	0.0000%	100.0000%	0.0000%	324	0.0000%		
06.08.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	922	0.0000%	100.0000%	0.0000%	331	0.0000%		
07.08.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	1'038	0.0000%	100.0000%	0.0000%	343	0.0000%		
08.08.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	909	0.0013%	100.0000%	0.0000%	310	0.0000%		
	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	822	0.0000%	99.9217%	0.0783%	348	0.0000%		

1.3 August 9th to September 12th

Date	Dedicated interface							Bank's PSU interfaces								
	AISP / CBPII Availability		#AISP Calls	AISP Performance		#CBPII Calls	CBPII Performance		Pictet Connect				Wealth App			
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate	Availability		Performance		Availability		Performance	
							Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate		
09.08.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	973	0.0000%	100.0000%	0.0000%	369	0.0000%
10.08.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	468	0.0000%	100.0000%	0.0000%	406	0.0000%
11.08.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	365	0.0000%	100.0000%	0.0000%	371	0.0000%
12.08.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	762	0.0000%	100.0000%	0.0000%	355	0.0000%
13.08.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	919	0.0000%	100.0000%	0.0000%	387	0.0000%
14.08.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	966	0.0000%	100.0000%	0.0000%	347	0.0000%
15.08.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	927	0.0000%	100.0000%	0.0000%	351	0.0000%
16.08.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	919	0.0000%	100.0000%	0.0000%	375	0.0000%
17.08.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	358	0.0000%	100.0000%	0.0000%	380	0.0000%
18.08.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	599	0.0000%	100.0000%	0.0000%	368	0.0000%
19.08.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	981	0.0000%	100.0000%	0.0000%	405	0.0000%
20.08.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	848	0.0000%	100.0000%	0.0000%	373	0.0000%
21.08.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	897	0.0000%	100.0000%	0.0000%	353	0.0000%
22.08.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	821	0.0000%	100.0000%	0.0000%	359	0.0000%
23.08.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	911	0.0000%	100.0000%	0.0000%	354	0.0000%
24.08.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	462	0.0000%	100.0000%	0.0000%	376	0.0000%
25.08.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	705	0.0000%	100.0000%	0.0000%	344	0.0000%
26.08.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	762	0.0000%	100.0000%	0.0000%	373	0.0000%
27.08.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	938	0.0000%	100.0000%	0.0000%	386	0.0000%
28.08.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	934	0.0000%	100.0000%	0.0000%	371	0.0000%
29.08.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	896	0.0000%	100.0000%	0.0000%	367	0.0000%
30.08.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	908	0.0000%	100.0000%	0.0000%	356	0.0000%
31.08.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	387	0.0000%	100.0000%	0.0000%	411	0.0000%
01.09.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	428	0.0000%	100.0000%	0.0000%	442	0.0000%
02.09.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	821	0.0000%	100.0000%	0.0000%	461	0.0000%
03.09.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	941	0.0000%	100.0000%	0.0000%	419	0.0000%
04.09.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	994	0.0000%	100.0000%	0.0000%	475	0.0000%
05.09.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	855	0.0000%	100.0000%	0.0000%	426	0.0000%
06.09.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	871	0.0000%	100.0000%	0.0000%	441	0.0000%
07.09.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	393	0.0000%	100.0000%	0.0000%	407	0.0000%
08.09.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	588	0.0000%	100.0000%	0.0000%	413	0.0000%
09.09.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	804	0.0000%	100.0000%	0.0000%	400	0.0000%
10.09.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	1'032	0.0000%	100.0000%	0.0000%	441	0.0000%
11.09.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	930	0.0000%	100.0000%	0.0000%	398	0.0000%
12.09.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	1'041	0.0000%	100.0000%	0.0000%	539	0.0000%
	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	783	0.0000%	100.0000%	0.0000%	394	0.0000%

1.4 September 13th to October 12th

Date	Dedicated interface									Bank's PSU interfaces							
	AISP / CBPII Availability			AISP Performance			CBPII Performance			Pictet Connect				Wealth App			
	Uptime		#AISP Calls	Avg response time (ms)		Error response rate	#CBPII Calls	Avg response time (ms)		Performance		Availability		Performance			
	Uptime	Downtime		Avg response time (ms)	Error response rate			Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate
13.09.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	357	0.0000%	100.0000%	0.0000%	402	0.0039%	
14.09.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	484	0.0000%	100.0000%	0.0000%	406	0.0183%	
15.09.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	466	0.0000%	100.0000%	0.0000%	413	0.0000%	
16.09.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	407	0.0004%	100.0000%	0.0000%	427	0.0000%	
17.09.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	385	0.0000%	100.0000%	0.0000%	428	0.0059%	
18.09.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	392	0.0000%	100.0000%	0.0000%	419	0.0330%	
19.09.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	370	0.0000%	100.0000%	0.0000%	384	0.0000%	
20.09.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	413	0.0000%	100.0000%	0.0000%	399	0.0306%	
21.09.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	540	0.0000%	100.0000%	0.0000%	391	0.0000%	
22.09.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	498	0.0000%	100.0000%	0.0000%	394	0.0000%	
23.09.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	389	0.0000%	100.0000%	0.0000%	426	0.0000%	
24.09.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	371	0.0000%	100.0000%	0.0000%	392	0.0000%	
25.09.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	414	0.0000%	100.0000%	0.0000%	405	0.0000%	
26.09.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	346	0.0000%	100.0000%	0.0000%	408	0.0000%	
27.09.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	374	0.0000%	100.0000%	0.0000%	403	0.0000%	
28.09.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	514	0.0000%	100.0000%	0.0000%	432	0.0000%	
29.09.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	492	0.0000%	100.0000%	0.0000%	412	0.0000%	
30.09.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	363	0.0000%	100.0000%	0.0000%	727	0.0000%	
01.10.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	376	0.0000%	100.0000%	0.0000%	922	0.0000%	
02.10.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	396	0.0000%	100.0000%	0.0000%	420	0.0000%	
03.10.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	384	0.0001%	100.0000%	0.0000%	432	0.0000%	
04.10.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	397	0.0000%	100.0000%	0.0000%	620	0.0000%	
05.10.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.1400%	0.8600%	575	0.0000%	100.0000%	0.0000%	382	0.0000%	
06.10.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	579	0.0000%	100.0000%	0.0000%	387	0.0000%	
07.10.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	332	0.0000%	100.0000%	0.0000%	394	0.0000%	
08.10.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	338	0.0000%	100.0000%	0.0000%	384	0.0000%	
09.10.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	359	0.0000%	100.0000%	0.0000%	370	0.0000%	
10.10.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	413	0.0000%	100.0000%	0.0000%	371	0.0000%	
11.10.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	400	0.0000%	100.0000%	0.0000%	398	0.0000%	
12.10.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	449	0.0000%	100.0000%	0.0000%	392	0.0000%	
	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9713%	0.0287%	419	0.0000%	100.0000%	0.0000%	438	0.0031%	

1.5 October 13th to November 12th

Date	Dedicated interface									Bank's PSU interfaces							
	AISP / CBPII Availability			AISP Performance			CBPII Performance			Pictet Connect				Wealth App			
	Uptime	Downtime	#AISP Calls	Avg response time (ms)	Error response rate	#CBPII Calls	Avg response time (ms)	Error response rate	Availability	Performance	Availability	Performance	Availability	Performance			
									Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	
13.10.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	490	0.0000%	100.0000%	0.0000%	378	0.0000%	
14.10.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	427	0.0000%	100.0000%	0.0000%	387	0.0000%	
15.10.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	348	0.0005%	100.0000%	0.0000%	393	0.0000%	
16.10.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	362	0.0000%	100.0000%	0.0000%	378	0.0000%	
17.10.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	404	0.0000%	100.0000%	0.0000%	419	0.0000%	
18.10.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	386	0.0001%	97.7300%	2.2700%	426	0.0000%	
19.10.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	583	0.0000%	100.0000%	0.0000%	367	0.0000%	
20.10.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	597	0.0000%	100.0000%	0.0000%	383	0.0000%	
21.10.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	494	0.0000%	100.0000%	0.0000%	382	0.0000%	
22.10.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	324	0.0004%	100.0000%	0.0000%	437	0.0000%	
23.10.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	355	0.0000%	100.0000%	0.0000%	386	0.0000%	
24.10.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	359	0.0000%	100.0000%	0.0000%	390	0.0000%	
25.10.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	363	0.0000%	100.0000%	0.0000%	390	0.0000%	
26.10.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	454	0.0000%	100.0000%	0.0000%	374	0.0000%	
27.10.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	431	0.0000%	100.0000%	0.0000%	407	0.0000%	
28.10.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	383	0.0000%	100.0000%	0.0000%	378	0.0000%	
29.10.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	336	0.0000%	100.0000%	0.0000%	389	0.0000%	
30.10.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	432	0.0000%	100.0000%	0.0000%	398	0.0000%	
31.10.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	328	0.0000%	100.0000%	0.0000%	404	0.0000%	
01.11.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	436	0.0000%	100.0000%	0.0000%	360	0.0000%	
02.11.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	541	0.0000%	100.0000%	0.0000%	364	0.0000%	
03.11.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	488	0.0000%	100.0000%	0.0000%	375	0.0000%	
04.11.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	375	0.0000%	100.0000%	0.0000%	390	0.0000%	
05.11.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	382	0.0000%	100.0000%	0.0000%	382	0.0000%	
06.11.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	459	0.0000%	100.0000%	0.0000%	362	0.0000%	
07.11.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	330	0.0000%	100.0000%	0.0000%	371	0.0000%	
08.11.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	370	0.0000%	100.0000%	0.0000%	385	0.0000%	
09.11.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	452	0.0000%	99.6700%	0.3300%	373	0.0000%	
10.11.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	432	0.0013%	100.0000%	0.0000%	368	0.0000%	
11.11.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	316	0.0013%	100.0000%	0.0000%	399	0.0000%	
12.11.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	357	0.0013%	100.0000%	0.0000%	389	0.0000%	
	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	413	0.0002%	99.9161%	0.0839%	387	0.0000%	

1.6 November 13th to December 12th

Date	Dedicated interface									Bank's PSU interfaces							
	AISP / CBPII Availability			AISP Performance			CBPII Performance			Pictet Connect				Wealth App			
	Uptime	Downtime	#AISP Calls	Avg response time (ms)	Error response rate	#CBPII Calls	Avg response time (ms)	Error response rate	Availability	Performance	Availability	Performance	Availability	Performance			
									Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	
13.11.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	403	0.0000%	100.0000%	0.0000%	387	0.0000%	
14.11.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	370	0.0000%	100.0000%	0.0000%	373	0.0000%	
15.11.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	432	0.0000%	100.0000%	0.0000%	379	0.0000%	
16.11.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	504	0.0000%	100.0000%	0.0000%	379	0.0000%	
17.11.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	438	0.0000%	100.0000%	0.0000%	385	0.0000%	
18.11.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	365	0.0000%	100.0000%	0.0000%	381	0.0000%	
19.11.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	411	0.0000%	99.8900%	0.1100%	426	0.0000%	
20.11.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	348	0.0000%	100.0000%	0.0000%	361	0.0000%	
21.11.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	316	0.0005%	100.0000%	0.0000%	366	0.0000%	
22.11.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	361	0.0000%	100.0000%	0.0000%	371	0.0000%	
23.11.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	501	0.0000%	100.0000%	0.0000%	386	0.0000%	
24.11.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	444	0.0000%	100.0000%	0.0000%	377	0.0000%	
25.11.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	312	0.0000%	100.0000%	0.0000%	381	0.0000%	
26.11.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	330	0.0000%	100.0000%	0.0000%	378	0.0000%	
27.11.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	388	0.0000%	100.0000%	0.0000%	385	0.0000%	
28.11.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	293	0.0000%	100.0000%	0.0000%	418	0.0000%	
29.11.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	342	0.0000%	100.0000%	0.0000%	390	0.0000%	
30.11.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	427	0.0000%	100.0000%	0.0000%	381	0.0000%	
01.12.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	437	0.0000%	100.0000%	0.0000%	396	0.0000%	
02.12.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	307	0.0000%	100.0000%	0.0000%	389	0.0000%	
03.12.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	237	0.0002%	100.0000%	0.0000%	370	0.0000%	
04.12.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	294	0.0000%	100.0000%	0.0000%	378	0.0000%	
05.12.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	317	0.0000%	100.0000%	0.0000%	389	0.0000%	
06.12.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	323	0.0000%	100.0000%	0.0000%	390	0.0000%	
07.12.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	493	0.0000%	100.0000%	0.0000%	409	0.0000%	
08.12.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	566	0.0000%	100.0000%	0.0000%	388	0.0000%	
09.12.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	311	0.0000%	100.0000%	0.0000%	411	0.0000%	
10.12.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	330	0.0003%	100.0000%	0.0000%	393	0.0000%	
11.12.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	361	0.0000%	100.0000%	0.0000%	378	0.0000%	
12.12.2019	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	311	0.0000%	100.0000%	0.0000%	407	0.0000%	
	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	376	0.0000%	99.9963%	0.0037%	387	0.0000%	

1.7 December 13th to January 11th

Date	Dedicated interface			Bank's PSU interfaces									
				Pictet Connect				Wealth App					
	AISP Performance		#CBPIL Calls	CBPIL Performance		Availability		Performance		Availability		Performance	
	Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate
13.12.2013	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	412	0.0000%	100.0000%	0.0000%	377	0.0000%
14.12.2019	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	583	0.0000%	100.0000%	0.0000%	376	0.0000%
15.12.2019	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	746	0.0000%	100.0000%	0.0000%	383	0.0000%
16.12.2019	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	423	0.0000%	100.0000%	0.0000%	386	0.0000%
17.12.2019	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	412	0.0000%	100.0000%	0.0000%	388	0.0000%
18.12.2019	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	407	0.0000%	100.0000%	0.0000%	386	0.0000%
19.12.2019	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	411	0.0000%	100.0000%	0.1100%	394	0.0000%
20.12.2019	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	377	0.0000%	100.0000%	0.0000%	377	0.0000%
21.12.2019	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	570	0.0005%	100.0000%	0.0000%	415	0.0000%
22.12.2019	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	648	0.0000%	100.0000%	0.0000%	373	0.0000%
23.12.2019	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	405	0.0000%	100.0000%	0.0000%	518	0.0000%
24.12.2019	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	358	0.0000%	100.0000%	0.0000%	365	0.0000%
25.12.2019	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	575	0.0000%	100.0000%	0.0000%	372	0.0000%
26.12.2019	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	555	0.0000%	100.0000%	0.0000%	366	0.0000%
27.12.2019	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	524	0.0000%	100.0000%	0.0000%	555	0.0000%
28.12.2019	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	521	0.0000%	100.0000%	0.0000%	352	0.0000%
29.12.2019	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	500	0.0000%	100.0000%	0.0000%	373	0.0000%
30.12.2019	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	351	0.0000%	100.0000%	0.0000%	391	0.0000%
31.12.2019	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	350	0.0000%	100.0000%	0.0000%	389	0.0000%
01.01.2020	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	413	0.0000%	100.0000%	0.0000%	372	0.0000%
02.01.2020	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	328	0.0002%	100.0000%	0.0000%	374	0.0000%
03.01.2020	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	334	0.0000%	100.0000%	0.0000%	363	0.0000%
04.01.2020	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	411	0.0000%	100.0000%	0.0000%	386	0.0000%
05.01.2020	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	409	0.0000%	100.0000%	0.0000%	391	0.0000%
06.01.2020	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	266	0.0000%	100.0000%	0.0000%	354	0.0000%
07.01.2020	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	289	0.0000%	100.0000%	0.0000%	370	0.0000%
08.01.2020	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	315	0.0000%	100.0000%	0.0000%	354	0.0000%
09.01.2020	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	290	0.0003%	100.0000%	0.0000%	381	0.0000%
10.01.2020	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	341	0.0000%	100.0000%	0.0000%	418	0.0000%
11.01.2020	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	453	0.0000%	100.0000%	0.0000%	399	0.0000%
	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	433	0.0000%	100.0000%	0.0037%	390	0.0000%

1.8 January 12th to February 9th

Date	Dedicated interface									Bank's PSU interfaces							
	AISP / CBPII Availability			AISP Performance			CBPII Performance			Pictet Connect				Wealth App			
	Availability		#AISP Calls	Performance		#CBPII Calls	Performance		Availability		Performance		Availability		Performance		
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	
12.01.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	403	0.0000%	100.0000%	0.0000%	386	0.0000%	
13.01.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	318	0.0000%	100.0000%	0.0000%	385	0.0000%	
14.01.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9900%	0.0100%	286	0.0000%	100.0000%	0.0000%	378	0.0000%	
15.01.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	290	0.0000%	100.0000%	0.0000%	382	0.0000%	
16.01.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	276	0.0000%	100.0000%	0.0000%	402	0.0000%	
17.01.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	343	0.0000%	100.0000%	0.0000%	459	0.0000%	
18.01.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	470	0.0000%	100.0000%	0.1100%	409	0.0000%	
19.01.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	435	0.0000%	100.0000%	0.0000%	421	0.0000%	
20.01.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	321	0.0005%	100.0000%	0.0000%	398	0.0000%	
21.01.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	327	0.0000%	100.0000%	0.0000%	409	0.0000%	
22.01.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	285	0.0000%	100.0000%	0.0000%	426	0.0000%	
23.01.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	316	0.0000%	100.0000%	0.0000%	518	0.0000%	
24.01.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	340	0.0000%	100.0000%	0.0000%	428	0.0000%	
25.01.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	493	0.0000%	100.0000%	0.0000%	423	0.0000%	
26.01.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	456	0.0000%	100.0000%	0.0000%	418	0.0000%	
27.01.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	305	0.0000%	100.0000%	0.0000%	370	0.0000%	
28.01.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	287	0.0000%	100.0000%	0.0000%	400	0.0000%	
29.01.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	351	0.0000%	100.0000%	0.0000%	430	0.0000%	
30.01.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	301	0.0000%	100.0000%	0.0000%	445	0.0000%	
31.01.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	289	0.0000%	100.0000%	0.0000%	430	0.0000%	
01.02.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	434	0.0002%	100.0000%	0.0000%	412	0.0000%	
02.02.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	415	0.0000%	100.0000%	0.0000%	418	0.0000%	
03.02.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	253	0.0000%	100.0000%	0.0000%	405	0.0000%	
04.02.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	559	0.0000%	100.0000%	0.0000%	447	0.0000%	
05.02.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	279	0.0000%	100.0000%	0.0000%	415	0.0000%	
06.02.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	252	0.0000%	100.0000%	0.0000%	404	0.0000%	
07.02.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	352	0.0000%	100.0000%	0.0000%	421	0.0000%	
08.02.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	454	0.0003%	100.0000%	0.0000%	447	0.0000%	
09.02.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	585	0.0000%	100.0000%	0.0000%	455	0.0000%	
	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9997%	0.0003%	361	0.0000%	100.0000%	0.0038%	419	0.0000%	

1.9 February 10th to March 10th

Date	Dedicated interface								Bank's PSU interfaces							
	AISP / CBPII Availability		#AISP Calls	AISP Performance		#CBPII Calls	CBPII Performance		Pictet Connect				Wealth App			
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate	Availability		Performance		Availability		Performance	
							Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate		
10.02.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	260	0.0000%	100.0000%	0.0000%	393	0.0000%
11.02.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	246	0.0000%	100.0000%	0.0000%	407	0.0000%
12.02.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	255	0.0000%	100.0000%	0.0000%	437	0.0000%
13.02.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	416	0.0000%	100.0000%	0.0000%	421	0.0000%
14.02.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9900%	0.0100%	326	0.0000%	100.0000%	0.0000%	369	0.0000%
15.02.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	382	0.0000%	100.0000%	0.0000%	372	0.0000%
16.02.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	350	0.0000%	100.0000%	0.0000%	358	0.0000%
17.02.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	271	0.0000%	100.0000%	0.0000%	359	0.0000%
18.02.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	273	0.0000%	100.0000%	0.0000%	367	0.0000%
19.02.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	250	0.0000%	100.0000%	0.0000%	368	0.0000%
20.02.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	255	0.0000%	100.0000%	0.0000%	366	0.0000%
21.02.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	280	0.0000%	100.0000%	0.0000%	367	0.0000%
22.02.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	373	0.0000%	100.0000%	0.0000%	396	0.0000%
23.02.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	282	0.0000%	100.0000%	0.0000%	375	0.0000%
24.02.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	261	0.0000%	100.0000%	0.0000%	370	0.0000%
25.02.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	253	0.0000%	100.0000%	0.0000%	373	0.0000%
26.02.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	250	0.0000%	100.0000%	0.0000%	372	0.0000%
27.02.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	288	0.0000%	100.0000%	0.0000%	393	0.0000%
28.02.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	342	0.0000%	100.0000%	0.0000%	403	0.0000%
29.02.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	453	0.0000%	100.0000%	0.0000%	395	0.0000%
01.03.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	397	0.0000%	100.0000%	0.0000%	364	0.0000%
02.03.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	289	0.0000%	100.0000%	0.0000%	467	0.0000%
03.03.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	306	0.0000%	100.0000%	0.0000%	379	0.0000%
04.03.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	311	0.0000%	100.0000%	0.0000%	381	0.0000%
05.03.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	330	0.0000%	100.0000%	0.0000%	400	0.0000%
06.03.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	363	0.0000%	100.0000%	0.0000%	367	0.0000%
07.03.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	463	0.0000%	100.0000%	0.0000%	393	0.0000%
08.03.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	409	0.0003%	100.0000%	0.0000%	368	0.0000%
09.03.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	309	0.0000%	100.0000%	0.0000%	383	0.0000%
10.03.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	568	0.0000%	100.0000%	0.0000%	408	0.0000%
	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9997%	0.0003%	319	0.0000%	100.0000%	0.0000%	385	0.0000%

1.10 March 11th to April 9th

Date	Dedicated interface								Bank's PSU interfaces							
	AISP / CBPII Availability		#AISP Calls	AISP Performance		#CBPII Calls	CBPII Performance		Pictet Connect				Wealth App			
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate	Availability		Performance		Availability		Performance	
							Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate		
11.03.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	250	0.0000%	100.0000%	0.0000%	411	0.0000%
12.03.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	255	0.0000%	100.0000%	0.0000%	419	0.0000%
13.03.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	280	0.0000%	100.0000%	0.0000%	439	0.0000%
14.03.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	373	0.0000%	100.0000%	0.0000%	402	0.0000%
15.03.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	288	0.0000%	100.0000%	0.0000%	397	0.0000%
16.03.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	342	0.0000%	100.0000%	0.0000%	405	0.0000%
17.03.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	453	0.0000%	100.0000%	0.0000%	423	0.0000%
18.03.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	397	0.0000%	100.0000%	0.0000%	410	0.0000%
19.03.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	289	0.0000%	100.0000%	0.0000%	426	0.0000%
20.03.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	261	0.0000%	100.0000%	0.0000%	429	0.0000%
21.03.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	253	0.0000%	100.0000%	0.0000%	304	0.0000%
22.03.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	261	0.0000%	100.0000%	0.0000%	324	0.0000%
23.03.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	253	0.0000%	100.0000%	0.0000%	339	0.0000%
24.03.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	363	0.0000%	100.0000%	0.0000%	319	0.0000%
25.03.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	463	0.0000%	100.0000%	0.0000%	340	0.0000%
26.03.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	409	0.0000%	100.0000%	0.0000%	318	0.0000%
27.03.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	309	0.0000%	100.0000%	0.0000%	306	0.0000%
28.03.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	342	0.0000%	100.0000%	0.0000%	308	0.0000%
29.03.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	453	0.0000%	100.0000%	0.0000%	341	0.0000%
30.03.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	397	0.0000%	100.0000%	0.0000%	357	0.0000%
31.03.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	289	0.0000%	100.0000%	0.0000%	331	0.0000%
01.04.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	303	0.0000%	100.0000%	0.0000%	313	0.0000%
02.04.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	330	0.0000%	100.0000%	0.0000%	308	0.0000%
03.04.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	439	0.0000%	100.0000%	0.0000%	321	0.0000%
04.04.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	405	0.0000%	100.0000%	0.0000%	334	0.0000%
05.04.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	706	0.0000%	100.0000%	0.0000%	317	0.0000%
06.04.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	299	0.0000%	100.0000%	0.0000%	288	0.0000%
07.04.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	329	0.0003%	100.0000%	0.0000%	299	0.0000%
08.04.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	315	0.0000%	100.0000%	0.0000%	293	0.0000%
09.04.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	340	0.0000%	100.0000%	0.0000%	303	0.0000%
	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	348	0.0000%	100.0000%	0.0000%	352	0.0000%

1.11 April 10th till May 9th

Date	Dedicated interface									Bank's PSU interfaces							
	AISP / CBPII Availability			AISP Performance			CBPII Performance			Pictet Connect				Wealth App			
	Availability		#AISP Calls	Performance		#CBPII Calls	Performance		Availability		Performance		Availability		Performance		
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	
10.04.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	388	0.0000%	100.0000%	0.0000%	320	0.0000%	
11.04.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	461	0.0000%	100.0000%	0.0000%	316	0.0000%	
12.04.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	483	0.0000%	100.0000%	0.0000%	328	0.0000%	
13.04.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	338	0.0000%	100.0000%	0.0000%	312	0.0000%	
14.04.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	314	0.0000%	100.0000%	0.0000%	310	0.0000%	
15.04.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	320	0.0000%	100.0000%	0.0000%	343	0.0000%	
16.04.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	314	0.0000%	100.0000%	0.0000%	309	0.0000%	
17.04.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	334	0.0000%	100.0000%	0.0000%	312	0.0000%	
18.04.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	464	0.0000%	100.0000%	0.0000%	313	0.0000%	
19.04.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	424	0.0000%	100.0000%	0.0000%	326	0.0000%	
20.04.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	322	0.0000%	100.0000%	0.0000%	291	0.0000%	
21.04.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	324	0.0000%	100.0000%	0.0000%	303	0.0000%	
22.04.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	328	0.0000%	100.0000%	0.0000%	300	0.0000%	
23.04.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	286	0.0000%	100.0000%	0.0000%	289	0.0000%	
24.04.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	383	0.0000%	100.0000%	0.0000%	295	0.0000%	
25.04.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	410	0.0000%	100.0000%	0.0000%	301	0.0000%	
26.04.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	396	0.0000%	100.0000%	0.0000%	295	0.0000%	
27.04.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	307	0.0000%	100.0000%	0.0000%	295	0.0000%	
28.04.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	330	0.0000%	100.0000%	0.0000%	308	0.0000%	
29.04.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	367	0.0000%	100.0000%	0.0000%	298	0.0000%	
30.04.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	311	0.0000%	100.0000%	0.0000%	293	0.0000%	
01.05.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	410	0.0000%	100.0000%	0.0000%	288	0.0000%	
02.05.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	474	0.0000%	100.0000%	0.0000%	294	0.0000%	
03.05.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	496	0.0000%	100.0000%	0.0000%	287	0.0000%	
04.05.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	404	0.0000%	100.0000%	0.0000%	290	0.0000%	
05.05.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	410	0.0000%	100.0000%	0.0000%	305	0.0000%	
06.05.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	478	0.0000%	100.0000%	0.0000%	317	0.0000%	
07.05.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	469	0.0003%	100.0000%	0.0000%	310	0.0000%	
08.05.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	401	0.0000%	100.0000%	0.0000%	312	0.0000%	
09.05.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	420	0.0000%	100.0000%	0.0000%	310	0.0000%	
	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	384	0.0000%	100.0000%	0.0000%	306	0.0000%	

1.12 May 10th to June 8th

Date	Dedicated interface						Bank's PSU interfaces								
	AISP Performance			#CBPII Calls	CBPII Performance			Pictet Connect				Wealth App			
	#AISP Calls	Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate	Availability		Performance		Availability		Performance		
						Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate		
10.05.2020	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	500	0.0000%	100.0000%	0.0000%	362	0.0000%	
11.05.2020	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	405	0.0000%	100.0000%	0.0000%	388	0.0000%	
12.05.2020	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	403	0.0000%	100.0000%	0.0000%	353	0.0000%	
13.05.2020	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	414	0.0000%	100.0000%	0.0000%	374	0.0000%	
14.05.2020	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	363	0.0000%	100.0000%	0.0000%	380	0.0000%	
15.05.2020	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	393	0.0000%	100.0000%	0.0000%	356	0.0000%	
16.05.2020	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	522	0.0000%	100.0000%	0.0000%	362	0.0000%	
17.05.2020	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	432	0.0000%	100.0000%	0.0000%	375	0.0000%	
18.05.2020	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	367	0.0000%	100.0000%	0.0000%	863	0.0000%	
19.05.2020	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	365	0.0000%	100.0000%	0.0000%	327	0.0000%	
20.05.2020	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	328	0.0000%	100.0000%	0.0000%	322	0.0000%	
21.05.2020	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	350	0.0000%	100.0000%	0.0000%	329	0.0000%	
22.05.2020	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	353	0.0000%	100.0000%	0.0000%	308	0.0000%	
23.05.2020	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	418	0.0000%	100.0000%	0.0000%	450	0.0000%	
24.05.2020	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	537	0.0000%	100.0000%	0.0000%	320	0.0000%	
25.05.2020	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	544	0.0000%	100.0000%	0.0000%	326	0.0000%	
26.05.2020	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	424	0.0000%	100.0000%	0.0000%	366	0.0000%	
27.05.2020	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	390	0.0000%	100.0000%	0.0000%	477	0.0000%	
28.05.2020	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	333	0.0000%	100.0000%	0.0000%	384	0.0000%	
29.05.2020	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	320	0.0000%	100.0000%	0.0000%	373	0.0000%	
30.05.2020	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	385	0.0000%	100.0000%	0.0000%	352	0.0000%	
31.05.2020	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	419	0.0000%	100.0000%	0.0000%	353	0.0000%	
01.06.2020	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	305	0.0000%	100.0000%	0.0000%	353	0.0000%	
02.06.2020	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	295	0.0000%	100.0000%	0.0000%	360	0.0000%	
03.06.2020	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	290	0.0000%	100.0000%	0.0000%	341	0.0000%	
04.06.2020	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	305	0.0000%	100.0000%	0.0000%	378	0.0000%	
05.06.2020	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	339	0.0000%	100.0000%	0.0000%	328	0.0000%	
06.06.2020	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	385	0.0003%	100.0000%	0.0000%	324	0.0000%	
07.06.2020	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	410	0.0000%	100.0000%	0.0000%	362	0.0000%	
08.06.2020	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	321	0.0000%	100.0000%	0.0000%	345	0.0000%	
	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	389	0.0000%	100.0000%	0.0000%	377	0.0000%	

1.13 June 9th to June 30th

Date	Dedicated interface									Bank's PSU interfaces							
	AISP / CBPII Availability			AISP Performance			CBPII Performance			Pictet Connect				Wealth App			
	Availability		#AISP Calls	Performance		#CBPII Calls	Performance		Availability		Performance		Availability		Performance		
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	
09.06.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	323	0.0000%	100.0000%	0.0000%	345	0.0000%	
10.06.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	297	0.0000%	100.0000%	0.0000%	350	0.0000%	
11.06.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	305	0.0000%	100.0000%	0.0000%	344	0.0000%	
12.06.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	313	0.0000%	100.0000%	0.0000%	320	0.0000%	
13.06.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	376	0.0000%	100.0000%	0.0000%	331	0.0000%	
14.06.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	359	0.0000%	100.0000%	0.0000%	319	0.0000%	
15.06.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	297	0.0000%	100.0000%	0.0000%	320	0.0000%	
16.06.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	304	0.0000%	100.0000%	0.0000%	339	0.0000%	
17.06.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	473	0.0000%	100.0000%	0.0000%	327	0.0000%	
18.06.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	340	0.0000%	100.0000%	0.0000%	341	0.0000%	
19.06.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	321	0.0000%	100.0000%	0.0000%	315	0.0000%	
20.06.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	420	0.0000%	100.0000%	0.0000%	317	0.0000%	
21.06.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	362	0.0000%	100.0000%	0.0000%	303	0.0000%	
22.06.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	325	0.0000%	100.0000%	0.0000%	358	0.0000%	
23.06.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	354	0.0000%	100.0000%	0.0000%	313	0.0000%	
24.06.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	362	0.0000%	100.0000%	0.0000%	343	0.0000%	
25.06.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	396	0.0000%	100.0000%	0.0000%	311	0.0000%	
26.06.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	388	0.0000%	100.0000%	0.0000%	326	0.0000%	
27.06.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	459	0.0000%	100.0000%	0.0000%	319	0.0000%	
28.06.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	601	0.0000%	100.0000%	0.0000%	284	0.0000%	
29.06.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	541	0.0000%	100.0000%	0.0000%	302	0.0000%	
30.06.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	334	0.0000%	100.0000%	0.0000%	324	0.0000%	
	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	375	0.0000%	100.0000%	0.0000%	325	0.0000%	

1.14 July 1st to July 31st

Date	Dedicated interface									Bank's PSU interfaces							
	AISP / CBPII Availability			AISP Performance			CBPII Performance			Pictet Connect				Wealth App			
	Uptime	Downtime	#AISP Calls	Avg response time (ms)	Error response rate	#CBPII Calls	Avg response time (ms)	Error response rate	Availability		Performance		Availability		Performance		
				(ms)			(ms)		Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	
01.07.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	417	0,0000%	100,0000%	0,0000%	290	0,0000%	
02.07.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	342	0,0000%	100,0000%	0,0000%	313	0,0000%	
03.07.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	340	0,0000%	100,0000%	0,0000%	312	0,0000%	
04.07.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	407	0,0000%	100,0000%	0,0000%	302	0,0000%	
05.07.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	384	0,0000%	100,0000%	0,0000%	307	0,0000%	
06.07.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	313	0,0000%	100,0000%	0,0000%	315	0,0000%	
07.07.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	307	0,0000%	100,0000%	0,0000%	330	0,0000%	
08.07.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	317	0,0000%	100,0000%	0,0000%	332	0,0000%	
09.07.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	341	0,0000%	100,0000%	0,0000%	322	0,0000%	
10.07.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	345	0,0000%	100,0000%	0,0000%	300	0,0000%	
11.07.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	411	0,0000%	100,0000%	0,0000%	305	0,0000%	
12.07.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	385	0,0000%	100,0000%	0,0000%	306	0,0000%	
13.07.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	393	0,0000%	100,0000%	0,0000%	297	0,0000%	
14.07.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	323	0,0000%	100,0000%	0,0000%	302	0,0000%	
15.07.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	319	0,0000%	100,0000%	0,0000%	292	0,0000%	
16.07.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	342	0,0000%	100,0000%	0,0000%	604	0,0000%	
17.07.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	343	0,0000%	100,0000%	0,0000%	403	0,0000%	
18.07.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	408	0,0000%	100,0000%	0,0000%	387	0,0000%	
19.07.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	373	0,0000%	100,0000%	0,0000%	342	0,0000%	
20.07.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	341	0,0000%	100,0000%	0,0000%	432	0,0000%	
21.07.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	330	0,0000%	100,0000%	0,0000%	426	0,0000%	
22.07.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	328	0,0000%	100,0000%	0,0000%	485	0,0000%	
23.07.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	340	0,0000%	100,0000%	0,0000%	342	0,0000%	
24.07.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	347	0,0000%	100,0000%	0,0000%	537	0,0000%	
25.07.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	449	0,0000%	100,0000%	0,0000%	539	0,0000%	
26.07.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	392	0,0000%	100,0000%	0,0000%	484	0,0000%	
27.07.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	310	0,0000%	100,0000%	0,0000%	412	0,0000%	
28.07.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	304	0,0000%	100,0000%	0,0000%	421	0,0000%	
29.07.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	325	0,0000%	100,0000%	0,0000%	437	0,0000%	
30.07.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	312	0,0000%	100,0000%	0,0000%	378	0,0000%	
31.07.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	313	0,0000%	100,0000%	0,0000%	1058	0,0000%	
	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	352	0,0000%	100,0000%	0,0000%	397	0,0000%	

1.15 August 1st to August 31st

Date	Dedicated interface								Bank's PSU interfaces								
	AISP / CBPII Availability			AISP Performance			CBPII Performance			Pictet Connect				Wealth App			
	Availability		#AISP Calls	Performance		#CBPII Calls	Performance		Availability		Performance		Availability		Performance		
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	
01.08.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	394	0.0000%	100.0000%	0.0000%	623	0.0000%	
02.08.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	390	0.0000%	100.0000%	0.0000%	581	0.0000%	
03.08.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	306	0.0000%	100.0000%	0.0000%	349	0.0000%	
04.08.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	330	0.0000%	100.0000%	0.0000%	530	0.0000%	
05.08.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	314	0.0000%	100.0000%	0.0000%	436	0.0000%	
06.08.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	311	0.0000%	100.0000%	0.0000%	468	0.0000%	
07.08.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	343	0.0000%	100.0000%	0.0000%	338	0.0000%	
08.08.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	379	0.0000%	100.0000%	0.0000%	434	0.0000%	
09.08.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	357	0.0000%	100.0000%	0.0000%	429	0.0000%	
10.08.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	312	0.0000%	100.0000%	0.0000%	899	0.0000%	
11.08.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	323	0.0000%	100.0000%	0.0000%	728	0.0000%	
12.08.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	334	0.0000%	100.0000%	0.0000%	363	0.0000%	
13.08.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	318	0.0000%	100.0000%	0.0000%	385	0.0000%	
14.08.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	354	0.0000%	100.0000%	0.0000%	501	0.0000%	
15.08.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	406	0.0000%	100.0000%	0.0000%	404	0.0000%	
16.08.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	389	0.0000%	100.0000%	0.0000%	490	0.0000%	
17.08.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	314	0.0000%	100.0000%	0.0000%	413	0.0000%	
18.08.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	322	0.0000%	100.0000%	0.0000%	442	0.0000%	
19.08.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	328	0.0000%	100.0000%	0.0000%	1'263	0.0000%	
20.08.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	321	0.0000%	100.0000%	0.0000%	464	0.0000%	
21.08.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	331	0.0000%	100.0000%	0.0000%	385	0.0000%	
22.08.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	404	0.0000%	100.0000%	0.0000%	336	0.0000%	
23.08.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	392	0.0000%	100.0000%	0.0000%	454	0.0000%	
24.08.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	334	0.0000%	100.0000%	0.0000%	422	0.0000%	
25.08.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	341	0.0000%	100.0000%	0.0000%	453	0.0000%	
26.08.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	332	0.0000%	100.0000%	0.0000%	861	0.0000%	
27.08.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	330	0.0000%	100.0000%	0.0000%	491	0.0000%	
28.08.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	304	0.0000%	100.0000%	0.0000%	385	0.0000%	
29.08.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	325	0.0000%	100.0000%	0.0000%	501	0.0000%	
30.08.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	312	0.0000%	100.0000%	0.0000%	404	0.0000%	
31.08.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	313	0.0000%	100.0000%	0.0000%	490	0.0000%	
	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	341	0.0000%	100.0000%	0.0000%	507	0.0000%	

1.16 September 1st to September 30th

Date	Dedicated interface									Bank's PSU interfaces							
	AISP / CBPII Availability			AISP Performance			CBPII Performance			Pictet Connect				Wealth App			
	Availability		#AISP Calls	Performance		#CBPII Calls	Performance		Availability		Performance		Availability		Performance		
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	
01.09.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	339	0.0000%	100.0000%	0.0000%	341	0.0000%	
02.09.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	331	0.0000%	100.0000%	0.0000%	310	0.0000%	
03.09.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	327	0.0000%	100.0000%	0.0000%	410	0.0000%	
04.09.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	353	0.0000%	100.0000%	0.0000%	388	0.0000%	
05.09.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	411	0.0000%	100.0000%	0.0000%	490	0.0000%	
06.09.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	408	0.0000%	100.0000%	0.0000%	1'038	0.0000%	
07.09.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	335	0.0000%	100.0000%	0.0000%	356	0.0000%	
08.09.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	328	0.0000%	100.0000%	0.0000%	330	0.0000%	
09.09.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	323	0.0000%	100.0000%	0.0000%	334	0.0000%	
10.09.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	321	0.0000%	100.0000%	0.0000%	320	0.0000%	
11.09.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	338	0.0000%	100.0000%	0.0000%	341	0.0000%	
12.09.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	444	0.0000%	100.0000%	0.0000%	319	0.0000%	
13.09.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	400	0.0000%	100.0000%	0.0000%	318	0.0000%	
14.09.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	319	0.0000%	100.0000%	0.0000%	316	0.0000%	
15.09.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	330	0.0000%	100.0000%	0.0000%	359	0.0000%	
16.09.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	318	0.0000%	100.0000%	0.0000%	333	0.0000%	
17.09.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	335	0.0000%	100.0000%	0.0000%	315	0.0000%	
18.09.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	358	0.0000%	100.0000%	0.0000%	306	0.0000%	
19.09.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	421	0.0000%	100.0000%	0.0000%	338	0.0000%	
20.09.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	421	0.0000%	100.0000%	0.0000%	310	0.0000%	
21.09.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	379	0.0000%	100.0000%	0.0000%	307	0.0000%	
22.09.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	379	0.0000%	100.0000%	0.0000%	309	0.0000%	
23.09.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	382	0.0000%	100.0000%	0.0000%	332	0.0000%	
24.09.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	408	0.0000%	100.0000%	0.0000%	318	0.0000%	
25.09.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	381	0.0000%	100.0000%	0.0000%	348	0.0000%	
26.09.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	427	0.0000%	100.0000%	0.0000%	311	0.0000%	
27.09.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	392	0.0000%	100.0000%	0.0000%	318	0.0000%	
28.09.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	331	0.0000%	100.0000%	0.0000%	298	0.0000%	
29.09.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	292	0.0000%	100.0000%	0.0000%	353	0.0000%	
30.09.2020	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	330	0.0000%	100.0000%	0.0000%	312	0.0000%	
	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	362	0.0000%	100.0000%	0.0000%	359	0.0000%	

1.17 October 1st to October 31st

Date	Dedicated interface									Bank's PSU interfaces							
	AISP / CBPII Availability			AISP Performance			CBPII Performance			Pictet Connect				Wealth App			
	Availability		#AISP Calls	Performance		#CBPII Calls	Performance		Availability		Performance		Availability		Performance		
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	
01.10.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	350	0,0000%	100,0000%	0,0000%	298	0,0000%	
02.10.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	348	0,0000%	100,0000%	0,0000%	365	0,0000%	
03.10.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	438	0,0000%	100,0000%	0,0000%	364	0,0000%	
04.10.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	387	0,0000%	100,0000%	0,0000%	524	0,0000%	
05.10.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	365	0,0000%	100,0000%	0,0000%	608	0,0000%	
06.10.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	343	0,0000%	100,0000%	0,0000%	450	0,0000%	
07.10.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	329	0,0000%	100,0000%	0,0000%	527	0,0000%	
08.10.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	327	0,0000%	100,0000%	0,0000%	684	0,0000%	
09.10.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	337	0,0000%	100,0000%	0,0000%	533	0,0000%	
10.10.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	390	0,0000%	100,0000%	0,0000%	480	0,0000%	
11.10.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	432	0,0000%	100,0000%	0,0000%	659	0,0000%	
12.10.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	437	0,0000%	100,0000%	0,0000%	619	0,0000%	
13.10.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	99,9900%	0,0100%	304	0,0000%	100,0000%	0,0000%	598	0,0000%	
14.10.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	331	0,0000%	100,0000%	0,0000%	909	0,0000%	
15.10.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	334	0,0000%	100,0000%	0,0000%	539	0,0000%	
16.10.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	381	0,0000%	100,0000%	0,0000%	423	0,0000%	
17.10.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	409	0,0000%	100,0000%	0,0000%	572	0,0000%	
18.10.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	407	0,0000%	100,0000%	0,0000%	569	0,0000%	
19.10.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	329	0,0000%	100,0000%	0,0000%	485	0,0000%	
20.10.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	323	0,0000%	100,0000%	0,0000%	482	0,0000%	
21.10.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	325	0,0000%	100,0000%	0,0000%	613	0,0000%	
22.10.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	326	0,0000%	100,0000%	0,0000%	499	0,0000%	
23.10.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	350	0,0000%	100,0000%	0,0000%	406	0,0000%	
24.10.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	430	0,0000%	100,0000%	0,0000%	558	0,0000%	
25.10.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	391	0,0000%	100,0000%	0,0000%	540	0,0000%	
26.10.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	323	0,0000%	100,0000%	0,0000%	514	0,0000%	
27.10.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	336	0,0000%	100,0000%	0,0000%	432	0,0000%	
28.10.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	328	0,0000%	100,0000%	0,0000%	789	0,0000%	
29.10.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	331	0,0000%	100,0000%	0,0000%	546	0,0000%	
30.10.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	359	0,0000%	100,0000%	0,0000%	177	0,0000%	
31.10.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	404	0,0000%	100,0000%	0,0000%	194	0,0000%	
	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	99,9997%	0,0003%	361	0,0000%	100,0000%	0,0000%	515	0,0000%	

1.18 November 1st to November 30th

Date	Dedicated interface								Bank's PSU interfaces								
	AISP / CBPII Availability			AISP Performance			CBPII Performance			Pictet Connect				Wealth App			
	Availability		#AISP Calls	Performance		#CBPII Calls	Performance		Availability		Performance		Availability		Performance		
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	
01.11.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	380	0,0000%	100,0000%	0,0000%	493	0,0000%	
02.11.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	300	0,0000%	100,0000%	0,0000%	639	0,0000%	
03.11.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	295	0,0000%	100,0000%	0,0000%	625	0,0000%	
04.11.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	291	0,0000%	100,0000%	0,0000%	663	0,0000%	
05.11.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	294	0,0000%	100,0000%	0,0000%	371	0,0000%	
06.11.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	99,8900%	0,1100%	1 077	0,0000%	99,8500%	0,0000%	1 359	0,0000%	
07.11.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	745	0,0000%	100,0000%	0,0000%	1 050	0,0000%	
08.11.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	315	0,0000%	100,0000%	0,0000%	596	0,0000%	
09.11.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	329	0,0000%	100,0000%	0,0000%	551	0,0000%	
10.11.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	288	0,0000%	100,0000%	0,0000%	738	0,0000%	
11.11.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	291	0,0000%	100,0000%	0,0000%	482	0,0000%	
12.11.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	304	0,0000%	100,0000%	0,0000%	653	0,0000%	
13.11.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	309	0,0000%	100,0000%	0,0000%	495	0,0000%	
14.11.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	355	0,0000%	100,0000%	0,0000%	514	0,0000%	
15.11.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	329	0,0000%	100,0000%	0,0000%	689	0,0000%	
16.11.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	328	0,0000%	100,0000%	0,0000%	638	0,0000%	
17.11.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	292	0,0000%	100,0000%	0,0000%	526	0,0000%	
18.11.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	317	0,0000%	100,0000%	0,0000%	326	0,0000%	
19.11.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	283	0,0000%	100,0000%	0,0000%	307	0,0000%	
20.11.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	296	0,0000%	100,0000%	0,0000%	316	0,0000%	
21.11.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	331	0,0000%	100,0000%	0,0000%	293	0,0000%	
22.11.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	330	0,0000%	100,0000%	0,0000%	302	0,0000%	
23.11.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	271	0,0000%	100,0000%	0,0000%	322	0,0000%	
24.11.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	292	0,0000%	100,0000%	0,0000%	315	0,0000%	
25.11.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	292	0,0000%	100,0000%	0,0000%	342	0,0000%	
26.11.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	296	0,0000%	100,0000%	0,0000%	339	0,0000%	
27.11.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	306	0,0000%	100,0000%	0,0000%	357	0,0000%	
28.11.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	308	0,0000%	100,0000%	0,0000%	354	0,0000%	
29.11.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	312	0,0000%	100,0000%	0,0000%	370	0,0000%	
30.11.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	282	0,0000%	100,0000%	0,0000%	408	0,0000%	
	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	99,9963%	0,0037%	348	0,0000%	99,9929%	0,0000%	514	0,0000%	

1.19 December 1st to December 31st

Date	Dedicated interface								Bank's PSU interfaces								
	AISP / CBPII Availability			AISP Performance			CBPII Performance			Pictet Connect				Wealth App			
	Availability		#AISP Calls	Performance		#CBPII Calls	Performance		Availability		Performance		Availability		Performance		
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	
01.12.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	313	0,0000%	100,0000%	0,0000%	370	0,0000%	
02.12.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	284	0,0000%	100,0000%	0,0000%	371	0,0000%	
03.12.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	315	0,0000%	100,0000%	0,0000%	389	0,0000%	
04.12.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	307	0,0000%	100,0000%	0,0000%	373	0,0000%	
05.12.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	335	0,0000%	100,0000%	0,0000%	350	0,0000%	
06.12.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	313	0,0000%	100,0000%	0,0000%	336	0,0000%	
07.12.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	288	0,0000%	100,0000%	0,0000%	356	0,0000%	
08.12.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	319	0,0000%	100,0000%	0,0000%	350	0,0000%	
09.12.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	288	0,0000%	100,0000%	0,0000%	361	0,0000%	
10.12.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	303	0,0000%	100,0000%	0,0000%	353	0,0000%	
11.12.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	295	0,0000%	100,0000%	0,0000%	345	0,0000%	
12.12.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	336	0,0000%	100,0000%	0,0000%	347	0,0000%	
13.12.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	319	0,0000%	100,0000%	0,0000%	349	0,0000%	
14.12.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	295	0,0000%	100,0000%	0,0000%	357	0,0000%	
15.12.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	293	0,0000%	100,0000%	0,0000%	375	0,0000%	
16.12.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	286	0,0000%	100,0000%	0,0000%	404	0,0000%	
17.12.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	282	0,0000%	100,0000%	0,0000%	584	0,0000%	
18.12.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	295	0,0000%	100,0000%	0,0000%	466	0,0000%	
19.12.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	321	0,0000%	100,0000%	0,0000%	397	0,0000%	
20.12.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	320	0,0000%	100,0000%	0,0000%	369	0,0000%	
21.12.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	293	0,0000%	100,0000%	0,0000%	380	0,0000%	
22.12.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	292	0,0000%	100,0000%	0,0000%	404	0,0000%	
23.12.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	303	0,0000%	100,0000%	0,0000%	370	0,0000%	
24.12.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	321	0,0000%	100,0000%	0,0000%	356	0,0000%	
25.12.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	365	0,0000%	100,0000%	0,0000%	401	0,0000%	
26.12.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	330	0,0000%	100,0000%	0,0000%	379	0,0000%	
27.12.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	330	0,0000%	100,0000%	0,0000%	576	0,0000%	
28.12.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	303	0,0000%	100,0000%	0,0000%	481	0,0000%	
29.12.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	297	0,0000%	100,0000%	0,0000%	372	0,0000%	
30.12.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	291	0,0000%	100,0000%	0,0000%	396	0,0000%	
31.12.2020	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	314	0,0000%	100,0000%	0,0000%	372	0,0000%	
	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	308	0,0000%	100,0000%	0,0000%	391	0,0000%	

1.20 January 1st to January 31st

Date	Dedicated interface									Bank's PSU interfaces							
	AISP / CBPIII Availability			AISP Performance			CBPIII Performance			Pictet Connect				Wealth App			
	Uptime		Downtime	#AISP Calls	Avg response time (ms)	Error response rate	#CBPIII Calls	Avg response time (ms)	Error response rate	Availability		Performance		Availability		Performance	
	Uptime	Downtime								Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate
01.01.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	327	0,0000%	100,0000%	0,0000%	498	0,0000%	
02.01.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	344	0,0000%	100,0000%	0,0000%	430	0,0000%	
03.01.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	328	0,0000%	100,0000%	0,0000%	403	0,0000%	
04.01.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	314	0,0000%	100,0000%	0,0000%	402	0,0000%	
05.01.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	294	0,0000%	100,0000%	0,0000%	414	0,0000%	
06.01.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	298	0,0000%	100,0000%	0,0000%	404	0,0000%	
07.01.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	302	0,0000%	100,0000%	0,0000%	379	0,0000%	
08.01.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	305	0,0000%	100,0000%	0,0000%	422	0,0000%	
09.01.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	328	0,0000%	100,0000%	0,0000%	386	0,0000%	
10.01.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	325	0,0000%	100,0000%	0,0000%	365	0,0000%	
11.01.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	367	0,0000%	100,0000%	0,0000%	465	0,0000%	
12.01.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	462	0,0000%	100,0000%	0,0000%	430	0,0000%	
13.01.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	383	0,0000%	100,0000%	0,0000%	414	0,0000%	
14.01.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	356	0,0000%	100,0000%	0,0000%	459	0,0000%	
15.01.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	360	0,0000%	100,0000%	0,0000%	465	0,0000%	
16.01.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	403	0,0000%	100,0000%	0,0000%	479	0,0000%	
17.01.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	394	0,0000%	100,0000%	0,0000%	470	0,0000%	
18.01.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	358	0,0000%	100,0000%	0,0000%	446	0,0000%	
19.01.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	373	0,0000%	100,0000%	0,0000%	523	0,0000%	
20.01.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	370	0,0000%	100,0000%	0,0000%	456	0,0000%	
21.01.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	375	0,0000%	100,0000%	0,0000%	554	0,0000%	
22.01.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	396	0,0000%	100,0000%	0,0000%	445	0,0000%	
23.01.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	477	0,0000%	100,0000%	0,0000%	471	0,0000%	
24.01.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	366	0,0000%	100,0000%	0,0000%	440	0,0000%	
25.01.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	369	0,0000%	100,0000%	0,0000%	426	0,0000%	
26.01.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	362	0,0000%	100,0000%	0,0000%	428	0,0000%	
27.01.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	380	0,0000%	100,0000%	0,0000%	462	0,0000%	
28.01.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	375	0,0000%	100,0000%	0,0000%	497	0,0000%	
29.01.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	406	0,0000%	100,0000%	0,0000%	505	0,0000%	
30.01.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	452	0,0000%	100,0000%	0,0000%	496	0,0000%	
31.01.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	447	0,0000%	100,0000%	0,0000%	725	0,0000%	
	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	365	0,0000%	100,0000%	0,0000%	448	0,0000%	

1.21 February 1st to February 28th

Date	Dedicated interface							Bank's PSU interfaces									
	AISP / CBPII Availability			AISP Performance			CBPII Performance			Pictet Connect				Wealth App			
	Availability		#AISP Calls	Performance		#CBPII Calls	Performance		Availability		Performance		Availability		Performance		
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	
01.02.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	378	0,0000%	100,0000%	0,0000%	460	0,0000%	
02.02.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	379	0,0000%	100,0000%	0,0000%	473	0,0000%	
03.02.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	368	0,0000%	100,0000%	0,0000%	526	0,0000%	
04.02.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	386	0,0000%	100,0000%	0,0000%	599	0,0000%	
05.02.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	410	0,0000%	100,0000%	0,0000%	544	0,0000%	
06.02.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	461	0,0000%	100,0000%	0,0000%	483	0,0000%	
07.02.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	431	0,0000%	100,0000%	0,0000%	424	0,0000%	
08.02.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	375	0,0000%	100,0000%	0,0000%	462	0,0000%	
09.02.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	376	0,0000%	100,0000%	0,0000%	553	0,0000%	
10.02.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	380	0,0000%	100,0000%	0,0000%	506	0,0000%	
11.02.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	397	0,0000%	100,0000%	0,0000%	544	0,0000%	
12.02.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	410	0,0000%	100,0000%	0,0000%	615	0,0000%	
13.02.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	460	0,0000%	100,0000%	0,0000%	465	0,0000%	
14.02.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	99,9900%	0,0100%	465	0,0000%	100,0000%	0,0000%	472	0,0000%	
15.02.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	394	0,0000%	100,0000%	0,0000%	518	0,0000%	
16.02.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	438	0,0000%	100,0000%	0,0000%	675	0,0000%	
17.02.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	431	0,0000%	100,0000%	0,0000%	464	0,0000%	
18.02.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	439	0,0000%	100,0000%	0,0000%	643	0,0000%	
19.02.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	430	0,0000%	100,0000%	0,0000%	664	0,0000%	
20.02.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	543	0,0000%	100,0000%	0,0000%	507	0,0000%	
21.02.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	540	0,0000%	100,0000%	0,0000%	750	0,0000%	
22.02.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	505	0,0000%	100,0000%	0,0000%	573	0,0000%	
23.02.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	459	0,0000%	100,0000%	0,0000%	558	0,0000%	
24.02.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	459	0,0000%	100,0000%	0,0000%	556	0,0000%	
25.02.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	490	0,0000%	100,0000%	0,0000%	553	0,0000%	
26.02.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	468	0,0000%	100,0000%	0,0000%	638	0,0000%	
27.02.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	533	0,0000%	100,0000%	0,0000%	581	0,0000%	
28.02.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	526	0,0000%	100,0000%	0,0000%	602	0,0000%	
	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	99,9996%	0,0004%	440	0,0000%	100,0000%	0,0000%	550	0,0000%	

1.22 March 1st to March 31st

Date	Dedicated interface									Bank's PSU interfaces							
	AISP / CBPII Availability			AISP Performance			CBPII Performance			Pictet Connect				Wealth App			
	Availability		#AISP Calls	Performance		#CBPII Calls	Performance		Availability		Performance		Availability		Performance		
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	
01.03.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	451	0,0000%	100,0000%	0,0000%	747	0,0000%	
02.03.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	457	0,0000%	100,0000%	0,0000%	606	0,0000%	
03.03.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	668	0,0000%	100,0000%	0,0000%	413	0,0000%	
04.03.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	1 422	0,0000%	100,0000%	0,0000%	514	0,0000%	
05.03.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	376	0,0000%	100,0000%	0,0000%	471	0,0000%	
06.03.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	410	0,0000%	100,0000%	0,0000%	393	0,0000%	
07.03.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	429	0,0000%	100,0000%	0,0000%	377	0,0000%	
08.03.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	427	0,0000%	100,0000%	0,0000%	740	0,0000%	
09.03.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	409	0,0000%	100,0000%	0,0000%	527	0,0000%	
10.03.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	410	0,0000%	100,0000%	0,0000%	484	0,0000%	
11.03.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	459	0,0000%	100,0000%	0,0000%	500	0,0000%	
12.03.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	498	0,0000%	100,0000%	0,0000%	456	0,0000%	
13.03.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	531	0,0000%	100,0000%	0,0000%	417	0,0000%	
14.03.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	529	0,0000%	100,0000%	0,0000%	524	0,0000%	
15.03.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	480	0,0000%	100,0000%	0,0000%	503	0,0000%	
16.03.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	449	0,0000%	100,0000%	0,0000%	858	0,0000%	
17.03.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	402	0,0000%	100,0000%	0,0000%	610	0,0000%	
18.03.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	366	0,0000%	100,0000%	0,0000%	1 455	0,0000%	
19.03.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	378	0,0000%	100,0000%	0,0000%	472	0,0000%	
20.03.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	459	0,0000%	100,0000%	0,0000%	473	0,0000%	
21.03.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	439	0,0000%	100,0000%	0,0000%	491	0,0000%	
22.03.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	382	0,0000%	100,0000%	0,0000%	635	0,0000%	
23.03.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	383	0,0000%	100,0000%	0,0000%	422	0,0000%	
24.03.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	413	0,0000%	100,0000%	0,0000%	451	0,0000%	
25.03.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	422	0,0000%	100,0000%	0,0000%	473	0,0000%	
26.03.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	473	0,0000%	100,0000%	0,0000%	439	0,0000%	
27.03.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	454	0,0000%	100,0000%	0,0000%	548	0,0000%	
28.03.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	451	0,0000%	100,0000%	0,0000%	519	0,0000%	
29.03.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	382	0,0000%	100,0000%	0,0000%	602	0,0000%	
30.03.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	413	0,0000%	100,0000%	0,0000%	439	0,0000%	
31.03.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	400	0,0000%	100,0000%	0,0000%	625	0,0000%	
	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	474	0,0000%	100,0000%	0,0000%	552	0,0000%	

1.23 April 1st to April 30th

Date	Dedicated interface									Bank's PSU interfaces							
	AISP / CBPII Availability			AISP Performance			CBPII Performance			Pictet Connect				Wealth App			
	Availability		#AISP Calls	Performance		#CBPII Calls	Performance		Availability		Performance		Availability		Performance		
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	
01/04/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	467	0.0000%	100.0000%	0.0000%	525	0.0000%	
02/04/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	495	0.0000%	100.0000%	0.0000%	439	0.0000%	
03/04/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	538	0.0000%	100.0000%	0.0000%	365	0.0000%	
04/04/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	530	0.0000%	100.0000%	0.0000%	363	0.0000%	
05/04/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	377	0.0000%	100.0000%	0.0000%	362	0.0000%	
06/04/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	351	0.0000%	100.0000%	0.0000%	367	0.0000%	
07/04/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	354	0.0000%	100.0000%	0.0000%	422	0.0000%	
08/04/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	273	0.0000%	100.0000%	0.0000%	353	0.0000%	
09/04/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	276	0.0000%	100.0000%	0.0000%	380	0.0000%	
10/04/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	391	0.0000%	100.0000%	0.0000%	369	0.0000%	
11/04/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	347	0.0000%	100.0000%	0.0000%	357	0.0000%	
12/04/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	257	0.0000%	100.0000%	0.0000%	372	0.0000%	
13/04/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	317	0.0000%	100.0000%	0.0000%	381	0.0000%	
14/04/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	210	0.0000%	100.0000%	0.0000%	379	0.0000%	
15/04/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	201	0.0000%	100.0000%	0.0000%	380	0.0000%	
16/04/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	221	0.0000%	100.0000%	0.0000%	364	0.0000%	
17/04/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	296	0.0000%	100.0000%	0.0000%	364	0.0000%	
18/04/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	269	0.0000%	100.0000%	0.0000%	419	0.0000%	
19/04/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	189	0.0000%	100.0000%	0.0000%	369	0.0000%	
20/04/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	218	0.0000%	100.0000%	0.0000%	369	0.0000%	
21/04/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	198	0.0000%	100.0000%	0.0000%	350	0.0000%	
22/04/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	197	0.0000%	100.0000%	0.0000%	333	0.0000%	
23/04/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	224	0.0000%	100.0000%	0.0000%	352	0.0000%	
24/04/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	285	0.0000%	100.0000%	0.0000%	318	0.0000%	
25/04/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	283	0.0000%	100.0000%	0.0000%	310	0.0000%	
26/04/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	209	0.0000%	100.0000%	0.0000%	337	0.0000%	
27/04/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	247	0.0000%	100.0000%	0.0000%	321	0.0000%	
28/04/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	219	0.0000%	100.0000%	0.0000%	334	0.0000%	
29/04/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	203	0.0000%	100.0000%	0.0000%	325	0.0000%	
30/04/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	226	0.0000%	100.0000%	0.0000%	318	0.0000%	
	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	296	0.0000%	100.0000%	0.0000%	367	0.0000%	

1.24 May 1st to May 31st

Date	Dedicated interface									Bank's PSU interfaces							
	AISP / CBPII Availability			AISP Performance			CBPII Performance			Pictet Connect				Wealth App			
	Uptime	Downtime	#AISP Calls	Avg response time (ms)	Error response rate	#CBPII Calls	Avg response time (ms)	Error response rate	Availability	Performance	Availability	Performance	Availability	Performance			
									Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	
01/05/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	274	0.0000%	100.0000%	0.0000%	328	0.0000%	
02/05/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	258	0.0000%	100.0000%	0.0000%	340	0.0000%	
03/05/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	206	0.0000%	100.0000%	0.0000%	323	0.0000%	
04/05/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	196	0.0000%	100.0000%	0.0000%	340	0.0000%	
05/05/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	236	0.0000%	100.0000%	0.0000%	343	0.0000%	
06/05/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	190	0.0000%	100.0000%	0.0000%	356	0.0000%	
07/05/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	259	0.0000%	100.0000%	0.0000%	353	0.0000%	
08/05/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	275	0.0000%	100.0000%	0.0000%	347	0.0000%	
09/05/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	267	0.0000%	100.0000%	0.0000%	349	0.0000%	
10/05/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	194	0.0000%	100.0000%	0.0000%	352	0.0000%	
11/05/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	198	0.0000%	100.0000%	0.0000%	359	0.0000%	
12/05/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	201	0.0000%	100.0000%	0.0000%	337	0.0000%	
13/05/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	209	0.0000%	100.0000%	0.0000%	342	0.0000%	
14/05/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	218	0.0000%	100.0000%	0.0000%	349	0.0000%	
15/05/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	287	0.0000%	100.0000%	0.0000%	355	0.0000%	
16/05/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	277	0.0000%	100.0000%	0.0000%	341	0.0000%	
17/05/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	214	0.0000%	100.0000%	0.0000%	355	0.0000%	
18/05/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	196	0.0000%	100.0000%	0.0000%	340	0.0000%	
19/05/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	227	0.0000%	100.0000%	0.0000%	340	0.0000%	
20/05/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	213	0.0000%	100.0000%	0.0000%	362	0.0000%	
21/05/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	251	0.0000%	100.0000%	0.0000%	345	0.0000%	
22/05/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	278	0.0000%	100.0000%	0.0000%	360	0.0000%	
23/05/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	284	0.0000%	100.0000%	0.0000%	355	0.0000%	
24/05/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	205	0.0000%	100.0000%	0.0000%	372	0.0000%	
25/05/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	194	0.0000%	100.0000%	0.0000%	620	0.0000%	
26/05/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	210	0.0000%	100.0000%	0.0000%	387	0.0000%	
27/05/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	184	0.0000%	100.0000%	0.0000%	392	0.0000%	
28/05/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	220	0.0000%	100.0000%	0.0000%	382	0.0000%	
29/05/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	278	0.0000%	100.0000%	0.0000%	404	0.0000%	
30/05/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	267	0.0000%	100.0000%	0.0000%	394	0.0000%	
31/05/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	199	0.0000%	100.0000%	0.0000%	357	0.0000%	
	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	232	0.0000%	100.0000%	0.0000%	364	0.0000%	

1.25 June 1st to June 30th

Date	Dedicated interface									Bank's PSU interfaces							
	AISP / CBPII Availability			AISP Performance			CBPII Performance			Pictet Connect				Wealth App			
	Uptime	Downtime	#AISP Calls	Avg response time (ms)	Error response rate	#CBPII Calls	Avg response time (ms)	Error response rate	Availability		Performance		Availability		Performance		
									Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	
01/06/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	186	0.0000%	100.0000%	0.0000%	359	0.0000%	
02/06/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	185	0.0000%	100.0000%	0.0000%	350	0.0000%	
03/06/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	202	0.0000%	100.0000%	0.0000%	359	0.0000%	
04/06/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	209	0.0000%	100.0000%	0.0000%	351	0.0000%	
05/06/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	274	0.0000%	100.0000%	0.0000%	366	0.0000%	
06/06/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	269	0.0000%	100.0000%	0.0000%	367	0.0000%	
07/06/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	187	0.0000%	100.0000%	0.0000%	371	0.0000%	
08/06/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	191	0.0000%	100.0000%	0.0000%	465	0.0000%	
09/06/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	194	0.0000%	100.0000%	0.0000%	355	0.0000%	
10/06/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	219	0.0000%	100.0000%	0.0000%	344	0.0000%	
11/06/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	244	0.0000%	100.0000%	0.0000%	335	0.0000%	
12/06/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	309	0.0000%	100.0000%	0.0000%	376	0.0000%	
13/06/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	304	0.0000%	100.0000%	0.0000%	346	0.0000%	
14/06/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	235	0.0000%	100.0000%	0.0000%	343	0.0000%	
15/06/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	252	0.0000%	100.0000%	0.0000%	367	0.0000%	
16/06/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	230	0.0000%	100.0000%	0.0000%	338	0.0000%	
17/06/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	219	0.0000%	100.0000%	0.0000%	341	0.0000%	
18/06/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	246	0.0000%	100.0000%	0.0000%	357	0.0000%	
19/06/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	322	0.0000%	100.0000%	0.0000%	339	0.0000%	
20/06/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	294	0.0000%	100.0000%	0.0000%	335	0.0000%	
21/06/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	234	0.0000%	100.0000%	0.0000%	361	0.0000%	
22/06/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	245	0.0000%	100.0000%	0.0000%	339	0.0000%	
23/06/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	235	0.0000%	100.0000%	0.0000%	352	0.0000%	
24/06/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	224	0.0000%	100.0000%	0.0000%	349	0.0000%	
25/06/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	229	0.0000%	100.0000%	0.0000%	341	0.0000%	
26/06/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	299	0.0000%	100.0000%	0.0000%	344	0.0000%	
27/06/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	296	0.0000%	100.0000%	0.0000%	340	0.0000%	
28/06/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	232	0.0000%	100.0000%	0.0000%	337	0.0000%	
29/06/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	333	0.0000%	100.0000%	0.0000%	330	0.0000%	
30/06/2021	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	229	0.0000%	100.0000%	0.0000%	349	0.0000%	
	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	244	0.0000%	100.0000%	0.0000%	354	0.0000%	

1.26 July 1st to July 31st

Date	Dedicated interface							Bank's PSU interfaces									
	AISP / CBPII Availability			AISP Performance			CBPII Performance			Pictet Connect				Wealth App			
	Availability		#AISP Calls	Performance		#CBPII Calls	Performance		Availability		Performance		Availability		Performance		
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	
01.07.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	180	0,0000%	100,0000%	0,0000%	358	0,0000%	
02.07.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	205	0,0000%	100,0000%	0,0000%	363	0,0000%	
03.07.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	262	0,0000%	100,0000%	0,0000%	364	0,0000%	
04.07.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	372	0,0000%	100,0000%	0,0000%	419	0,0000%	
05.07.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	249	0,0000%	100,0000%	0,0000%	373	0,0000%	
06.07.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	253	0,0000%	100,0000%	0,0000%	360	0,0000%	
07.07.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	170	0,0000%	100,0000%	0,0000%	353	0,0000%	
08.07.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	179	0,0000%	100,0000%	0,0000%	366	0,0000%	
09.07.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	236	0,0000%	100,0000%	0,0000%	457	0,0000%	
10.07.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	262	0,0000%	100,0000%	0,0000%	433	0,0000%	
11.07.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	339	0,0000%	100,0000%	0,0000%	416	0,0000%	
12.07.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	182	0,0000%	100,0000%	0,0000%	443	0,0000%	
13.07.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	219	0,0000%	100,0000%	0,0000%	409	0,0000%	
14.07.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	277	0,0000%	100,0000%	0,0000%	373	0,0000%	
15.07.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	287	0,0000%	100,0000%	0,0000%	369	0,0000%	
16.07.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	280	0,0000%	100,0000%	0,0000%	352	0,0000%	
17.07.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	365	0,0000%	100,0000%	0,0000%	482	0,0000%	
18.07.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	303	0,0000%	100,0000%	0,0000%	351	0,0000%	
19.07.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	259	0,0000%	100,0000%	0,0000%	340	0,0000%	
20.07.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	243	0,0000%	100,0000%	0,0000%	361	0,0000%	
21.07.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	376	0,0000%	100,0000%	0,0000%	335	0,0000%	
22.07.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	288	0,0000%	100,0000%	0,0000%	340	0,0000%	
23.07.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	306	0,0000%	100,0000%	0,0000%	347	0,0000%	
24.07.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	371	0,0000%	100,0000%	0,0000%	345	0,0000%	
25.07.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	357	0,0000%	100,0000%	0,0000%	323	0,0000%	
26.07.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	301	0,0000%	100,0000%	0,0000%	369	0,0000%	
27.07.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	308	0,0000%	100,0000%	0,0000%	341	0,0000%	
28.07.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	296	0,0000%	100,0000%	0,0000%	349	0,0000%	
29.07.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	309	0,0000%	100,0000%	0,0000%	341	0,0000%	
30.07.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	340	0,0000%	100,0000%	0,0000%	332	0,0000%	
31.07.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	377	0,0000%	100,0000%	0,0000%	326	0,0000%	
	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	282	0,0000%	100,0000%	0,0000%	371	0,0000%	

1.27 August 1st to August 31st

Date	Dedicated interface									Bank's PSU interfaces							
	AISP / CBPII Availability			AISP Performance			CBPII Performance			Pictet Connect				Wealth App			
	Availability		#AISP Calls	Performance		#CBPII Calls	Performance		Availability		Performance		Availability		Performance		
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	
01.08.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	350	0,0000%	100,0000%	0,0000%	335	0,0000%	
02.08.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	244	0,0000%	100,0000%	0,0000%	345	0,0000%	
03.08.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	278	0,0000%	100,0000%	0,0000%	339	0,0000%	
04.08.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	290	0,0000%	100,0000%	0,0000%	340	0,0000%	
05.08.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	269	0,0000%	100,0000%	0,0000%	340	0,0000%	
06.08.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	209	0,0000%	100,0000%	0,0000%	356	0,0000%	
07.08.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	270	0,0000%	100,0000%	0,0000%	365	0,0000%	
08.08.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	255	0,0000%	100,0000%	0,0000%	366	0,0000%	
09.08.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	185	0,0000%	100,0000%	0,0000%	357	0,0000%	
10.08.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	193	0,0000%	100,0000%	0,0000%	360	0,0000%	
11.08.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	197	0,0000%	100,0000%	0,0000%	363	0,0000%	
12.08.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	199	0,0000%	100,0000%	0,0000%	379	0,0000%	
13.08.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	246	0,0000%	100,0000%	0,0000%	375	0,0000%	
14.08.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	292	0,0000%	100,0000%	0,0000%	381	0,0000%	
15.08.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	267	0,0000%	100,0000%	0,0000%	369	0,0000%	
16.08.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	321	0,0000%	100,0000%	0,0000%	372	0,0000%	
17.08.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	299	0,0000%	100,0000%	0,0000%	380	0,0000%	
18.08.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	210	0,0000%	100,0000%	0,0000%	378	0,0000%	
19.08.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	299	0,0000%	100,0000%	0,0000%	388	0,0000%	
20.08.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	240	0,0000%	100,0000%	0,0000%	522	0,0000%	
21.08.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	280	0,0000%	100,0000%	0,0000%	399	0,0000%	
22.08.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	279	0,0000%	100,0000%	0,0000%	395	0,0000%	
23.08.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	242	0,0000%	100,0000%	0,0000%	373	0,0000%	
24.08.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	312	0,0000%	100,0000%	0,0000%	450	0,0000%	
25.08.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	269	0,0000%	100,0000%	0,0000%	410	0,0000%	
26.08.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	276	0,0000%	100,0000%	0,0000%	339	0,0000%	
27.08.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	279	0,0000%	100,0000%	0,0000%	447	0,0000%	
28.08.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	99,9700%	0,0300%	442	0,0000%	99,9000%	0,1000%	342	0,0000%	
29.08.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	300	0,0000%	100,0000%	0,0000%	345	0,0000%	
30.08.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	273	0,0000%	100,0000%	0,0000%	444	0,0000%	
31.08.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	357	0,0000%	100,0000%	0,0000%	350	0,0000%	
	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	99,9990%	0,0010%	269	0,0000%	100,0000%	0,0032%	378	0,0000%	

1.28 September 1st to September 30th

Date	Dedicated interface								Bank's PSU interfaces								
	AISP / CBPII Availability			AISP Performance			CBPII Performance			Pictet Connect				Wealth App			
	Availability		#AISP Calls	Performance		#CBPII Calls	Performance		Availability		Performance		Availability		Performance		
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	
01.09.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	367	0,0000%	100,0000%	0,0000%	345	0,0000%	
02.09.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	251	0,0000%	100,0000%	0,0000%	358	0,0000%	
03.09.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	222	0,0000%	100,0000%	0,0000%	348	0,0000%	
04.09.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	98,3600%	1,6400%	267	0,0000%	100,0000%	0,0000%	361	0,0000%	
05.09.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	264	0,0000%	100,0000%	0,0000%	360	0,0000%	
06.09.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	196	0,0000%	100,0000%	0,0000%	363	0,0000%	
07.09.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	179	0,0000%	100,0000%	0,0000%	364	0,0000%	
08.09.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	176	0,0000%	100,0000%	0,0000%	351	0,0000%	
09.09.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	182	0,0000%	100,0000%	0,0000%	343	0,0000%	
10.09.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	202	0,0000%	100,0000%	0,0000%	354	0,0000%	
11.09.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	260	0,0000%	100,0000%	0,0000%	359	0,0000%	
12.09.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	235	0,0000%	100,0000%	0,0000%	357	0,0000%	
13.09.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	170	0,0000%	100,0000%	0,0000%	368	0,0000%	
14.09.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	169	0,0000%	100,0000%	0,0000%	366	0,0000%	
15.09.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	178	0,0000%	100,0000%	0,0000%	366	0,0000%	
16.09.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	172	0,0000%	100,0000%	0,0000%	348	0,0000%	
17.09.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	205	0,0000%	100,0000%	0,0000%	350	0,0000%	
18.09.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	254	0,0000%	100,0000%	0,0000%	335	0,0000%	
19.09.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	242	0,0000%	100,0000%	0,0000%	337	0,0000%	
20.09.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	263	0,0000%	100,0000%	0,0000%	354	0,0000%	
21.09.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	173	0,0000%	100,0000%	0,0000%	351	0,0000%	
22.09.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	180	0,0000%	100,0000%	0,0000%	379	0,0000%	
23.09.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	195	0,0000%	100,0000%	0,0000%	377	0,0000%	
24.09.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	205	0,0000%	100,0000%	0,0000%	358	0,0000%	
25.09.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	254	0,0000%	100,0000%	0,0000%	345	0,0000%	
26.09.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	241	0,0000%	100,0000%	0,0000%	356	0,0000%	
27.09.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	211	0,0000%	100,0000%	0,0000%	360	0,0000%	
28.09.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	189	0,0000%	100,0000%	0,0000%	349	0,0000%	
29.09.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	178	0,0000%	100,0000%	0,0000%	358	0,0000%	
30.09.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	179	0,0000%	100,0000%	0,0000%	356	0,0000%	
	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	99,9453%	0,0547%	215	0,0000%	100,0000%	0,0000%	356	0,0000%	

1.29 October 1st to October 31st

Date	Dedicated interface							Bank's PSU interfaces									
	AISP / CBPII Availability			AISP Performance			CBPII Performance			Pictet Connect				Wealth App			
	Availability		#AISP Calls	Performance		#CBPII Calls	Performance		Availability		Performance		Availability		Performance		
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	
01.10.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	205	0,0000%	100,0000%	0,0000%	399	0,0000%	
02.10.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	244	0,0000%	100,0000%	0,0000%	362	0,0000%	
03.10.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	230	0,0000%	100,0000%	0,0000%	364	0,0000%	
04.10.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	183	0,0000%	100,0000%	0,0000%	353	0,0000%	
05.10.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	176	0,0000%	100,0000%	0,0000%	344	0,0000%	
06.10.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	172	0,0000%	100,0000%	0,0000%	379	0,0000%	
07.10.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	186	0,0000%	100,0000%	0,0000%	345	0,0000%	
08.10.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	199	0,0000%	100,0000%	0,0000%	343	0,0000%	
09.10.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	264	0,0000%	100,0000%	0,0000%	357	0,0000%	
10.10.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	241	0,0000%	100,0000%	0,0000%	366	0,0000%	
11.10.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	181	0,0000%	100,0000%	0,0000%	356	0,0000%	
12.10.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	189	0,0000%	100,0000%	0,0000%	357	0,0000%	
13.10.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	189	0,0000%	100,0000%	0,0000%	352	0,0000%	
14.10.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	161	0,0000%	100,0000%	0,0000%	351	0,0000%	
15.10.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	184	0,0000%	100,0000%	0,0000%	362	0,0000%	
16.10.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	251	0,0000%	100,0000%	0,0000%	362	0,0000%	
17.10.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	287	0,0000%	100,0000%	0,0000%	375	0,0000%	
18.10.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	201	0,0000%	100,0000%	0,0000%	351	0,0000%	
19.10.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	156	0,0000%	100,0000%	0,0000%	352	0,0000%	
20.10.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	173	0,0000%	100,0000%	0,0000%	346	0,0000%	
21.10.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	99,9900%	0,0100%	557	0,0000%	100,0000%	0,0000%	379	0,0000%	
22.10.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	175	0,0000%	100,0000%	0,0000%	380	0,0000%	
23.10.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	259	0,0000%	100,0000%	0,0000%	364	0,0000%	
24.10.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	227	0,0000%	100,0000%	0,0000%	366	0,0000%	
25.10.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	152	0,0000%	100,0000%	0,0000%	352	0,0000%	
26.10.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	146	0,0000%	100,0000%	0,0000%	336	0,0000%	
27.10.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	173	0,0000%	100,0000%	0,0000%	352	0,0000%	
28.10.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	163	0,0000%	100,0000%	0,0000%	334	0,0000%	
29.10.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	186	0,0000%	100,0000%	0,0000%	339	0,0000%	
30.10.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	244	0,0000%	100,0000%	0,0000%	357	0,0000%	
31.10.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	233	0,0000%	100,0000%	0,0000%	348	0,0000%	
	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	99,9997%	0,0003%	212	0,0000%	100,0000%	0,0000%	358	0,0000%	

1.30 November 1st to November 30th

Date	Dedicated interface								Bank's PSU interfaces								
	AISP / CBPII Availability			AISP Performance			CBPII Performance			Pictet Connect				Wealth App			
	Availability		#AISP Calls	Performance		#CBPII Calls	Performance		Availability		Performance		Availability		Performance		
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	
01.11.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	147	0,0000%	100,0000%	0,0000%	331	0,0000%	
02.11.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	183	0,0000%	100,0000%	0,0000%	340	0,0000%	
03.11.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	172	0,0000%	100,0000%	0,0000%	347	0,0000%	
04.11.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	481	0,0000%	100,0000%	0,0000%	351	0,0000%	
05.11.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	174	0,0000%	100,0000%	0,0000%	351	0,0000%	
06.11.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	234	0,0000%	100,0000%	0,0000%	380	0,0000%	
07.11.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	198	0,0000%	100,0000%	0,0000%	390	0,0000%	
08.11.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	137	0,0000%	100,0000%	0,0000%	361	0,0000%	
09.11.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	122	0,0000%	100,0000%	0,0000%	369	0,0000%	
10.11.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	145	0,0000%	100,0000%	0,0000%	379	0,0000%	
11.11.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	147	0,0000%	100,0000%	0,0000%	388	0,0000%	
12.11.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	174	0,0000%	100,0000%	0,0000%	388	0,0000%	
13.11.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	99,9900%	0,0100%	526	0,0000%	100,0000%	0,0000%	376	0,0000%	
14.11.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	235	0,0000%	100,0000%	0,0000%	375	0,0000%	
15.11.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	166	0,0000%	100,0000%	0,0000%	427	0,0000%	
16.11.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	166	0,0000%	100,0000%	0,0000%	357	0,0000%	
17.11.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	153	0,0000%	100,0000%	0,0000%	354	0,0000%	
18.11.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	152	0,0000%	100,0000%	0,0000%	358	0,0000%	
19.11.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	181	0,0000%	100,0000%	0,0000%	390	0,0000%	
20.11.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	248	0,0000%	100,0000%	0,0000%	365	0,0000%	
21.11.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	316	0,0000%	100,0000%	0,0000%	368	0,0000%	
22.11.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	500	0,0000%	100,0000%	0,0000%	481	0,0000%	
23.11.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	194	0,0000%	100,0000%	0,0000%	348	0,0000%	
24.11.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	173	0,0000%	100,0000%	0,0000%	353	0,0000%	
25.11.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	190	0,0000%	100,0000%	0,0000%	379	0,0000%	
26.11.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	198	0,0000%	100,0000%	0,0000%	366	0,0000%	
27.11.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	276	0,0000%	100,0000%	0,0000%	532	0,0000%	
28.11.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	240	0,0000%	100,0000%	0,0000%	361	0,0000%	
29.11.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	175	0,0000%	100,0000%	0,0000%	351	0,0000%	
30.11.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	166	0,0000%	100,0000%	0,0000%	374	0,0000%	
	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	99,9997%	0,0003%	219	0,0000%	100,0000%	0,0000%	376	0,0000%	

1.31 December 1st to December 31st

Date	Dedicated interface							Bank's PSU interfaces									
	AISP / CBPII Availability			AISP Performance			CBPII Performance			Pictet Connect				Wealth App			
	Availability		#AISP Calls	Performance		#CBPII Calls	Performance		Availability		Performance		Availability		Performance		
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	
01.12.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	183	0,0000%	100,0000%	0,0000%	472	0,0000%	
02.12.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	169	0,0000%	100,0000%	0,0000%	448	0,0000%	
03.12.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	196	0,0000%	100,0000%	0,0000%	414	0,0000%	
04.12.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	254	0,0000%	100,0000%	0,0000%	397	0,0000%	
05.12.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	234	0,0000%	100,0000%	0,0000%	348	0,0000%	
06.12.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	171	0,0000%	100,0000%	0,0000%	347	0,0000%	
07.12.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	575	0,0000%	100,0000%	0,0000%	357	0,0000%	
08.12.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	191	0,0000%	100,0000%	0,0000%	355	0,0000%	
09.12.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	204	0,0000%	100,0000%	0,0000%	329	0,0000%	
10.12.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	252	0,0000%	100,0000%	0,0000%	337	0,0000%	
11.12.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	330	0,0000%	100,0000%	0,0000%	341	0,0000%	
12.12.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	99,9900%	0,0100%	315	0,0000%	100,0000%	0,0000%	350	0,0000%	
13.12.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	293	0,0000%	100,0000%	0,0000%	360	0,0000%	
14.12.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	174	0,0000%	99,8500%	0,0000%	330	0,0000%	
15.12.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	171	0,0000%	100,0000%	0,0000%	371	0,0000%	
16.12.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	164	0,0000%	100,0000%	0,0000%	354	0,0000%	
17.12.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	223	0,0000%	100,0000%	0,0000%	373	0,0000%	
18.12.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	334	0,0000%	100,0000%	0,0000%	352	0,0000%	
19.12.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	302	0,0000%	100,0000%	0,0000%	350	0,0000%	
20.12.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	99,9900%	0,0100%	183	0,0000%	100,0000%	0,0000%	346	0,0000%	
21.12.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	193	0,0000%	100,0000%	0,0000%	329	0,0000%	
22.12.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	173	0,0000%	100,0000%	0,0000%	399	0,0000%	
23.12.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	217	0,0000%	100,0000%	0,0000%	333	0,0000%	
24.12.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	261	0,0000%	100,0000%	0,0000%	341	0,0000%	
25.12.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	344	0,0000%	100,0000%	0,0000%	342	0,0000%	
26.12.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	293	0,0000%	100,0000%	0,0000%	352	0,0000%	
27.12.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	204	0,0000%	100,0000%	0,0000%	351	0,0000%	
28.12.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	233	0,0000%	100,0000%	0,0000%	349	0,0000%	
29.12.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	301	0,0000%	100,0000%	0,0000%	336	0,0000%	
30.12.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	286	0,0000%	100,0000%	0,0000%	372	0,0000%	
31.12.2021	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	304	0,0000%	100,0000%	0,0000%	348	0,0000%	
	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	99,9994%	0,0006%	247	0,0000%	99,9929%	0,0000%	361	0,0000%	

1.32 January 1st to January 31st

Date	Dedicated interface									Bank's PSU interfaces							
	AISP / CBPII Availability			AISP Performance			CBPII Performance			Pictet Connect				Wealth App			
	Uptime	Downtime	#AISP Calls	Avg response time (ms)	Error response rate	#CBPII Calls	Avg response time (ms)	Error response rate	Availability	Performance	Availability	Performance	Availability	Performance			
									Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	
01.01.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%	100,0000%	0,0000%	483	0,0000%	100,0000%	0,0000%	376	0,0000%	
02.01.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%	100,0000%	0,0000%	331	0,0000%	100,0000%	0,0000%	362	0,0000%	
03.01.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%	100,0000%	0,0000%	339	0,0000%	100,0000%	0,0000%	376	0,0000%	
04.01.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%	100,0000%	0,0000%	357	0,0000%	100,0000%	0,0000%	333	0,0000%	
05.01.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%	100,0000%	0,0000%	315	0,0000%	100,0000%	0,0000%	333	0,0000%	
06.01.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%	100,0000%	0,0000%	401	0,0000%	100,0000%	0,0000%	340	0,0000%	
07.01.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%	100,0000%	0,0000%	351	0,0000%	100,0000%	0,0000%	320	0,0000%	
08.01.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%	100,0000%	0,0000%	367	0,0000%	100,0000%	0,0000%	320	0,0000%	
09.01.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%	100,0000%	0,0000%	368	0,0000%	100,0000%	0,0000%	318	0,0000%	
10.01.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%	100,0000%	0,0000%	334	0,0000%	100,0000%	0,0000%	312	0,0000%	
11.01.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%	100,0000%	0,0000%	215	0,0000%	100,0000%	0,0000%	318	0,0000%	
12.01.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%	100,0000%	0,0000%	223	0,0000%	100,0000%	0,0000%	344	0,0000%	
13.01.2022	100,0000%	0,0000%	2	913	0,0000%	0	-	0,0000%	100,0000%	0,0000%	177	0,0000%	100,0000%	0,0000%	306	0,0000%	
14.01.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%	100,0000%	0,0000%	203	0,0000%	100,0000%	0,0000%	317	0,0000%	
15.01.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%	100,0000%	0,0000%	338	0,0000%	100,0000%	0,0000%	320	0,0000%	
16.01.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%	100,0000%	0,0000%	260	0,0000%	100,0000%	0,0000%	325	0,0000%	
17.01.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%	100,0000%	0,0000%	192	0,0000%	100,0000%	0,0000%	319	0,0000%	
18.01.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%	100,0000%	0,0000%	207	0,0000%	100,0000%	0,0000%	313	0,0000%	
19.01.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%	100,0000%	0,0000%	203	0,0000%	100,0000%	0,0000%	308	0,0000%	
20.01.2022	100,0000%	0,0000%	2	818	0,0000%	0	-	0,0000%	100,0000%	0,0000%	265	0,0000%	100,0000%	0,0000%	328	0,0000%	
21.01.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%	100,0000%	0,0000%	282	0,0000%	100,0000%	0,0000%	316	0,0000%	
22.01.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%	100,0000%	0,0000%	347	0,0000%	100,0000%	0,0000%	320	0,0000%	
23.01.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%	100,0000%	0,0000%	290	0,0000%	100,0000%	0,0000%	331	0,0000%	
24.01.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%	100,0000%	0,0000%	284	0,0000%	100,0000%	0,0000%	309	0,0000%	
25.01.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%	100,0000%	0,0000%	356	0,0000%	100,0000%	0,0000%	314	0,0000%	
26.01.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%	100,0000%	0,0000%	281	0,0000%	100,0000%	0,0000%	318	0,0000%	
27.01.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%	100,0000%	0,0000%	211	0,0000%	100,0000%	0,0000%	284	0,0000%	
28.01.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%	100,0000%	0,0000%	765	0,0000%	100,0000%	0,0000%	277	0,0000%	
29.01.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%	100,0000%	0,0000%	515	0,0000%	100,0000%	0,0000%	288	0,0000%	
30.01.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%	100,0000%	0,0000%	332	0,0000%	100,0000%	0,0000%	282	0,0000%	
31.01.2022	100,0000%	0,0000%	2	950	0,0000%	0	-	0,0000%	100,0000%	0,0000%	353	0,0000%	100,0000%	0,0000%	304	0,0000%	
	100,0000%	0,0000%	6	893	0,0000%	0	-	0,0000%	100,0000%	0,0000%	321	0,0000%	100,0000%	0,0000%	320	0,0000%	

1.33 February 1st to February 28th

Date	Dedicated interface									Bank's PSU interfaces							
	AISP / CBPII Availability			AISP Performance			CBPII Performance			Pictet Connect				Wealth App			
	Availability		#AISP Calls	Performance		#CBPII Calls	Performance		Availability		Performance		Availability		Performance		
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	
01.02.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	273	0,0000%	100,0000%	0,0000%	362	0,0000%	
02.02.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	270	0,0000%	100,0000%	0,0000%	618	0,0000%	
03.02.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	190	0,0000%	100,0000%	0,0000%	382	0,0000%	
04.02.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	189	0,0000%	100,0000%	0,0000%	293	0,0000%	
05.02.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	262	0,0000%	100,0000%	0,0000%	291	0,0000%	
06.02.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	227	0,0000%	100,0000%	0,0000%	290	0,0000%	
07.02.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	140	0,0000%	100,0000%	0,0000%	281	0,0000%	
08.02.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	144	0,0000%	100,0000%	0,0000%	281	0,0000%	
09.02.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	146	0,0000%	100,0000%	0,0000%	285	0,0000%	
10.02.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	158	0,0000%	100,0000%	0,0000%	278	0,0000%	
11.02.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	176	0,0000%	100,0000%	0,0000%	282	0,0000%	
12.02.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	271	0,0000%	100,0000%	0,0000%	292	0,0000%	
13.02.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	235	0,0000%	100,0000%	0,0000%	291	0,0000%	
14.02.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	180	0,0000%	100,0000%	0,0000%	400	0,0000%	
15.02.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	172	0,0000%	100,0000%	0,0000%	323	0,0000%	
16.02.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	179	0,0000%	100,0000%	0,0000%	288	0,0000%	
17.02.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	163	0,0000%	100,0000%	0,0000%	286	0,0000%	
18.02.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	187	0,0000%	100,0000%	0,0000%	284	0,0000%	
19.02.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	268	0,0000%	100,0000%	0,0000%	279	0,0000%	
20.02.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	944	0,0000%	100,0000%	0,0000%	285	0,0000%	
21.02.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	193	0,0000%	100,0000%	0,0000%	283	0,0000%	
22.02.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	167	0,0000%	100,0000%	0,0000%	277	0,0000%	
23.02.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	171	0,0000%	100,0000%	0,0000%	275	0,0000%	
24.02.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	329	0,0000%	100,0000%	0,0000%	305	0,0000%	
25.02.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	211	0,0000%	100,0000%	0,0000%	299	0,0000%	
26.02.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	451	0,0000%	100,0000%	0,0000%	283	0,0000%	
27.02.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	268	0,0000%	100,0000%	0,0000%	293	0,0000%	
28.02.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	204	0,0000%	100,0000%	0,0000%	296	0,0000%	
	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	242	0,0000%	100,0000%	0,0000%	310	0,0000%	

1.34 March 1st to March 31st

Date	Dedicated interface								Bank's PSU interfaces							
	AISP / CBPII Availability			AISP Performance			CBPII Performance		Pictet Connect				Wealth App			
	Availability		#AISP Calls	Performance		#CBPII Calls	Performance		Availability		Performance		Availability		Performance	
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate
01.03.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%	100,0000%	0,0000%	199	0,0000%	100,0000%	0,0000%	541	0,0000%
02.03.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%	100,0000%	0,0000%	168	0,0000%	100,0000%	0,0000%	312	0,0000%
03.03.2022	100,0000%	0,0000%	4	787	0,0000%	0	-	0,0000%	100,0000%	0,0000%	167	0,0000%	100,0000%	0,0000%	292	0,0000%
04.03.2022	100,0000%	0,0000%	2	780	0,0000%	0	-	0,0000%	100,0000%	0,0000%	203	0,0000%	100,0000%	0,0000%	302	0,0000%
05.03.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%	100,0000%	0,0000%	269	0,0000%	100,0000%	0,0000%	310	0,0000%
06.03.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%	100,0000%	0,0000%	249	0,0000%	100,0000%	0,0000%	294	0,0000%
07.03.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%	100,0000%	0,0000%	304	0,0000%	100,0000%	0,0000%	294	0,0000%
08.03.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%	100,0000%	0,0000%	360	0,0000%	100,0000%	0,0000%	313	0,0000%
09.03.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%	100,0000%	0,0000%	218	0,0000%	100,0000%	0,0000%	289	0,0000%
10.03.2022	100,0000%	0,0000%	2	15	100,0000%	0	-	0,0000%	100,0000%	0,0000%	144	0,0000%	100,0000%	0,0000%	294	0,0000%
11.03.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%	100,0000%	0,0000%	203	0,0000%	100,0000%	0,0000%	290	0,0000%
12.03.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%	100,0000%	0,0000%	319	0,0000%	100,0000%	0,0000%	302	0,0000%
13.03.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%	100,0000%	0,0000%	244	0,0000%	100,0000%	0,0000%	322	0,0000%
14.03.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%	100,0000%	0,0000%	151	0,0000%	100,0000%	0,0000%	295	0,0000%
15.03.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%	100,0000%	0,0000%	160	0,0000%	100,0000%	0,0000%	312	0,0000%
16.03.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%	100,0000%	0,0000%	193	0,0000%	100,0000%	0,0000%	308	0,0000%
17.03.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%	100,0000%	0,0000%	153	0,0000%	100,0000%	0,0000%	299	0,0000%
18.03.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%	100,0000%	0,0000%	180	0,0000%	100,0000%	0,0000%	302	0,0000%
19.03.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%	100,0000%	0,0000%	334	0,0000%	100,0000%	0,0000%	307	0,0000%
20.03.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%	100,0000%	0,0000%	248	0,0000%	100,0000%	0,0000%	307	0,0000%
21.03.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%	100,0000%	0,0000%	207	0,0000%	100,0000%	0,0000%	289	0,0000%
22.03.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%	100,0000%	0,0000%	161	0,0000%	100,0000%	0,0000%	300	0,0000%
23.03.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%	100,0000%	0,0000%	152	0,0000%	100,0000%	0,0000%	304	0,0000%
24.03.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%	100,0000%	0,0000%	166	0,0000%	100,0000%	0,0000%	312	0,0000%
25.03.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%	100,0000%	0,0000%	165	0,0000%	100,0000%	0,0000%	324	0,0000%
26.03.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%	98,7800%	1,2200%	283	0,0000%	100,0000%	0,0000%	318	0,0000%
27.03.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%	100,0000%	0,0000%	239	0,0000%	100,0000%	0,0000%	304	0,0000%
28.03.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%	100,0000%	0,0000%	161	0,0000%	100,0000%	0,0000%	304	0,0000%
29.03.2022	100,0000%	0,0000%	2	1 701	0,0000%	0	-	0,0000%	100,0000%	0,0000%	147	0,0000%	100,0000%	0,0000%	304	0,0000%
30.03.2022	100,0000%	0,0000%	2	796	0,0000%	0	-	0,0000%	100,0000%	0,0000%	161	0,0000%	100,0000%	0,0000%	300	0,0000%
31.03.2022	100,0000%	0,0000%	0		0,0000%	0	-	0,0000%	100,0000%	0,0000%	159	0,0000%	100,0000%	0,0000%	299	0,0000%
	100,0000%	0,0000%	12	816	3,2258%	0	-	0,0000%	99,9608%	0,0394%	209	0,0000%	100,0000%	0,0000%	311	0,0000%

1.35 April 1st to April 30th

Date	Dedicated interface									Bank's PSU interfaces							
	AISP / CBPII Availability			AISP Performance			CBPII Performance			Pictet Connect				Wealth App			
	Uptime	Downtime	#AISP Calls	Avg response time (ms)	Error response rate	#CBPII Calls	Avg response time (ms)	Error response rate	Availability	Performance	Availability	Performance	Availability	Performance			
									Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	
01.04.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	218	0,0000%	100,0000%	0,0000%	306	0,0000%	
02.04.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	255	0,0000%	100,0000%	0,0000%	306	0,0000%	
03.04.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	318	0,0000%	100,0000%	0,0000%	302	0,0000%	
04.04.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	164	0,0000%	100,0000%	0,0000%	304	0,0000%	
05.04.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	160	0,0000%	100,0000%	0,0000%	322	0,0000%	
06.04.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	174	0,0000%	100,0000%	0,0000%	311	0,0000%	
07.04.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	153	0,0000%	100,0000%	0,0000%	299	0,0000%	
08.04.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	192	0,0000%	100,0000%	0,0000%	300	0,0000%	
09.04.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	266	0,0000%	100,0000%	0,0000%	312	0,0000%	
10.04.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	261	0,0000%	100,0000%	0,0000%	318	0,0000%	
11.04.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	154	0,0000%	100,0000%	0,0000%	292	0,0000%	
12.04.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	176	0,0000%	100,0000%	0,0000%	297	0,0000%	
13.04.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	174	0,0000%	100,0000%	0,0000%	296	0,0000%	
14.04.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	184	0,0000%	100,0000%	0,0000%	302	0,0000%	
15.04.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	246	0,0000%	100,0000%	0,0000%	299	0,0000%	
16.04.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	290	0,0000%	100,0000%	0,0000%	315	0,0000%	
17.04.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	284	0,0000%	100,0000%	0,0000%	311	0,0000%	
18.04.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	191	0,0000%	100,0000%	0,0000%	304	0,0000%	
19.04.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	161	0,0000%	100,0000%	0,0000%	292	0,0000%	
20.04.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	148	0,0000%	100,0000%	0,0000%	293	0,0000%	
21.04.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	165	0,0000%	100,0000%	0,0000%	298	0,0000%	
22.04.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	184	0,0000%	100,0000%	0,0000%	297	0,0000%	
23.04.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	281	0,0000%	100,0000%	0,0000%	307	0,0000%	
24.04.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	261	0,0000%	100,0000%	0,0000%	308	0,0000%	
25.04.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	158	0,0000%	100,0000%	0,0000%	295	0,0000%	
26.04.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	180	0,0000%	100,0000%	0,0000%	298	0,0000%	
27.04.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	178	0,0000%	100,0000%	0,0000%	314	0,0000%	
28.04.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	170	0,0000%	100,0000%	0,0000%	295	0,0000%	
29.04.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	192	0,0000%	100,0000%	0,0000%	299	0,0000%	
30.04.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	293	0,0000%	100,0000%	0,0000%	302	0,0000%	
	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	208	0,0000%	100,0000%	0,0000%	303	0,0000%	

1.36 May 1st to May 31st

Date	Dedicated interface									Bank's PSU interfaces							
	AISP / CBPII Availability			AISP Performance			CBPII Performance			Pictet Connect				Wealth App			
	Availability		#AISP Calls	Performance		#CBPII Calls	Performance		Availability		Performance		Availability		Performance		
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	
01.05.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	257	0,0000%	100,0000%	0,0000%	300	0,0000%	
02.05.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	160	0,0000%	100,0000%	0,0000%	311	0,0000%	
03.05.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	151	0,0000%	100,0000%	0,0000%	354	0,0000%	
04.05.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	171	0,0000%	100,0000%	0,0000%	313	0,0000%	
05.05.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	168	0,0000%	100,0000%	0,0000%	314	0,0000%	
06.05.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	215	0,0000%	100,0000%	0,0000%	303	0,0000%	
07.05.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	275	0,0000%	100,0000%	0,0000%	315	0,0000%	
08.05.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	290	0,0000%	100,0000%	0,0000%	306	0,0000%	
09.05.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	162	0,0000%	100,0000%	0,0000%	298	0,0000%	
10.05.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	182	0,0000%	100,0000%	0,0000%	429	0,0000%	
11.05.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	164	0,0000%	100,0000%	0,0000%	298	0,0000%	
12.05.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	174	0,0000%	100,0000%	0,0000%	291	0,0000%	
13.05.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	194	0,0000%	100,0000%	0,0000%	309	0,0000%	
14.05.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	99,5900%	0,4100%	274	0,0000%	100,0000%	0,0000%	313	0,0000%	
15.05.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	232	0,0000%	100,0000%	0,0000%	320	0,0000%	
16.05.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	158	0,0000%	100,0000%	0,0000%	297	0,0000%	
17.05.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	155	0,0000%	100,0000%	0,0000%	308	0,0000%	
18.05.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	172	0,0000%	100,0000%	0,0000%	331	0,0000%	
19.05.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	171	0,0000%	100,0000%	0,0000%	353	0,0000%	
20.05.2022	100,0000%	0,0000%	2	1 284	0,0000%	0	-	0,0000%	100,0000%	0,0000%	185	0,0000%	100,0000%	0,0000%	329	0,0000%	
21.05.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	251	0,0000%	100,0000%	0,0000%	332	0,0000%	
22.05.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	243	0,0000%	100,0000%	0,0000%	393	0,0000%	
23.05.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	178	0,0000%	100,0000%	0,0000%	330	0,0000%	
24.05.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	192	0,0000%	100,0000%	0,0000%	354	0,0000%	
25.05.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	160	0,0000%	100,0000%	0,0000%	348	0,0000%	
26.05.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	160	0,0000%	100,0000%	0,0000%	345	0,0000%	
27.05.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	191	0,0000%	100,0000%	0,0000%	356	0,0000%	
28.05.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	305	0,0000%	100,0000%	0,0000%	349	0,0000%	
29.05.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	315	0,0000%	100,0000%	0,0000%	365	0,0000%	
30.05.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	439	0,0000%	100,0000%	0,0000%	322	0,0000%	
31.05.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	150	0,0000%	100,0000%	0,0000%	377	0,0000%	
	100,0000%	0,0000%	2	41	0,0000%	0	-	0,0000%	99,9868%	0,0132%	209	0,0000%	100,0000%	0,0000%	331	0,0000%	

1.37 June 1st to June 30th

Date	Dedicated interface									Bank's PSU interfaces							
	AISP / CBPII Availability			AISP Performance			CBPII Performance			Pictet Connect				Wealth App			
	Availability		#AISP Calls	Performance		#CBPII Calls	Performance		Availability		Performance		Availability		Performance		
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	
01.06.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	216	0,0000%	100,0000%	0,0000%	376	0,0000%	
02.06.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	178	0,0000%	100,0000%	0,0000%	516	0,0000%	
03.06.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	172	0,0000%	100,0000%	0,0000%	337	0,0000%	
04.06.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	239	0,0000%	100,0000%	0,0000%	339	0,0000%	
05.06.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	222	0,0000%	100,0000%	0,0000%	321	0,0000%	
06.06.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	167	0,0000%	100,0000%	0,0000%	320	0,0000%	
07.06.2022	100,0000%	0,0000%	2	1 862	0,0000%	0	-	0,0000%	100,0000%	0,0000%	245	0,0000%	100,0000%	0,0000%	326	0,0000%	
08.06.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	157	0,0000%	100,0000%	0,0000%	324	0,0000%	
09.06.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	151	0,0000%	100,0000%	0,0000%	301	0,0000%	
10.06.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	165	0,0000%	100,0000%	0,0000%	295	0,0000%	
11.06.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	325	0,0000%	100,0000%	0,0000%	308	0,0000%	
12.06.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	275	0,0000%	100,0000%	0,0000%	309	0,0000%	
13.06.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	225	0,0000%	100,0000%	0,0000%	387	0,0000%	
14.06.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	207	0,0000%	100,0000%	0,0000%	332	0,0000%	
15.06.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	213	0,0000%	100,0000%	0,0000%	319	0,0000%	
16.06.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	215	0,0000%	100,0000%	0,0000%	323	0,0000%	
17.06.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	242	0,0000%	100,0000%	0,0000%	319	0,0000%	
18.06.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	315	0,0000%	100,0000%	0,0000%	643	0,0000%	
19.06.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	308	0,0000%	100,0000%	0,0000%	333	0,0000%	
20.06.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	217	0,0000%	100,0000%	0,0000%	319	0,0000%	
21.06.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	212	0,0000%	100,0000%	0,0000%	315	0,0000%	
22.06.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	242	0,0000%	100,0000%	0,0000%	312	0,0000%	
23.06.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	230	0,0000%	100,0000%	0,0000%	323	0,0000%	
24.06.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	375	0,0000%	100,0000%	0,0000%	312	0,0000%	
25.06.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	267	0,0000%	100,0000%	0,0000%	308	0,0000%	
26.06.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	356	0,0000%	100,0000%	0,0000%	327	0,0000%	
27.06.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	385	0,0000%	100,0000%	0,0000%	303	0,0000%	
28.06.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	236	0,0000%	100,0000%	0,0000%	301	0,0000%	
29.06.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	569	0,0000%	100,0000%	0,0000%	293	0,0000%	
30.06.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	182	0,0000%	100,0000%	0,0000%	294	0,0000%	
	100,0000%	0,0000%	2	62	0,0000%	0	-	0,0000%	100,0000%	0,0000%	250	0,0000%	100,0000%	0,0000%	338	0,0000%	

1.38 July 1st to July 31st

Date	Dedicated interface							Bank's PSU interfaces									
	AISP / CBPII Availability			AISP Performance			CBPII Performance			Pictet Connect				Wealth App			
	Availability		#AISP Calls	Performance		#CBPII Calls	Performance		Availability		Performance		Availability		Performance		
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	
01.07.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	188	0,0000%	100,0000%	0,0000%	295	0,0000%	
02.07.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	255	0,0000%	100,0000%	0,0000%	311	0,0000%	
03.07.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	229	0,0000%	100,0000%	0,0000%	318	0,0000%	
04.07.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	286	0,0000%	100,0000%	0,0000%	298	0,0000%	
05.07.2022	100,0000%	0,0000%	2	679	0,0000%	0	-	0,0000%	100,0000%	0,0000%	199	0,0000%	100,0000%	0,0000%	296	0,0000%	
06.07.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	175	0,0000%	100,0000%	0,0000%	307	0,0000%	
07.07.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	238	0,0000%	100,0000%	0,0000%	296	0,0000%	
08.07.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	199	0,0000%	100,0000%	0,0000%	303	0,0000%	
09.07.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	286	0,0000%	100,0000%	0,0000%	306	0,0000%	
10.07.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	234	0,0000%	100,0000%	0,0000%	312	0,0000%	
11.07.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	183	0,0000%	100,0000%	0,0000%	296	0,0000%	
12.07.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	179	0,0000%	100,0000%	0,0000%	296	0,0000%	
13.07.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	174	0,0000%	100,0000%	0,0000%	301	0,0000%	
14.07.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	178	0,0000%	100,0000%	0,0000%	300	0,0000%	
15.07.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	213	0,0000%	100,0000%	0,0000%	304	0,0000%	
16.07.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	313	0,0000%	100,0000%	0,0000%	322	0,0000%	
17.07.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	225	0,0000%	100,0000%	0,0000%	308	0,0000%	
18.07.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	216	0,0000%	100,0000%	0,0000%	295	0,0000%	
19.07.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	181	0,0000%	100,0000%	0,0000%	292	0,0000%	
20.07.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	177	0,0000%	100,0000%	0,0000%	301	0,0000%	
21.07.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	177	0,0000%	100,0000%	0,0000%	303	0,0000%	
22.07.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	197	0,0000%	99,9900%	0,0000%	299	0,0000%	
23.07.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	252	0,0000%	100,0000%	0,0000%	348	0,0000%	
24.07.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	233	0,0000%	100,0000%	0,0000%	317	0,0000%	
25.07.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	182	0,0000%	100,0000%	0,0000%	305	0,0000%	
26.07.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	176	0,0000%	100,0000%	0,0000%	307	0,0000%	
27.07.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	169	0,0000%	100,0000%	0,0000%	296	0,0000%	
28.07.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	175	0,0000%	100,0000%	0,0000%	303	0,0000%	
29.07.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	191	0,0000%	100,0000%	0,0000%	312	0,0000%	
30.07.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	243	0,0000%	100,0000%	0,0000%	314	0,0000%	
31.07.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	231	0,0000%	100,0000%	0,0000%	300	0,0000%	
100,0000%	0,0000%	2	22	0,0000%	0	-	0,0000%	100,0000%	0,0000%	211	0,0000%	99,9997%	0,0000%	305	0,0000%		

1.39 August 1st to August 31st

Date	Dedicated interface							Bank's PSU interfaces									
	AISP / CBPII Availability			AISP Performance			CBPII Performance			Pictet Connect				Wealth App			
	Availability		#AISP Calls	Performance		#CBPII Calls	Performance		Availability		Performance		Availability		Performance		
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	
01.08.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	175	0,0000%	100,0000%	0,0000%	301	0,0000%	
02.08.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	154	0,0000%	100,0000%	0,0000%	295	0,0000%	
03.08.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	159	0,0000%	100,0000%	0,0000%	300	0,0000%	
04.08.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	175	0,0000%	100,0000%	0,0000%	300	0,0000%	
05.08.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	200	0,0000%	100,0000%	0,0000%	299	0,0000%	
06.08.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	293	0,0000%	100,0000%	0,0000%	309	0,0000%	
07.08.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	369	0,0000%	100,0000%	0,0000%	306	0,0000%	
08.08.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	1 018	0,0000%	100,0000%	0,0000%	298	0,0000%	
09.08.2022	100,0000%	0,0000%	2	1 230	0,0000%	0	-	0,0000%	100,0000%	0,0000%	174	0,0000%	100,0000%	0,0000%	298	0,0000%	
10.08.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	180	0,0000%	100,0000%	0,0000%	299	0,0000%	
11.08.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	173	0,0000%	100,0000%	0,0000%	304	0,0000%	
12.08.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	188	0,0000%	100,0000%	0,0000%	345	0,0000%	
13.08.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	268	0,0000%	100,0000%	0,0000%	302	0,0000%	
14.08.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	248	0,0000%	100,0000%	0,0000%	306	0,0000%	
15.08.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	182	0,0000%	100,0000%	0,0000%	304	0,0000%	
16.08.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	174	0,0000%	100,0000%	0,0000%	306	0,0000%	
17.08.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	167	0,0000%	100,0000%	0,0000%	305	0,0000%	
18.08.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	164	0,0000%	100,0000%	0,0000%	294	0,0000%	
19.08.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	180	0,0000%	100,0000%	0,0000%	308	0,0000%	
20.08.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	98,9100%	1,0900%	262	0,0000%	100,0000%	0,0000%	308	0,0000%	
21.08.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	226	0,0000%	100,0000%	0,0000%	307	0,0000%	
22.08.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	199	0,0000%	100,0000%	0,0000%	299	0,0000%	
23.08.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	177	0,0000%	100,0000%	0,0000%	351	0,0000%	
24.08.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	170	0,0000%	100,0000%	0,0000%	300	0,0000%	
25.08.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	174	0,0000%	100,0000%	0,0000%	307	0,0000%	
26.08.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	188	0,0000%	100,0000%	0,0000%	303	0,0000%	
27.08.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	256	0,0000%	100,0000%	0,0000%	310	0,0000%	
28.08.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	253	0,0000%	100,0000%	0,0000%	316	0,0000%	
29.08.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	182	0,0000%	100,0000%	0,0000%	298	0,0000%	
30.08.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	174	0,0000%	100,0000%	0,0000%	307	0,0000%	
31.08.2022	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	240	0,0000%	100,0000%	0,0000%	323	0,0000%	
	100,0000%	0,0000%	2	40	0,0000%	0	-	0,0000%	99,9648%	0,0352%	230	0,0000%	100,0000%	0,0000%	307	0,0000%	

1.40 September 1st to September 30th

Date	Dedicated interface									Bank's PSU interfaces							
	AISP / CBPII Availability			AISP Performance			CBPII Performance			Pictet Connect				Wealth App			
	Availability		#AISP Calls	Performance		#CBPII Calls	Performance		Availability		Performance		Availability		Performance		
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	
01.09.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	173	0.0000%	100.0000%	0.0000%	303	0.0000%	
02.09.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	193	0.0000%	100.0000%	0.0000%	305	0.0000%	
03.09.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	258	0.0000%	100.0000%	0.0000%	303	0.0000%	
04.09.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	216	0.0000%	100.0000%	0.0000%	302	0.0000%	
05.09.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	173	0.0000%	100.0000%	0.0000%	311	0.0000%	
06.09.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	173	0.0000%	100.0000%	0.0000%	298	0.0000%	
07.09.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	182	0.0000%	100.0000%	0.0000%	304	0.0000%	
08.09.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	180	0.0000%	100.0000%	0.0000%	298	0.0000%	
09.09.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	193	0.0000%	100.0000%	0.0000%	302	0.0000%	
10.09.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	242	0.0000%	100.0000%	0.0000%	309	0.0000%	
11.09.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	247	0.0000%	100.0000%	0.0000%	299	0.0000%	
12.09.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	164	0.0000%	100.0000%	0.0000%	317	0.0000%	
13.09.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	177	0.0000%	100.0000%	0.0000%	299	0.0000%	
14.09.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	173	0.0000%	100.0000%	0.0000%	310	0.0000%	
15.09.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	181	0.0000%	100.0000%	0.0000%	294	0.0000%	
16.09.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	197	0.0000%	100.0000%	0.0000%	298	0.0000%	
17.09.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	244	0.0000%	100.0000%	0.0000%	364	0.0000%	
18.09.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	250	0.0000%	100.0000%	0.0000%	302	0.0000%	
19.09.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	248	0.0000%	100.0000%	0.0000%	299	0.0000%	
20.09.2022	100.0000%	0.0000%	2	1'686	0.0000%	0	-	0.0000%	100.0000%	0.0000%	214	0.0000%	100.0000%	0.0000%	308	0.0000%	
21.09.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	204	0.0000%	100.0000%	0.0000%	325	0.0000%	
22.09.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	160	0.0000%	100.0000%	0.0000%	339	0.0000%	
23.09.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	182	0.0000%	100.0000%	0.0000%	328	0.0000%	
24.09.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	232	0.0000%	100.0000%	0.0000%	336	0.0000%	
25.09.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	215	0.0000%	100.0000%	0.0000%	337	0.0000%	
26.09.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	152	0.0000%	100.0000%	0.0000%	331	0.0000%	
27.09.2022	100.0000%	0.0000%	4	638	0.0000%	0	-	0.0000%	100.0000%	0.0000%	161	0.0000%	100.0000%	0.0000%	320	0.0000%	
28.09.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	155	0.0000%	100.0000%	0.0000%	325	0.0000%	
29.09.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	143	0.0000%	100.0000%	0.0000%	324	0.0000%	
30.09.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	161	0.0000%	100.0000%	0.0000%	328	0.0000%	
	100.0000%	0.0000%	6	77	0.0000%	0	-	0.0000%	100.0000%	0.0000%	195	0.0000%	100.0000%	0.0000%	314	0.0000%	

1.41 October 1st to October 31st

Date	Dedicated interface									Bank's PSU interfaces							
	AISP / CBPII Availability			AISP Performance			CBPII Performance			Pictet Connect				Wealth App			
	Availability		#AISP Calls	Performance		#CBPII Calls	Performance		Availability		Performance		Availability		Performance		
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	
01.10.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	205	0.0000%	100.0000%	0.0000%	330	0.0000%	
02.10.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	190	0.0000%	100.0000%	0.0000%	335	0.0000%	
03.10.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	150	0.0000%	100.0000%	0.0000%	328	0.0000%	
04.10.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9900%	0.0100%	136	0.0000%	100.0000%	0.0000%	337	0.0000%	
05.10.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	141	0.0000%	100.0000%	0.0000%	334	0.0000%	
06.10.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	151	0.0000%	100.0000%	0.0000%	328	0.0000%	
07.10.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	160	0.0000%	100.0000%	0.0000%	347	0.0000%	
08.10.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	222	0.0000%	100.0000%	0.0000%	338	0.0000%	
09.10.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	227	0.0000%	100.0000%	0.0000%	338	0.0000%	
10.10.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	156	0.0000%	100.0000%	0.0000%	331	0.0000%	
11.10.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	159	0.0000%	100.0000%	0.0000%	324	0.0000%	
12.10.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	167	0.0000%	100.0000%	0.0000%	327	0.0000%	
13.10.2022	100.0000%	0.0000%	2	-	733	0	-	0.0000%	100.0000%	0.0000%	159	0.0000%	100.0000%	0.0000%	351	0.0000%	
14.10.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	175	0.0000%	100.0000%	0.0000%	327	0.0000%	
15.10.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	240	0.0000%	100.0000%	0.0000%	325	0.0000%	
16.10.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	213	0.0000%	100.0000%	0.0000%	327	0.0000%	
17.10.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	166	0.0000%	100.0000%	0.0000%	307	0.0000%	
18.10.2022	100.0000%	0.0000%	2	-	707	0	-	0.0000%	100.0000%	0.0000%	212	0.0000%	100.0000%	0.0000%	341	0.0000%	
19.10.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	227	0.0000%	100.0000%	0.0000%	328	0.0000%	
20.10.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	160	0.0000%	100.0000%	0.0000%	309	0.0000%	
21.10.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	496	0.0000%	100.0000%	0.0000%	313	0.0000%	
22.10.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	268	0.0000%	100.0000%	0.0000%	314	0.0000%	
23.10.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	239	0.0000%	100.0000%	0.0000%	316	0.0000%	
24.10.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	178	0.0000%	100.0000%	0.0000%	317	0.0000%	
25.10.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	180	0.0000%	100.0000%	0.0000%	318	0.0000%	
26.10.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	170	0.0000%	100.0000%	0.0000%	310	0.0000%	
27.10.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	167	0.0000%	100.0000%	0.0000%	323	0.0000%	
28.10.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	199	0.0000%	100.0000%	0.0000%	308	0.0000%	
29.10.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	248	0.0000%	100.0000%	0.0000%	313	0.0000%	
30.10.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	220	0.0000%	100.0000%	0.0000%	326	0.0000%	
31.10.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	169	0.0000%	100.0000%	0.0000%	309	0.0000%	
	100.0000%	0.0000%	4	46	0.0000%	0	-	0.0000%	99.9997%	0.0003%	198	0.0000%	100.0000%	0.0000%	325	0.0000%	

1.42 November 1st to November 30th

Date	Dedicated interface									Bank's PSU interfaces							
	AISP / CBPII Availability			AISP Performance			CBPII Performance			Pictet Connect				Wealth App			
	Availability		#AISP Calls	Performance		#CBPII Calls	Performance		Availability		Performance		Availability		Performance		
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	
01.11.2022	100.0000%	0.0000%	2	1'790	0.0000%	0	-	0.0000%	100.0000%	0.0000%	168	0.0000%	100.0000%	0.0000%	313	0.0000%	
02.11.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	175	0.0000%	100.0000%	0.0000%	318	0.0000%	
03.11.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	160	0.0000%	100.0000%	0.0000%	306	0.0000%	
04.11.2022	100.0000%	0.0000%	2	728	0.0000%	0	-	0.0000%	100.0000%	0.0000%	177	0.0000%	100.0000%	0.0000%	317	0.0000%	
05.11.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	225	0.0000%	100.0000%	0.0000%	308	0.0000%	
06.11.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	223	0.0000%	100.0000%	0.0000%	406	0.0000%	
07.11.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	154	0.0000%	100.0000%	0.0000%	310	0.0000%	
08.11.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	155	0.0000%	100.0000%	0.0000%	304	0.0000%	
09.11.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	178	0.0000%	100.0000%	0.0000%	310	0.0000%	
10.11.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	177	0.0000%	100.0000%	0.0000%	323	0.0000%	
11.11.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	178	0.0000%	100.0000%	0.0000%	321	0.0000%	
12.11.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	222	0.0000%	100.0000%	0.0000%	315	0.0000%	
13.11.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	236	0.0000%	100.0000%	0.0000%	311	0.0000%	
14.11.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	166	0.0000%	100.0000%	0.0000%	303	0.0000%	
15.11.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	163	0.0000%	100.0000%	0.0000%	301	0.0000%	
16.11.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	165	0.0000%	100.0000%	0.0000%	298	0.0000%	
17.11.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	156	0.0000%	100.0000%	0.0000%	302	0.0000%	
18.11.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	186	0.0000%	100.0000%	0.0000%	306	0.0000%	
19.11.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	237	0.0000%	100.0000%	0.0000%	314	0.0000%	
20.11.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	219	0.0000%	100.0000%	0.0000%	308	0.0000%	
21.11.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	164	0.0000%	100.0000%	0.0000%	308	0.0000%	
22.11.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	176	0.0000%	100.0000%	0.0000%	307	0.0000%	
23.11.2022	100.0000%	0.0000%	2	2'016	0.0000%	0	-	0.0000%	100.0000%	0.0000%	184	0.0000%	100.0000%	0.0000%	301	0.0000%	
24.11.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	182	0.0000%	100.0000%	0.0000%	305	0.0000%	
25.11.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	220	0.0000%	100.0000%	0.0000%	311	0.0000%	
26.11.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	258	0.0000%	100.0000%	0.0000%	308	0.0000%	
27.11.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	232	0.0000%	100.0000%	0.0000%	320	0.0000%	
28.11.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	178	0.0000%	100.0000%	0.0000%	313	0.0000%	
29.11.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	167	0.0000%	100.0000%	0.0000%	301	0.0000%	
30.11.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	149	0.0000%	100.0000%	0.0000%	304	0.0000%	
	100.0000%	0.0000%	6	151	0.0000%	0	-	0.0000%	100.0000%	0.0000%	188	0.0000%	100.0000%	0.0000%	312	0.0000%	

1.43 December 1st to December 31st

Date	Dedicated interface									Bank's PSU interfaces								
	AISP / CBPII Availability			AISP Performance			CBPII Performance			Pictet Connect				Wealth App				
	Uptime		#AISP Calls	Avg response time (ms)		Error response rate	#CBPII Calls		Avg response time (ms)		Uptime		Performance		Uptime		Performance	
01.12.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	153	0.0000%	100.0000%	0.0000%	304	0.0000%		
02.12.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	175	0.0000%	100.0000%	0.0000%	308	0.0000%		
03.12.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	218	0.0000%	100.0000%	0.0000%	313	0.0000%		
04.12.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	192	0.0000%	100.0000%	0.0000%	309	0.0000%		
05.12.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	152	0.0000%	100.0000%	0.0000%	301	0.0000%		
06.12.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	159	0.0000%	100.0000%	0.0000%	299	0.0000%		
07.12.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	161	0.0000%	100.0000%	0.0000%	310	0.0000%		
08.12.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	151	0.0000%	100.0000%	0.0000%	307	0.0000%		
09.12.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	173	0.0000%	100.0000%	0.0000%	314	0.0000%		
10.12.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	233	0.0000%	100.0000%	0.0000%	310	0.0000%		
11.12.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	206	0.0000%	100.0000%	0.0000%	319	0.0000%		
12.12.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	157	0.0000%	100.0000%	0.0000%	305	0.0000%		
13.12.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	272	0.0000%	100.0000%	0.0000%	316	0.0000%		
14.12.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9400%	0.0600%	332	0.0000%	99.4000%	0.0000%	480	0.0000%		
15.12.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	155	0.0000%	100.0000%	0.0000%	308	0.0000%		
16.12.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	178	0.0000%	100.0000%	0.0000%	325	0.0000%		
17.12.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	224	0.0000%	100.0000%	0.0000%	345	0.0000%		
18.12.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	215	0.0000%	100.0000%	0.0000%	328	0.0000%		
19.12.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	159	0.0000%	100.0000%	0.0000%	327	0.0000%		
20.12.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	150	0.0000%	100.0000%	0.0000%	306	0.0000%		
21.12.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	162	0.0000%	100.0000%	0.0000%	321	0.0000%		
22.12.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	157	0.0000%	100.0000%	0.0000%	318	0.0000%		
23.12.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	179	0.0000%	100.0000%	0.0000%	304	0.0000%		
24.12.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	236	0.0000%	100.0000%	0.0000%	310	0.0000%		
25.12.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	233	0.0000%	100.0000%	0.0000%	331	0.0000%		
26.12.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	186	0.0000%	100.0000%	0.0000%	325	0.0000%		
27.12.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	153	0.0000%	100.0000%	0.0000%	308	0.0000%		
28.12.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	154	0.0000%	100.0000%	0.0000%	301	0.0000%		
29.12.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	169	0.0000%	100.0000%	0.0000%	334	0.0000%		
30.12.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	177	0.0000%	100.0000%	0.0000%	302	0.0000%		
31.12.2022	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	224	0.0000%	100.0000%	0.0000%	316	0.0000%		
	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9981%	0.0019%	187	0.0000%	99.9714%	0.0000%	320	0.0000%		

1.44 January 1st to January 31st

Date	Dedicated interface								Bank's PSU interfaces								
	AISP / CBPII Availability			AISP Performance			CBPII Performance			Pictet Connect				Wealth App			
	Availability		#AISP Calls	Performance		#CBPII Calls	Performance		Availability		Performance		Availability		Performance		
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	
01.01.2023	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	203	0,0000%	100,0000%	0,0000%	305	0,0000%	
02.01.2023	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	157	0,0000%	100,0000%	0,0000%	308	0,0000%	
03.01.2023	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	171	0,0000%	100,0000%	0,0000%	310	0,0000%	
04.01.2023	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	149	0,0000%	100,0000%	0,0000%	311	0,0000%	
05.01.2023	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	152	0,0000%	100,0000%	0,0000%	299	0,0000%	
06.01.2023	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	168	0,0000%	100,0000%	0,0000%	301	0,0000%	
07.01.2023	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	208	0,0000%	100,0000%	0,0000%	314	0,0000%	
08.01.2023	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	194	0,0000%	100,0000%	0,0000%	317	0,0000%	
09.01.2023	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	157	0,0000%	100,0000%	0,0000%	315	0,0000%	
10.01.2023	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	192	0,0000%	100,0000%	0,0000%	303	0,0000%	
11.01.2023	100,0000%	0,0000%	2	857	0,0000%	0	-	0,0000%	100,0000%	0,0000%	152	0,0000%	100,0000%	0,0000%	350	0,0000%	
12.01.2023	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	153	0,0000%	100,0000%	0,0000%	312	0,0000%	
13.01.2023	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	173	0,0000%	100,0000%	0,0000%	309	0,0000%	
14.01.2023	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	231	0,0000%	100,0000%	0,0000%	318	0,0000%	
15.01.2023	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	216	0,0000%	100,0000%	0,0000%	309	0,0000%	
16.01.2023	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	169	0,0000%	100,0000%	0,0000%	306	0,0000%	
17.01.2023	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	148	0,0000%	100,0000%	0,0000%	326	0,0000%	
18.01.2023	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	142	0,0000%	100,0000%	0,0000%	310	0,0000%	
19.01.2023	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	164	0,0000%	100,0000%	0,0000%	387	0,0000%	
20.01.2023	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	170	0,0000%	100,0000%	0,0000%	375	0,0000%	
21.01.2023	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	230	0,0000%	100,0000%	0,0000%	310	0,0000%	
22.01.2023	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	224	0,0000%	100,0000%	0,0000%	310	0,0000%	
23.01.2023	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	156	0,0000%	100,0000%	0,0000%	306	0,0000%	
24.01.2023	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	157	0,0000%	100,0000%	0,0000%	303	0,0000%	
25.01.2023	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	157	0,0000%	100,0000%	0,0000%	322	0,0000%	
26.01.2023	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	159	0,0000%	100,0000%	0,0000%	362	0,0000%	
27.01.2023	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	177	0,0000%	100,0000%	0,0000%	473	0,0000%	
28.01.2023	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	229	0,0000%	100,0000%	0,0000%	553	0,0000%	
29.01.2023	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	212	0,0000%	100,0000%	0,0000%	459	0,0000%	
30.01.2023	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	148	0,0000%	100,0000%	0,0000%	336	0,0000%	
31.01.2023	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	145	0,0000%	100,0000%	0,0000%	365	0,0000%	
	100,0000%	0,0000%	2	28	0,0000%	0	-	0,0000%	100,0000%	0,0000%	176	0,0000%	100,0000%	0,0000%	338	0,0000%	

1.45 February 1st to February 28th

Date	Dedicated interface									Bank's PSU interfaces							
	AISP / CBPII Availability			AISP Performance			CBPII Performance			Pictet Connect				Wealth App			
	Availability		#AISP Calls	Performance		#CBPII Calls	Performance		Availability		Performance		Availability		Performance		
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	
01.02.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	135	0.0000%	100.0000%	0.0000%	457	0.0000%	
02.02.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	147	0.0000%	100.0000%	0.0000%	418	0.0000%	
03.02.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	166	0.0000%	100.0000%	0.0000%	423	0.0000%	
04.02.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	215	0.0000%	100.0000%	0.0000%	449	0.0000%	
05.02.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	200	0.0000%	100.0000%	0.0000%	365	0.0000%	
06.02.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	144	0.0000%	100.0000%	0.0000%	352	0.0000%	
07.02.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	139	0.0000%	100.0000%	0.0000%	380	0.0000%	
08.02.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	142	0.0000%	100.0000%	0.0000%	471	0.0000%	
09.02.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	131	0.0000%	100.0000%	0.0000%	422	0.0000%	
10.02.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	165	0.0000%	100.0000%	0.0000%	436	0.0000%	
11.02.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	208	0.0000%	100.0000%	0.0000%	399	0.0000%	
12.02.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	186	0.0000%	100.0000%	0.0000%	362	0.0000%	
13.02.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	145	0.0000%	100.0000%	0.0000%	407	0.0000%	
14.02.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	136	0.0000%	100.0000%	0.0000%	481	0.0000%	
15.02.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	140	0.0000%	100.0000%	0.0000%	338	0.0000%	
16.02.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	140	0.0000%	100.0000%	0.0000%	381	0.0000%	
17.02.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	154	0.0000%	100.0000%	0.0000%	379	0.0000%	
18.02.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	209	0.0000%	100.0000%	0.0000%	313	0.0000%	
19.02.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	187	0.0000%	100.0000%	0.0000%	314	0.0000%	
20.02.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	228	0.0000%	100.0000%	0.0000%	337	0.0000%	
21.02.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9900%	0.0100%	144	0.0000%	100.0000%	0.0000%	382	0.0000%	
22.02.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	182	0.0000%	100.0000%	0.0000%	452	0.0000%	
23.02.2023	100.0000%	0.0000%	2	1'968	0.0000%	0	-	0.0000%	99.9900%	0.0100%	138	0.0000%	100.0000%	0.0000%	833	0.0000%	
24.02.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	161	0.0000%	100.0000%	0.0000%	512	0.0000%	
25.02.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	207	0.0000%	100.0000%	0.0000%	415	0.0000%	
26.02.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	187	0.0000%	100.0000%	0.0000%	466	0.0000%	
27.02.2023	100.0000%	0.0000%	4	2'323	0.0000%	0	-	0.0000%	99.9200%	0.0800%	130	0.0000%	99.9400%	0.0600%	410	0.0000%	
28.02.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	130	0.0000%	100.0000%	0.0000%	311	0.0000%	
	100.0000%	0.0000%	6	153	0.0000%	0	-	0.0000%	99.9964%	0.0036%	164	0.0000%	99.9979%	0.0021%	417	0.0000%	

1.46 March 1st to March 31st

Date	Dedicated interface									Bank's PSU interfaces							
	AISP / CBPII Availability			AISP Performance			CBPII Performance			Pictet Connect				Wealth App			
	Uptime	Downtime	#AISP Calls	Avg response time (ms)	Error response rate	#CBPII Calls	Avg response time (ms)	Error response rate	Availability		Performance		Availability		Performance		
									Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	
01.03.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	135	0.0000%	100.0000%	0.0000%	336	0.0000%	
02.03.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	138	0.0000%	100.0000%	0.0000%	427	0.0000%	
03.03.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	157	0.0000%	100.0000%	0.0000%	333	0.0000%	
04.03.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	206	0.0000%	100.0000%	0.0000%	473	0.0000%	
05.03.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	175	0.0000%	100.0000%	0.0000%	361	0.0000%	
06.03.2023	100.0000%	0.0000%	1	3'507	0.0000%	0	-	0.0000%	100.0000%	0.0000%	137	0.0000%	100.0000%	0.0000%	436	0.0000%	
07.03.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	133	0.0000%	100.0000%	0.0000%	447	0.0000%	
08.03.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	141	0.0000%	100.0000%	0.0000%	450	0.0000%	
09.03.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	136	0.0000%	100.0000%	0.0000%	400	0.0000%	
10.03.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	151	0.0000%	100.0000%	0.0000%	415	0.0000%	
11.03.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	199	0.0000%	100.0000%	0.0000%	470	0.0000%	
12.03.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	205	0.0000%	100.0000%	0.0000%	431	0.0000%	
13.03.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	127	0.0000%	100.0000%	0.0000%	424	0.0000%	
14.03.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	140	0.0000%	100.0000%	0.0000%	407	0.0000%	
15.03.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	250	0.0000%	100.0000%	0.0000%	327	0.0000%	
16.03.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	138	0.0000%	100.0000%	0.0000%	307	0.0000%	
17.03.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	152	0.0000%	100.0000%	0.0000%	295	0.0000%	
18.03.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	207	0.0000%	100.0000%	0.0000%	273	0.0000%	
19.03.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	189	0.0000%	100.0000%	0.0000%	276	0.0000%	
20.03.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	131	0.0000%	100.0000%	0.0000%	277	0.0000%	
21.03.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	173	0.0000%	100.0000%	0.0000%	271	0.0000%	
22.03.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	133	0.0000%	100.0000%	0.0000%	266	0.0000%	
23.03.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	129	0.0000%	100.0000%	0.0000%	279	0.0000%	
24.03.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	154	0.0000%	100.0000%	0.0000%	269	0.0000%	
25.03.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	203	0.0000%	100.0000%	0.0000%	285	0.0000%	
26.03.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	186	0.0000%	100.0000%	0.0000%	332	0.0000%	
27.03.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	128	0.0000%	100.0000%	0.0000%	277	0.0000%	
28.03.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	132	0.0000%	100.0000%	0.0000%	285	0.0000%	
29.03.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	129	0.0000%	100.0000%	0.0000%	307	0.0000%	
30.03.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	136	0.0000%	100.0000%	0.0000%	286	0.0000%	
31.03.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	146	0.0000%	100.0000%	0.0000%	296	0.0000%	
	100.0000%	0.0000%	1	113	0.0000%	0	-	0.0000%	100.0000%	0.0000%	158	0.0000%	100.0000%	0.0000%	346	0.0000%	

1.47 April 1st to April 30th

Date	Dedicated interface									Bank's PSU interfaces							
	AISP / CBPII Availability			AISP Performance			CBPII Performance			Pictet Connect				Wealth App			
	Availability		#AISP Calls	Performance		#CBPII Calls	Performance		Availability		Performance		Availability		Performance		
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	
01.04.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	194	0.0000%	100.0000%	0.0000%	285	0.0000%	
02.04.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	177	0.0000%	100.0000%	0.0000%	318	0.0000%	
03.04.2023	100.0000%	0.0000%	6	756	0.0000%	0	-	0.0000%	100.0000%	0.0000%	136	0.0000%	100.0000%	0.0000%	276	0.0000%	
04.04.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	128	0.0000%	100.0000%	0.0000%	273	0.0000%	
05.04.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	129	0.0000%	100.0000%	0.0000%	291	0.0000%	
06.04.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	146	0.0000%	100.0000%	0.0000%	299	0.0000%	
07.04.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	177	0.0000%	100.0000%	0.0000%	289	0.0000%	
08.04.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	206	0.0000%	100.0000%	0.0000%	305	0.0000%	
09.04.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	196	0.0000%	100.0000%	0.0000%	289	0.0000%	
10.04.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	144	0.0000%	100.0000%	0.0000%	281	0.0000%	
11.04.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	131	0.0000%	100.0000%	0.0000%	292	0.0000%	
12.04.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	132	0.0000%	100.0000%	0.0000%	276	0.0000%	
13.04.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	133	0.0000%	100.0000%	0.0000%	281	0.0000%	
14.04.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	145	0.0000%	100.0000%	0.0000%	287	0.0000%	
15.04.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	203	0.0000%	100.0000%	0.0000%	295	0.0000%	
16.04.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	183	0.0000%	100.0000%	0.0000%	286	0.0000%	
17.04.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	132	0.0000%	100.0000%	0.0000%	277	0.0000%	
18.04.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	137	0.0000%	100.0000%	0.0000%	288	0.0000%	
19.04.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	135	0.0000%	100.0000%	0.0000%	316	0.0000%	
20.04.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	132	0.0000%	100.0000%	0.0000%	287	0.0000%	
21.04.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	160	0.0000%	100.0000%	0.0000%	269	0.0000%	
22.04.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	213	0.0000%	100.0000%	0.0000%	281	0.0000%	
23.04.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	195	0.0000%	100.0000%	0.0000%	291	0.0000%	
24.04.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	141	0.0000%	100.0000%	0.0000%	270	0.0000%	
25.04.2023	100.0000%	0.0000%	2	1'455	0.0000%	0	-	0.0000%	100.0000%	0.0000%	143	0.0000%	100.0000%	0.0000%	268	0.0000%	
26.04.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	157	0.0000%	100.0000%	0.0000%	282	0.0000%	
27.04.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	170	0.0000%	100.0000%	0.0000%	282	0.0000%	
28.04.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	169	0.0000%	100.0000%	0.0000%	296	0.0000%	
29.04.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	211	0.0000%	100.0000%	0.0000%	280	0.0000%	
30.04.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	205	0.0000%	100.0000%	0.0000%	286	0.0000%	
	100.0000%	0.0000%	8	1'106	0.0000%	0	-	0.0000%	100.0000%	0.0000%	162	0.0000%	100.0000%	0.0000%	287	0.0000%	

1.48 May 1st to May 31st

Date	Dedicated interface									Bank's PSU interfaces							
	AISP / CBPII Availability			AISP Performance			CBPII Performance			Pictet Connect				Wealth App			
	Availability		#AISP Calls	Performance		#CBPII Calls	Performance		Availability		Performance		Availability		Performance		
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	
01.05.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	148	0.0000%	100.0000%	0.0000%	274	0.0000%	
02.05.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	147	0.0000%	100.0000%	0.0000%	311	0.0000%	
03.05.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	151	0.0000%	100.0000%	0.0000%	276	0.0000%	
04.05.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	154	0.0000%	100.0000%	0.0000%	273	0.0000%	
05.05.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	169	0.0000%	100.0000%	0.0000%	279	0.0000%	
06.05.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	194	0.0000%	100.0000%	0.0000%	634	0.0000%	
07.05.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	195	0.0000%	100.0000%	0.0000%	307	0.0000%	
08.05.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	144	0.0000%	100.0000%	0.0000%	275	0.0000%	
09.05.2023	100.0000%	0.0000%	2	1'288	0.0000%	0	-	0.0000%	100.0000%	0.0000%	142	0.0000%	100.0000%	0.0000%	274	0.0000%	
10.05.2023	100.0000%	0.0000%	4	466	0.0000%	0	-	0.0000%	100.0000%	0.0000%	137	0.0000%	100.0000%	0.0000%	274	0.0000%	
11.05.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	150	0.0000%	100.0000%	0.0000%	275	0.0000%	
12.05.2023	100.0000%	0.0000%	4	456	0.0000%	0	-	0.0000%	100.0000%	0.0000%	167	0.0000%	100.0000%	0.0000%	267	0.0000%	
13.05.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	216	0.0000%	100.0000%	0.0000%	278	0.0000%	
14.05.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	199	0.0000%	100.0000%	0.0000%	323	0.0000%	
15.05.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	158	0.0000%	100.0000%	0.0000%	275	0.0000%	
16.05.2023	100.0000%	0.0000%	4	509	0.0000%	0	-	0.0000%	100.0000%	0.0000%	146	0.0000%	100.0000%	0.0000%	277	0.0000%	
17.05.2023	100.0000%	0.0000%	2	703	0.0000%	0	-	0.0000%	100.0000%	0.0000%	151	0.0000%	100.0000%	0.0000%	322	0.0000%	
18.05.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	147	0.0000%	100.0000%	0.0000%	299	0.0000%	
19.05.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	161	0.0000%	100.0000%	0.0000%	271	0.0000%	
20.05.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	218	0.0000%	100.0000%	0.0000%	278	0.0000%	
21.05.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	202	0.0000%	100.0000%	0.0000%	279	0.0000%	
22.05.2023	100.0000%	0.0000%	2	864	0.0000%	0	-	0.0000%	100.0000%	0.0000%	180	0.0000%	100.0000%	0.0000%	287	0.0000%	
23.05.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	217	0.0000%	100.0000%	0.0000%	287	0.0000%	
24.05.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	195	0.0000%	100.0000%	0.0000%	295	0.0000%	
25.05.2023	100.0000%	0.0000%	2	1'313	0.0000%	0	-	0.0000%	100.0000%	0.0000%	199	0.0000%	100.0000%	0.0000%	305	0.0000%	
26.05.2023	100.0000%	0.0000%	2	499	0.0000%	0	-	0.0000%	100.0000%	0.0000%	216	0.0000%	100.0000%	0.0000%	306	0.0000%	
27.05.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	251	0.0000%	100.0000%	0.0000%	317	0.0000%	
28.05.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	208	0.0000%	100.0000%	0.0000%	294	0.0000%	
29.05.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	166	0.0000%	100.0000%	0.0000%	317	0.0000%	
30.05.2023	100.0000%	0.0000%	2	485	0.0000%	0	-	0.0000%	100.0000%	0.0000%	145	0.0000%	100.0000%	0.0000%	288	0.0000%	
31.05.2023	100.0000%	0.0000%	12	480	0.0000%	0	-	0.0000%	100.0000%	0.0000%	141	0.0000%	100.0000%	0.0000%	288	0.0000%	
	100.0000%	0.0000%	36	706	0.0000%	0	-	0.0000%	100.0000%	0.0000%	175	0.0000%	100.0000%	0.0000%	300	0.0000%	

1.49 June 1st to June 30th

Date	Dedicated interface									Bank's PSU interfaces							
	AISP / CBPII Availability			AISP Performance			CBPII Performance			Pictet Connect				Wealth App			
	Availability		#AISP Calls	Performance		#CBPII Calls	Performance		Availability		Performance		Availability		Performance		
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	
01.06.2023	100.0000%	0.0000%	12	535	0.0000%	0	-	0.0000%	100.0000%	0.0000%	156	0.0000%	100.0000%	0.0000%	284	0.0000%	
02.06.2023	100.0000%	0.0000%	10	993	0.0000%	0	-	0.0000%	100.0000%	0.0000%	160	0.0000%	100.0000%	0.0000%	282	0.0000%	
03.06.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	211	0.0000%	100.0000%	0.0000%	291	0.0000%	
04.06.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	196	0.0000%	100.0000%	0.0000%	296	0.0000%	
05.06.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	99.9999%	0.0001%	141	0.0000%	100.0000%	0.0000%	286	0.0000%	
06.06.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	167	0.0000%	100.0000%	0.0000%	290	0.0000%	
07.06.2023	100.0000%	0.0000%	2	555	0.0000%	0	-	0.0000%	100.0000%	0.0000%	141	0.0000%	100.0000%	0.0000%	291	0.0000%	
08.06.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	148	0.0000%	100.0000%	0.0000%	279	0.0000%	
09.06.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	153	0.0000%	100.0000%	0.0000%	283	0.0000%	
10.06.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	250	0.0000%	100.0000%	0.0000%	292	0.0000%	
11.06.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	201	0.0000%	100.0000%	0.0000%	293	0.0000%	
12.06.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	142	0.0000%	100.0000%	0.0000%	292	0.0000%	
13.06.2023	100.0000%	0.0000%	2	586	0.0000%	0	-	0.0000%	100.0000%	0.0000%	152	0.0000%	100.0000%	0.0000%	315	0.0000%	
14.06.2023	100.0000%	0.0000%	4	534	0.0000%	0	-	0.0000%	100.0000%	0.0000%	149	0.0000%	100.0000%	0.0000%	290	0.0000%	
15.06.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	135	0.0000%	100.0000%	0.0000%	298	0.0000%	
16.06.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	149	0.0000%	100.0000%	0.0000%	294	0.0000%	
17.06.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	204	0.0000%	100.0000%	0.0000%	304	0.0000%	
18.06.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	194	0.0000%	100.0000%	0.0000%	304	0.0000%	
19.06.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	143	0.0000%	100.0000%	0.0000%	299	0.0000%	
20.06.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	138	0.0000%	100.0000%	0.0000%	306	0.0000%	
21.06.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	133	0.0000%	100.0000%	0.0000%	302	0.0000%	
22.06.2023	100.0000%	0.0000%	4	527	0.0000%	0	-	0.0000%	100.0000%	0.0000%	132	0.0000%	100.0000%	0.0000%	332	0.0000%	
23.06.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	153	0.0000%	100.0000%	0.0000%	332	0.0000%	
24.06.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	206	0.0000%	100.0000%	0.0000%	303	0.0000%	
25.06.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	194	0.0000%	100.0000%	0.0000%	311	0.0000%	
26.06.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	130	0.0000%	100.0000%	0.0000%	342	0.0000%	
27.06.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	125	0.0000%	100.0000%	0.0000%	307	0.0000%	
28.06.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	139	0.0000%	100.0000%	0.0000%	291	0.0000%	
29.06.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	105	0.0000%	100.0000%	0.0000%	281	0.0000%	
30.06.2023	100.0000%	0.0000%	4	1'070	0.0000%	0	-	0.0000%	100.0000%	0.0000%	107	0.0000%	100.0000%	0.0000%	272	0.0000%	
	100.0000%	0.0000%	38	686	0.0000%	0	-	0.0000%	100.0000%	0.0000%	158	0.0000%	100.0000%	0.0000%	298	0.0000%	

1.50 July 1st to July 31st

Date	Dedicated interface									Bank's PSU interfaces							
	AISP / CBPII Availability			AISP Performance			CBPII Performance			Pictet Connect				Wealth App			
	Availability		#AISP Calls	Performance		#CBPII Calls	Performance		Availability		Performance		Availability		Performance		
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	
01.07.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	116	0.0000%	100.0000%	0.0000%	277	0.0000%	
02.07.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	116	0.0000%	100.0000%	0.0000%	306	0.0000%	
03.07.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	103	0.0000%	100.0000%	0.0000%	267	0.0000%	
04.07.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	103	0.0000%	100.0000%	0.0000%	274	0.0000%	
05.07.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	102	0.0000%	100.0000%	0.0000%	272	0.0000%	
06.07.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	107	0.0000%	100.0000%	0.0000%	273	0.0000%	
07.07.2023	100.0000%	0.0000%	2	602	0.0000%	0	-	0.0000%	100.0000%	0.0000%	106	0.0000%	100.0000%	0.0000%	278	0.0000%	
08.07.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	121	0.0000%	100.0000%	0.0000%	284	0.0000%	
09.07.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	128	0.0000%	100.0000%	0.0000%	278	0.0000%	
10.07.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	146	0.0000%	100.0000%	0.0000%	276	0.0000%	
11.07.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	159	0.0000%	100.0000%	0.0000%	274	0.0000%	
12.07.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	304	0.0000%	100.0000%	0.0000%	269	0.0000%	
13.07.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	151	0.0000%	100.0000%	0.0000%	265	0.0000%	
14.07.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	108	0.0000%	100.0000%	0.0000%	274	0.0000%	
15.07.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	121	0.0000%	99.9900%	0.0100%	275	0.0000%	
16.07.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	118	0.0000%	100.0000%	0.0000%	275	0.0000%	
17.07.2023	100.0000%	0.0000%	2	1'525	0.0000%	0	-	0.0000%	100.0000%	0.0000%	91	0.0000%	100.0000%	0.0000%	270	0.0000%	
18.07.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	104	0.0000%	100.0000%	0.0000%	272	0.0000%	
19.07.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	117	0.0000%	100.0000%	0.0000%	274	0.0000%	
20.07.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	106	0.0000%	100.0000%	0.0000%	281	0.0000%	
21.07.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	98	0.0000%	100.0000%	0.0000%	293	0.0000%	
22.07.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	131	0.0000%	100.0000%	0.0000%	277	0.0000%	
23.07.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	116	0.0000%	100.0000%	0.0000%	274	0.0000%	
24.07.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	99	0.0000%	100.0000%	0.0000%	269	0.0000%	
25.07.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	118	0.0000%	100.0000%	0.0000%	268	0.0000%	
26.07.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	110	0.0000%	100.0000%	0.0000%	268	0.0000%	
27.07.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	120	0.0000%	100.0000%	0.0000%	281	0.0000%	
28.07.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	80	0.0000%	100.0000%	0.0000%	274	0.0000%	
29.07.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	118	0.0000%	100.0000%	0.0000%	278	0.0000%	
30.07.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	126	0.0000%	100.0000%	0.0000%	278	0.0000%	
31.07.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	85	0.0000%	100.0000%	0.0000%	281	0.0000%	
	100.0000%	0.0000%	4	1'063	0.0000%	0	-	0.0000%	100.0000%	0.0000%	120	0.0000%	99.9997%	0.0003%	276	0.0000%	

1.51 August 1st to August 31st

Date	Dedicated interface									Bank's PSU interfaces							
	AISP / CBPII Availability			AISP Performance			CBPII Performance			Pictet Connect				Wealth App			
	Availability		#AISP Calls	Performance		#CBPII Calls	Performance		Availability		Performance		Availability		Performance		
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	
01.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	91	0.0000%	100.0000%	0.0000%	282	0.0000%	
02.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	116	0.0000%	100.0000%	0.0000%	289	0.0000%	
03.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	105	0.0000%	100.0000%	0.0000%	276	0.0000%	
04.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	107	0.0000%	100.0000%	0.0000%	279	0.0000%	
05.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	127	0.0000%	100.0000%	0.0000%	296	0.0000%	
06.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	117	0.0000%	100.0000%	0.0000%	278	0.0000%	
07.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	87	0.0000%	100.0000%	0.0000%	278	0.0000%	
08.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	141	0.0000%	100.0000%	0.0000%	272	0.0000%	
09.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	104	0.0000%	100.0000%	0.0000%	274	0.0000%	
10.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	119	0.0000%	100.0000%	0.0000%	276	0.0000%	
11.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	87	0.0000%	100.0000%	0.0000%	271	0.0000%	
12.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	139	0.0000%	100.0000%	0.0000%	279	0.0000%	
13.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	134	0.0000%	100.0000%	0.0000%	281	0.0000%	
14.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	93	0.0000%	100.0000%	0.0000%	273	0.0000%	
15.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	106	0.0000%	100.0000%	0.0000%	287	0.0000%	
16.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	97	0.0000%	100.0000%	0.0000%	305	0.0000%	
17.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	124	0.0000%	100.0000%	0.0000%	280	0.0000%	
18.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	88	0.0000%	100.0000%	0.0000%	283	0.0000%	
19.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	97	0.0000%	100.0000%	0.0000%	276	0.0000%	
20.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	98.9100%	1.0900%	144	0.0000%	100.0000%	0.0000%	285	0.0000%	
21.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	131	0.0000%	100.0000%	0.0000%	279	0.0000%	
22.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	88	0.0000%	100.0000%	0.0000%	275	0.0000%	
23.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	103	0.0000%	100.0000%	0.0000%	277	0.0000%	
24.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	128	0.0000%	100.0000%	0.0000%	275	0.0000%	
25.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	86	0.0000%	100.0000%	0.0000%	273	0.0000%	
26.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	95	0.0000%	100.0000%	0.0000%	278	0.0000%	
27.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	106	0.0000%	100.0000%	0.0000%	294	0.0000%	
28.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	93	0.0000%	100.0000%	0.0000%	285	0.0000%	
29.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	138	0.0000%	100.0000%	0.0000%	281	0.0000%	
30.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	100	0.0000%	100.0000%	0.0000%	275	0.0000%	
31.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	131	0.0000%	100.0000%	0.0000%	276	0.0000%	
	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9648%	0.0352%	110	0.0000%	100.0000%	0.0000%	280	0.0000%	

1.52 September 1st to September 30th

Date	Dedicated interface								Bank's PSU interfaces								
	AISP / CBPII Availability			AISP Performance			CBPII Performance			Pictet Connect				Wealth App			
	Availability		#AISP Calls	Performance		#CBPII Calls	Performance		Availability		Performance		Availability		Performance		
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	
01.09.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	104	0.0000%	100.0000%	0.0000%	276	0.0000%	
02.09.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	138	0.0000%	100.0000%	0.0000%	280	0.0000%	
03.09.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	210	0.0000%	100.0000%	0.0000%	279	0.0000%	
04.09.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	102	0.0000%	100.0000%	0.0000%	276	0.0000%	
05.09.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	110	0.0000%	100.0000%	0.0000%	281	0.0000%	
06.09.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	103	0.0000%	100.0000%	0.0000%	288	0.0000%	
07.09.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	108	0.0000%	100.0000%	0.0000%	278	0.0000%	
08.09.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	111	0.0000%	100.0000%	0.0000%	281	0.0000%	
09.09.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	98.9200%	1.0800%	135	0.0000%	100.0000%	0.0000%	278	0.0000%	
10.09.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	117	0.0000%	100.0000%	0.0000%	288	0.0000%	
11.09.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	106	0.0000%	100.0000%	0.0000%	291	0.0000%	
12.09.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	109	0.0000%	100.0000%	0.0000%	280	0.0000%	
13.09.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	105	0.0000%	100.0000%	0.0000%	278	0.0000%	
14.09.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	122	0.0000%	100.0000%	0.0000%	277	0.0000%	
15.09.2023	100.0000%	0.0000%	2	1'561	0.0000%	0	-	0.0000%	100.0000%	0.0000%	118	0.0000%	100.0000%	0.0000%	278	0.0000%	
16.09.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	190	0.0000%	100.0000%	0.0000%	276	0.0000%	
17.09.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	185	0.0000%	100.0000%	0.0000%	286	0.0000%	
18.09.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	117	0.0000%	100.0000%	0.0000%	290	0.0000%	
19.09.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	138	0.0000%	100.0000%	0.0000%	277	0.0000%	
20.09.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	206	0.0000%	100.0000%	0.0000%	299	0.0000%	
21.09.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	165	0.0000%	100.0000%	0.0000%	316	0.0000%	
22.09.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	128	0.0000%	100.0000%	0.0000%	282	0.0000%	
23.09.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	127	0.0000%	100.0000%	0.0000%	343	0.0000%	
24.09.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	120	0.0000%	100.0000%	0.0000%	282	0.0000%	
25.09.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	106	0.0000%	100.0000%	0.0000%	276	0.0000%	
26.09.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	108	0.0000%	100.0000%	0.0000%	273	0.0000%	
27.09.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	104	0.0000%	100.0000%	0.0000%	278	0.0000%	
28.09.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	106	0.0000%	100.0000%	0.0000%	271	0.0000%	
29.09.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	104	0.0000%	100.0000%	0.0000%	265	0.0000%	
30.09.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	121	0.0000%	100.0000%	0.0000%	304	0.0000%	
	100.0000%	0.0000%	2	1'561	0.0000%	0	-	0.0000%	99.9640%	0.0360%	127	0.0000%	100.0000%	0.0000%	284	0.0000%	

1.53 October 1st to October 31st

Date	Dedicated interface									Bank's PSU interfaces							
	AISP / CBPII Availability			AISP Performance			CBPII Performance			Pictet Connect				Wealth App			
	Availability		#AISP Calls	Performance		#CBPII Calls	Performance		Availability		Performance		Availability		Performance		
	Uptime	Downtime		Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	
01.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	116	0.0000%	100.0000%	0.0000%	319	0.0000%	
02.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	102	0.0000%	100.0000%	0.0000%	281	0.0000%	
03.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	122	0.0000%	100.0000%	0.0000%	274	0.0000%	
04.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	105	0.0000%	100.0000%	0.0000%	272	0.0000%	
05.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	111	0.0000%	100.0000%	0.0000%	321	0.0000%	
06.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	106	0.0000%	100.0000%	0.0000%	268	0.0000%	
07.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	126	0.0000%	100.0000%	0.0000%	288	0.0000%	
08.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	124	0.0000%	100.0000%	0.0000%	276	0.0000%	
09.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	114	0.0000%	100.0000%	0.0000%	283	0.0000%	
10.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	150	0.0000%	100.0000%	0.0000%	271	0.0000%	
11.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	91	0.0000%	100.0000%	0.0000%	270	0.0000%	
12.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	97	0.0000%	100.0000%	0.0000%	276	0.0000%	
13.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	88	0.0000%	100.0000%	0.0000%	277	0.0000%	
14.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	89	0.0000%	100.0000%	0.0000%	274	0.0000%	
15.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	111	0.0000%	100.0000%	0.0000%	276	0.0000%	
16.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	92	0.0000%	100.0000%	0.0000%	274	0.0000%	
17.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	92	0.0000%	100.0000%	0.0000%	272	0.0000%	
18.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	91	0.0000%	100.0000%	0.0000%	269	0.0000%	
19.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	91	0.0000%	100.0000%	0.0000%	283	0.0000%	
20.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	99	0.0000%	100.0000%	0.0000%	273	0.0000%	
21.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	92	0.0000%	100.0000%	0.0000%	304	0.0000%	
22.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	96	0.0000%	100.0000%	0.0000%	298	0.0000%	
23.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	94	0.0000%	100.0000%	0.0000%	269	0.0000%	
24.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9900%	0.0100%	87	0.0000%	100.0000%	0.0000%	284	0.0000%	
25.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	95	0.0000%	100.0000%	0.0000%	280	0.0000%	
26.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	96	0.0000%	100.0000%	0.0000%	278	0.0000%	
27.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	94	0.0000%	100.0000%	0.0000%	299	0.0000%	
28.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	101	0.0000%	100.0000%	0.0000%	278	0.0000%	
29.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	100	0.0000%	100.0000%	0.0000%	273	0.0000%	
30.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	89	0.0000%	100.0000%	0.0000%	283	0.0000%	
31.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	101	0.0000%	100.0000%	0.0000%	275	0.0000%	
	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9997%	0.0003%	102	0.0000%	100.0000%	0.0000%	281	0.0000%	

1.54 November 1st to November 30th

Date	Dedicated interface									Bank's PSU interfaces							
	AISP / CBPII Availability			AISP Performance			CBPII Performance			Pictet Connect				Wealth App			
	Uptime	Downtime	#AISP Calls	Avg response time (ms)	Error response rate	#CBPII Calls	Avg response time (ms)	Error response rate	Availability		Performance		Availability		Performance		
									Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	
01.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	90	0.0000%	100.0000%	0.0000%	275	0.0000%	
02.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	98	0.0000%	100.0000%	0.0000%	278	0.0000%	
03.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	89	0.0000%	100.0000%	0.0000%	278	0.0000%	
04.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	99	0.0000%	100.0000%	0.0000%	294	0.0000%	
05.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	87	0.0000%	100.0000%	0.0000%	333	0.0000%	
06.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	107	0.0000%	100.0000%	0.0000%	323	0.0000%	
07.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	105	0.0000%	100.0000%	0.0000%	289	0.0000%	
08.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	94	0.0000%	100.0000%	0.0000%	344	0.0000%	
09.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	89	0.0000%	100.0000%	0.0000%	358	0.0000%	
10.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	95	0.0000%	100.0000%	0.0000%	287	0.0000%	
11.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	96	0.0000%	100.0000%	0.0000%	291	0.0000%	
12.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	110	0.0000%	100.0000%	0.0000%	282	0.0000%	
13.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	112	0.0000%	100.0000%	0.0000%	278	0.0000%	
14.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	108	0.0000%	100.0000%	0.0000%	283	0.0000%	
15.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	105	0.0000%	100.0000%	0.0000%	277	0.0000%	
16.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	91	0.0000%	100.0000%	0.0000%	284	0.0000%	
17.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	96	0.0000%	100.0000%	0.0000%	278	0.0000%	
18.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	89	0.0000%	100.0000%	0.0000%	367	0.0000%	
19.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	107	0.0000%	100.0000%	0.0000%	282	0.0000%	
20.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	102	0.0000%	100.0000%	0.0000%	271	0.0000%	
21.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	95	0.0000%	100.0000%	0.0000%	278	0.0000%	
22.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	86	0.0000%	100.0000%	0.0000%	291	0.0000%	
23.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	90	0.0000%	100.0000%	0.0000%	274	0.0000%	
24.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	89	0.0000%	100.0000%	0.0000%	282	0.0000%	
25.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	121	0.0000%	100.0000%	0.0000%	281	0.0000%	
26.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	113	0.0000%	100.0000%	0.0000%	283	0.0000%	
27.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	101	0.0000%	100.0000%	0.0000%	288	0.0000%	
28.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	89	0.0000%	100.0000%	0.0000%	279	0.0000%	
29.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	111	0.0000%	100.0000%	0.0000%	304	0.0000%	
30.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	142	0.0000%	100.0000%	0.0000%	283	0.0000%	
	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	100	0.0000%	100.0000%	0.0000%	293	0.0000%	

1.55 December 1st to December 31st

Date	Dedicated interface									Bank's PSU interfaces							
	AISP / CBPII Availability			AISP Performance			CBPII Performance			Pictet Connect				Wealth App			
	Uptime	Downtime	#AISP Calls	Avg response time (ms)	Error response rate	#CBPII Calls	Avg response time (ms)	Error response rate	Availability		Performance		Availability		Performance		
									Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	
01.12.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	116	0.0000%	100.0000%	0.0000%	277	0.0000%	
02.12.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	122	0.0000%	100.0000%	0.0000%	272	0.0000%	
03.12.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	96	0.0000%	100.0000%	0.0000%	313	0.0000%	
04.12.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	104	0.0000%	100.0000%	0.0000%	322	0.0000%	
05.12.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	110	0.0000%	100.0000%	0.0000%	290	0.0000%	
06.12.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	116	0.0000%	100.0000%	0.0000%	283	0.0000%	
07.12.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	105	0.0000%	100.0000%	0.0000%	291	0.0000%	
08.12.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	99	0.0000%	100.0000%	0.0000%	281	0.0000%	
09.12.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	99	0.0000%	100.0000%	0.0000%	316	0.0000%	
10.12.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	106	0.0000%	100.0000%	0.0000%	282	0.0000%	
11.12.2023	100.0000%	0.0000%	2	1'722	0.0000%	0	-	0.0000%	100.0000%	0.0000%	94	0.0000%	100.0000%	0.0000%	298	0.0000%	
12.12.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	94	0.0000%	100.0000%	0.0000%	285	0.0000%	
13.12.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	95	0.0000%	100.0000%	0.0000%	293	0.0000%	
14.12.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	89	0.0000%	100.0000%	0.0000%	274	0.0000%	
15.12.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	96	0.0000%	100.0000%	0.0000%	270	0.0000%	
16.12.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	96	0.0000%	100.0000%	0.0000%	287	0.0000%	
17.12.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	99	0.0000%	100.0000%	0.0000%	282	0.0000%	
18.12.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	96	0.0000%	100.0000%	0.0000%	282	0.0000%	
19.12.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	91	0.0000%	100.0000%	0.0000%	285	0.0000%	
20.12.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	96	0.0000%	100.0000%	0.0000%	279	0.0000%	
21.12.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	105	0.0000%	100.0000%	0.0000%	277	0.0000%	
22.12.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	101	0.0000%	100.0000%	0.0000%	286	0.0000%	
23.12.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	104	0.0000%	100.0000%	0.0000%	273	0.0000%	
24.12.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	108	0.0000%	100.0000%	0.0000%	276	0.0000%	
25.12.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	99	0.0000%	100.0000%	0.0000%	277	0.0000%	
26.12.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	135	0.0000%	100.0000%	0.0000%	286	0.0000%	
27.12.2023	100.0000%	0.0000%	4	1'347	0.0000%	0	-	0.0000%	100.0000%	0.0000%	117	0.0000%	100.0000%	0.0000%	278	0.0000%	
28.12.2023	100.0000%	0.0000%	4	516	0.0000%	0	-	0.0000%	100.0000%	0.0000%	105	0.0000%	100.0000%	0.0000%	345	0.0000%	
29.12.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	99	0.0000%	100.0000%	0.0000%	276	0.0000%	
30.12.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	119	0.0000%	100.0000%	0.0000%	275	0.0000%	
31.12.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	110	0.0000%	100.0000%	0.0000%	282	0.0000%	
	100.0000%	0.0000%	10	116	0.0000%	0	-	0.0000%	100.0000%	0.0000%	104	0.0000%	100.0000%	0.0000%	287	0.0000%	