

Availability and performance daily statistics of dedicated interface and all PSU interfaces

January 1^{st} 2023 to December 31^{st} 2023



1 Daily statistics

1.44 January 1st to January $31^{\rm st}$

				4,000								Bank's PSU	interfaces			
Date				Dedicati	ed interface					Picto	et Connect			We	ealth App	
Date	AISP / CBPII	Availability		AISP Perform	тапсе		CBPII Perfor	mance	Availa	bility	Performa	nce	Availa	bility	Performa	nce
	Uptime	Downtime	#AISP Calls	Avg response time	Error response	#CBPII Calls	Avg response time	Error response	Uptime	Downtime	Avg response time	Error response	Uptime	Downtime	Avg response time	Error response
				(ms)	rate		(ms)	rate			(ms)	rate			(ms)	rate
01.01.2023	100,0000%	0,0000%	0	-	0,0000%	0		0,0000%	100,0000%	0,0000%	203		100,0000%	0,0000%	305	
02.01.2023	100,0000%	0,0000%	0	3	0,0000%	0		0,0000%	100,0000%	0,0000%	157	0,0000%	100,0000%	0,0000%	308	
03.01.2023	100,0000%	0,0000%	0	-	0,0000%	0		0,0000%	100,0000%	0,0000%	171		100,0000%	0,0000%	310	
04.01.2023	100,0000%	0,0000%	0	*	0,0000%	0		0,0000%	100,0000%	0,0000%	149		100,0000%	0,0000%	311	
05.01.2023	100,0000%	0,0000%	0	=	0,0000%	0	-	0,0000%	100,0000%	0,0000%	152		100,0000%	0,0000%	299	
06.01.2023	100,0000%	0,0000%	0	3	0,0000%	0		0,0000%	100,0000%	0,0000%	168		100,0000%	0,0000%	301	
07.01.2023	100,0000%	0,0000%	0		0,0000%	0		0,0000%	100,0000%	0,0000%	208		100,0000%	0,0000%	314	
08.01.2023	100,0000%	0,0000%	0	-	0,0000%	0		0,0000%	100,0000%	0,0000%	194	0,0000%	100,0000%	0,0000%	317	
09.01.2023	100,0000%	0,0000%	0	-	0,0000%	0	40	0,0000%	100,0000%	0,0000%	157	0,0000%	100,0000%	0,0000%	315	0,0000%
10.01.2023	100,0000%	0,0000%	0	3	0,0000%	0		0,0000%	100,0000%	0,0000%	192	0,0000%	100,0000%	0,0000%	303	0,0000%
11.01.2023	100,0000%	0,0000%	2	857	0,0000%	0		0,0000%	100,0000%	0,0000%	152		100,0000%	0,0000%	350	0,0000%
12.01.2023	100,0000%	0,0000%	0	-	0,0000%	0		0,0000%	100,0000%	0,0000%	153	0,0000%	100,0000%	0,0000%	312	0,0000%
13.01.2023	100,0000%	0.0000%	0	-	0,0000%	0	S .	0.0000%	100,0000%	0.0000%	173	0,0000%	100,0000%	0,0000%	309	0,0000%
14.01.2023	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	231		100,0000%	0,0000%	318	0,0000%
15.01.2023	100,0000%	0,0000%	0	2	0,0000%	0	-	0,0000%	100,0000%	0,0000%	216	0,0000%	100,0000%	0,0000%	309	0,0000%
16.01.2023	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	169	0,0000%	100,0000%	0,0000%	306	0,0000%
17.01.2023	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	148	0,0000%	100,0000%	0,0000%	326	0,0000%
18.01.2023	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	142	0,0000%	100,0000%	0,0000%	310	0,0000%
19.01.2023	100,0000%	0,0000%	0	_	0,0000%	0	-	0,0000%	100,0000%	0,0000%	164	0,0000%	100,0000%	0,0000%	387	0,0000%
20.01.2023	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	170	0,0000%	100,0000%	0,0000%	375	0,0000%
21.01.2023	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	230	0,0000%	100,0000%	0,0000%	310	0,0000%
22.01.2023	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	224	0,0000%	100,0000%	0,0000%	310	0,0000%
23.01.2023	100,0000%	0,0000%	0	2	0,0000%	0	-	0,0000%	100,0000%	0,0000%	156	0,0000%	100,0000%	0,0000%	306	0,0000%
24.01.2023	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0.0000%	157	0.0000%	100,0000%	0,0000%	303	0,0000%
25.01.2023	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0,0000%	157	0,0000%	100,0000%	0,0000%	322	0,0000%
26.01.2023	100.0000%	0.0000%	0	-	0.0000%	0	_	0.0000%	100,0000%	0.0000%	159	0.0000%	100.0000%	0.0000%	362	0.0000%
27.01.2023	100,0000%	0.0000%	0	_	0.0000%	0	_	0.0000%	100.0000%	0.0000%	177	0.0000%	100,0000%	0.0000%	473	0.0000%
28.01.2023	100,0000%	0,0000%	0	-	0,0000%	0	-	0,0000%	100,0000%	0.0000%	229		100,0000%	0.0000%	553	
29.01.2023	100.0000%	0.0000%	0	_	0.0000%	0	-	0.0000%	100,0000%	0.0000%	212		100.0000%	0.0000%	459	
30.01.2023	100.0000%	0.0000%	0	<u>-</u>	0.0000%	0	2	0.0000%	100,0000%	0.0000%	148	C. C	100.0000%	0,0000%	336	
31.01.2023	100,0000%	0.0000%	0	2	0.0000%	0	_	0.0000%	100,0000%	0.0000%	145		100,0000%	0.0000%	365	-,
	100,0000%	0,0000%	2	28		0		0,0000%	100,0000%	0,0000%	176		100,0000%	0,0000%	338	

1.45 February 1st to February 28th

				Bullion								Bank's PSU	interfaces			
Date				Dedicat	ed interface					Pict	et Connect			We	ealth App	
Date	AISP / CBPII	Availability		AISP Perfor	mance		CBPII Perfor	mance	Availa	bility	Performa	nce	Availa	bility	Performa	nce
	Uptime	Downtime	#AISP Calls	Avg response time (ms)	Error response rate	#CBPII Calls	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response
01.02.2023	100.0000%	0.0000%	0	(ma)	0.0000%	0	(1115)	0.0000%	100.0000%	0.0000%	135	0.0000%	100.0000%	0.0000%	457	
02.02.2023	100.0000%	0.0000%	0		0.0000%	0		0.0000%	100.0000%	0.0000%	147	0.0000%	100.0000%	0.0000%	418	
03.02.2023	100.0000%	0.0000%	0		0.0000%	0	2	0.0000%	100.0000%	0.0000%	166	0.0000%	100.0000%	0.0000%	423	
04.02.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	215	0.0000%	100.0000%	0.0000%	449	
05.02.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	200	0.0000%	100.0000%	0.0000%	365	
06.02.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	144	0.0000%	100.0000%	0.0000%	352	
07.02.2023	100.0000%	0.0000%	0	*	0.0000%	0		0.0000%	100.0000%	0.0000%	139	0.0000%	100.0000%	0.0000%	380	
08.02.2023	100.0000%	0.0000%	0	_	0.0000%	0	-	0.0000%	100.0000%	0.0000%	142	0.0000%	100.0000%	0.0000%	471	
09.02.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	131	0.0000%	100.0000%	0.0000%	422	
10.02.2023	100.0000%	0.0000%	0	-	0.0000%	0		0.0000%	100.0000%	0.0000%	165	0.0000%	100.0000%	0.0000%	436	
11.02.2023	100.0000%	0.0000%	0	-	0.0000%	0	12	0.0000%	100.0000%	0.0000%	208	0.0000%	100.0000%	0.0000%	399	
12.02.2023	100.0000%	0.0000%	0		0.0000%	0		0.0000%	100.0000%	0.0000%	186	0.0000%	100.0000%	0.0000%	362	
13.02.2023	100.0000%	0.0000%	0	-	0.0000%	0		0.0000%	100.0000%	0.0000%	145	0.0000%	100.0000%	0.0000%	407	
14.02.2023	100.0000%	0.0000%	0		0.0000%	0		0.0000%	100.0000%	0.0000%	136	0.0000%	100.0000%	0.0000%	481	
15.02.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	140	0.0000%	100.0000%	0.0000%	338	
16.02.2023	100.0000%	0.0000%	0	-	0.0000%	0		0.0000%	100.0000%	0.0000%	140	0.0000%	100.0000%	0.0000%	381	
17.02.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	154	0.0000%	100.0000%	0.0000%	379	0.0000%
18.02.2023	100.0000%	0.0000%	0		0.0000%	0		0.0000%	100.0000%	0.0000%	209	0.0000%	100.0000%	0.0000%	313	0.0000%
19.02.2023	100.0000%	0.0000%	0	4.	0.0000%	0	121	0.0000%	100.0000%	0.0000%	187	0.0000%	100.0000%	0.0000%	314	0.0000%
20.02.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	228	0.0000%	100.0000%	0.0000%	337	0.0000%
21.02.2023	100.0000%	0.0000%	0	*	0.0000%	0	12	0.0000%	99.9900%	0.0100%	144	0.0000%	100.0000%	0.0000%	382	0.0000%
22.02.2023	100.0000%	0.0000%	0	-	0.0000%	0		0.0000%	100.0000%	0.0000%	182	0.0000%	100.0000%	0.0000%	452	0.0000%
23.02.2023	100.0000%	0.0000%	2	1'968	0.0000%	0		0.0000%	99.9900%	0.0100%	138	0.0000%	100.0000%	0.0000%	833	0.0000%
24.02.2023	100.0000%	0.0000%	0	120	0.0000%	0	2	0.0000%	100.0000%	0.0000%	161	0.0000%	100.0000%	0.0000%	512	0.0000%
25.02.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	207	0.0000%	100.0000%	0.0000%	415	0.0000%
26.02.2023	100.0000%	0.0000%	0		0.0000%	0		0.0000%	100.0000%	0.0000%	187	0.0000%	100.0000%	0.0000%	466	0.0000%
27.02.2023	100.0000%	0.0000%	4	2'323	0.0000%	0	12	0.0000%	99.9200%	0.0800%	130	0.0000%	99.9400%	0.0600%	410	0.0000%
28.02.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	130	0.0000%	100.0000%	0.0000%	311	0.0000%
	100.0000%	0.0000%	6	153	0.0000%	0	-	0.0000%	99.9964%	0.0036%	164	0.0000%	99.9979%	0.0021%	417	0.0000%

1.46 March 1st to March 31st

	fi.			Bostonia				· ·			-	Bank's PSU	interfaces			
Date				Dedicate	ed interface					Picto	et Connect			We	ealth App	
Date	AISP / CBPII	Availability		AISP Perfori	mance		CBPII Perfor	mance	Availa	bility	Performar	nce	Availa	bility	Performa	nce
	Uptime	Downtime	#AISP Calls	Avg response time (ms)	Error response rate	#CBPII Calls	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate
01.03.2023	100.0000%	0.0000%	0		0.0000%	0		0.0000%	100.0000%	0.0000%	135	0.0000%	100.0000%	0.0000%	336	0.0000%
02.03.2023	100.0000%	0.0000%	0	*	0.0000%	0	1.61	0.0000%	100.0000%	0.0000%	138	0.0000%	100.0000%	0.0000%	427	0.0000%
03.03.2023	100.0000%	0.0000%	0	120	0.0000%	0	121	0.0000%	100.0000%	0.0000%	157	0.0000%	100.0000%	0.0000%	333	0.0000%
04.03.2023	100.0000%	0.0000%	0	-	0.0000%	0		0.0000%	100.0000%	0.0000%	206	0.0000%	100.0000%	0.0000%	473	0.0000%
05.03.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	175	0.0000%	100.0000%	0.0000%	361	0.0000%
06.03.2023	100.0000%	0.0000%	1	3'507	0.0000%	0	17.	0.0000%	100.0000%	0.0000%	137	0.0000%	100.0000%	0.0000%	436	0.0000%
07.03.2023	100.0000%	0.0000%	0		0.0000%	0	14	0.0000%	100.0000%	0.0000%	133	0.0000%	100.0000%	0.0000%	447	0.0000%
08.03.2023	100.0000%	0.0000%	0	2	0.0000%	0		0.0000%	100.0000%	0.0000%	141	0.0000%	100.0000%	0.0000%	450	0.0000%
09.03.2023	100.0000%	0.0000%	0		0.0000%	0	181	0.0000%	100.0000%	0.0000%	136	0.0000%	100.0000%	0.0000%	400	0.0000%
10.03.2023	100.0000%	0.0000%	0		0.0000%	0	1.0	0.0000%	100.0000%	0.0000%	151	0.0000%	100.0000%	0.0000%	415	0.0000%
11.03.2023	100.0000%	0.0000%	0	2	0.0000%	0	2	0.0000%	100.0000%	0.0000%	199	0.0000%	100.0000%	0.0000%	470	0.0000%
12.03.2023	100.0000%	0.0000%	0		0.0000%	0		0.0000%	100.0000%	0.0000%	205	0.0000%	100.0000%	0.0000%	431	0.0000%
13.03.2023	100.0000%	0.0000%	0		0.0000%	0	_	0.0000%	100.0000%	0.0000%	127	0.0000%	100.0000%	0.0000%	424	0.0000%
14.03.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	140	0.0000%	100.0000%	0.0000%	407	0.0000%
15.03.2023	100.0000%	0.0000%	0	_	0.0000%	0	-	0.0000%	100.0000%	0.0000%	250	0.0000%	100.0000%	0.0000%	327	0.0000%
16.03.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	138	0.0000%	100.0000%	0.0000%	307	0.0000%
17.03.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	152	0.0000%	100.0000%	0.0000%	295	0.0000%
18.03.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	207	0.0000%	100.0000%	0.0000%	273	0.0000%
19.03.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	189	0.0000%	100.0000%	0.0000%	276	0.0000%
20.03.2023	100.0000%	0.0000%		_	0.0000%	0	_	0.0000%	100.0000%	0.0000%	131	0.0000%	100.0000%	0.0000%	277	0.0000%
21.03.2023	100.0000%	0.0000%		-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	173	0.0000%	100.0000%	0.0000%	271	0.0000%
22.03.2023	100.0000%	0.0000%	0	_	0.0000%	0	-	0.0000%	100.0000%	0.0000%	133	0.0000%	100.0000%	0.0000%	266	0.0000%
23.03.2023	100.0000%	0.0000%	0		0.0000%	0	_	0.0000%	100.0000%	0.0000%	129	0.0000%	100.0000%	0.0000%	279	0.0000%
24.03.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	154	0.0000%	100.0000%	0.0000%	269	0.0000%
25.03.2023	100.0000%	0.0000%	0	_	0.0000%	0	-	0.0000%	100.0000%	0.0000%	203	0.0000%	100.0000%	0.0000%	285	0.0000%
26.03.2023	100.0000%	0.0000%	0	_	0.0000%	0	_	0.0000%	100.0000%	0.0000%	186	0.0000%	100.0000%	0.0000%	332	0.0000%
27.03.2023	100.0000%	0.0000%	0	_	0.0000%	0	_	0.0000%	100.0000%	0.0000%	128	0.0000%	100.0000%	0.0000%	277	0.0000%
28.03.2023	100.0000%	0.0000%	0		0.0000%	0	_	0.0000%	100.0000%	0.0000%	132	0.0000%	100.0000%	0.0000%	285	0.0000%
29.03.2023	100.0000%	0.0000%	0	_	0.0000%	0	_	0.0000%	100.0000%	0.0000%	129	0.0000%	100.0000%	0.0000%	307	0.0000%
30.03.2023	100.0000%	0.0000%			0.0000%	0	_	0.0000%	100.0000%	0.0000%	136	0.0000%	100.0000%	0.0000%	286	0.0000%
31.03.2023	100.0000%	0.0000%	0		0.0000%	0		0.0000%	100.0000%	0.0000%	146	0.0000%	100.0000%	0.0000%	296	0.0000%
01.00.2020	100.0000%	0.0000%	1	113		0	_	0.0000%	100.0000%	0.0000%	158	0.0000%	100.0000%	0.0000%	346	0.0000%
	100.0000 /6	0.0000 /6		113	0.0000 /6	U	-	0.0000/6	100.0000 /6	0.0000 /6	130	0.0000 /6	100.0000/6	0.0000 /6	340	0.0000 /6

1.47 April 1st to April 30th

	ì	- 6		Bostonie				*				Bank's PSU	interfaces			
Date				Dedicate	d interface					Pict	et Connect			W	ealth App	
Date	AISP / CBPII Availability Uptime Downtime #AIS		AISP Perform	палсе		CBPII Perfori	папсе	Availa	ability	Performa	nce	Availa	ibility	Performa	nce	
	Uptime	Downtime	#AISP Calls	Avg response time (ms)	Error response rate	#CBPII Calls	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate
01.04.2023	100.0000%	0.0000%	0		0.0000%	0	1.00	0.0000%	100.0000%	0.0000%	194	0.0000%	100.0000%	0.0000%	285	0.0000%
02.04.2023	100.0000%	0.0000%	0		0.0000%	0	1.00	0.0000%	100.0000%	0.0000%	177	0.0000%	100.0000%	0.0000%	318	0.0000%
03.04.2023	100.0000%	0.0000%	6	756	0.0000%	0	12	0.0000%	100.0000%	0.0000%	136	0.0000%	100.0000%	0.0000%	276	0.0000%
04.04.2023	100.0000%	0.0000%	0		0.0000%	0		0.0000%	100.0000%	0.0000%	128	0.0000%	100.0000%	0.0000%	273	0.0000%
05.04.2023	100.0000%	0.0000%	0		0.0000%	0	¥:	0.0000%	100.0000%	0.0000%	129	0.0000%	100.0000%	0.0000%	291	0.0000%
06.04.2023	100.0000%	0.0000%	0		0.0000%	0	171	0.0000%	100.0000%	0.0000%	146	0.0000%	100.0000%	0.0000%	299	0.0000%
07.04.2023	100.0000%	0.0000%	0		0.0000%	0		0.0000%	100.0000%	0.0000%	177	0.0000%	100.0000%	0.0000%	289	0.0000%
08.04.2023	100.0000%	0.0000%	0		0.0000%	0	1.2	0.0000%	100.0000%	0.0000%	206	0.0000%	100.0000%	0.0000%	305	0.0000%
09.04.2023	100.0000%	0.0000%	0		0.0000%	0	1.5	0.0000%	100.0000%	0.0000%	196	0.0000%	100.0000%	0.0000%	289	0.0000%
10.04.2023	100.0000%	0.0000%	0		0.0000%	0		0.0000%	100.0000%	0.0000%	144	0.0000%	100.0000%	0.0000%	281	0.0000%
11.04.2023	100.0000%	0.0000%	0		0.0000%	0	121	0.0000%	100.0000%	0.0000%	131	0.0000%	100.0000%	0.0000%	292	0.0000%
12.04.2023	100.0000%	0.0000%	0		0.0000%	0		0.0000%	100.0000%	0.0000%	132	0.0000%	100.0000%	0.0000%	276	0.0000%
13.04.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	133	0.0000%	100.0000%	0.0000%	281	0.0000%
14.04.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	145	0.0000%	100.0000%	0.0000%	287	0.0000%
15.04.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	203	0.0000%	100.0000%	0.0000%	295	0.0000%
16.04.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	183	0.0000%	100.0000%	0.0000%	286	0.0000%
17.04.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	132	0.0000%	100.0000%	0.0000%	277	0.0000%
18.04.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	137	0.0000%	100.0000%	0.0000%	288	0.0000%
19.04.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	135	0.0000%	100.0000%	0.0000%	316	0.0000%
20.04.2023	100.0000%	0.0000%	0		0.0000%	0		0.0000%	100.0000%	0.0000%	132	0.0000%	100.0000%	0.0000%	287	0.0000%
21.04.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	160	0.0000%	100.0000%	0.0000%	269	0.0000%
22.04.2023	100.0000%	0.0000%	0		0.0000%	0		0.0000%	100.0000%	0.0000%	213	0.0000%	100.0000%	0.0000%	281	0.0000%
23.04.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	195	0.0000%	100.0000%	0.0000%	291	0.0000%
24.04.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	141	0.0000%	100.0000%	0.0000%	270	0.0000%
25.04.2023	100.0000%	0.0000%	2	1'455	0.0000%	0		0.0000%	100.0000%	0.0000%	143	0.0000%	100.0000%	0.0000%	268	0.0000%
26.04.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	157	0.0000%	100.0000%	0.0000%	282	0.0000%
27.04.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	170	0.0000%	100.0000%	0.0000%	282	0.0000%
28.04.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	169		100.0000%	0.0000%	296	0.0000%
29.04.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	211		100.0000%	0.0000%	280	
30.04.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	205		100.0000%	0.0000%	286	
	100.0000%	0.0000%	8	1'106	0.0000%	0	7.	0.0000%	100.0000%	0.0000%	162	0.0000%	100.0000%	0.0000%	287	0.0000%

1.48 May 1st to May 31st

				Dodinal	ed interface							Bank's PSU	interfaces			
Date				Dedicati	ed interrace					Pict	et Connect			We	alth App	
Date	AISP / CBPII	Availability		AISP Perfor	nance		CBPII Perfori	mance	Availa	bility	Performa	nce	Availa	bility	Performa	nce
	Uptime	Downtime	#AISP Calls	Avg response time (ms)	Error response rate	#CBPII Calls	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate
01.05.2023	100.0000%	0.0000%	0		0.0000%	0		0.0000%	100.0000%	0.0000%	148	0.0000%	100.0000%	0.0000%	274	0.0000%
02.05.2023	100.0000%	0.0000%	0		0.0000%	0		0.0000%	100.0000%	0.0000%	147	0.0000%	100.0000%	0.0000%	311	0.0000%
03.05.2023	100.0000%	0.0000%	0		0.0000%	0	120	0.0000%	100.0000%	0.0000%	151	0.0000%	100.0000%	0.0000%	276	0.0000%
04.05.2023	100.0000%	0.0000%	0		0.0000%	0		0.0000%	100.0000%	0.0000%	154	0.0000%	100.0000%	0.0000%	273	0.0000%
05.05.2023	100.0000%	0.0000%	0		0.0000%	0		0.0000%	100.0000%	0.0000%	169	0.0000%	100.0000%	0.0000%	279	0.0000%
06.05.2023	100.0000%	0.0000%	0		0.0000%	0	12	0.0000%	100.0000%	0.0000%	194	0.0000%	100.0000%	0.0000%	634	0.0000%
07.05.2023	100.0000%	0.0000%	0		0.0000%	0		0.0000%	100.0000%	0.0000%	195	0.0000%	100.0000%	0.0000%	307	0.0000%
08.05.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	144	0.0000%	100.0000%	0.0000%	275	0.0000%
09.05.2023	100.0000%	0.0000%	2	1'288	0.0000%	0		0.0000%	100.0000%	0.0000%	142	0.0000%	100.0000%	0.0000%	274	0.0000%
10.05.2023	100.0000%	0.0000%	4	466	0.0000%	0		0.0000%	100.0000%	0.0000%	137	0.0000%	100.0000%	0.0000%	274	0.0000%
11.05.2023	100.0000%	0.0000%	0		0.0000%	0		0.0000%	100.0000%	0.0000%	150	0.0000%	100.0000%	0.0000%	275	0.0000%
12.05.2023	100.0000%	0.0000%	4	456		0		0.0000%	100.0000%	0.0000%	167	0.0000%	100.0000%	0.0000%	267	0.0000%
13.05.2023	100.0000%	0.0000%	0		0.0000%	0		0.0000%	100.0000%	0.0000%	216	0.0000%	100.0000%	0.0000%	278	0.0000%
14.05.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	199	0.0000%	100.0000%	0.0000%	323	0.0000%
15.05.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	158	0.0000%	100.0000%	0.0000%	275	0.0000%
16.05.2023	100.0000%	0.0000%	4	509	0.0000%	0	-	0.0000%	100.0000%	0.0000%	146	0.0000%	100.0000%	0.0000%	277	0.0000%
17.05.2023	100.0000%	0.0000%	2	703	0.0000%	0	-	0.0000%	100.0000%	0.0000%	151	0.0000%	100.0000%	0.0000%	322	0.0000%
18.05.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	147	0.0000%	100.0000%	0.0000%	299	0.0000%
19.05.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	161	0.0000%	100.0000%	0.0000%	271	0.0000%
20.05.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	218	0.0000%	100.0000%	0.0000%	278	0.0000%
21.05.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	202	0.0000%	100.0000%	0.0000%	279	0.0000%
22.05.2023	100.0000%	0.0000%	2	864	0.0000%	0	-	0.0000%	100.0000%	0.0000%	180	0.0000%	100.0000%	0.0000%	287	0.0000%
23.05.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	217	0.0000%	100.0000%	0.0000%	287	0.0000%
24.05.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	195	0.0000%	100.0000%	0.0000%	295	0.0000%
25.05.2023	100.0000%	0.0000%	2	1'313	0.0000%	0	-	0.0000%	100.0000%	0.0000%	199	0.0000%	100.0000%	0.0000%	305	0.0000%
26.05.2023	100.0000%	0.0000%	2	499	0.0000%	0	-	0.0000%	100.0000%	0.0000%	216	0.0000%	100.0000%	0.0000%	306	0.0000%
27.05.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	251	0.0000%	100.0000%	0.0000%	317	
28.05.2023	100.0000%	0.0000%	0		0.0000%	0	_	0.0000%	100.0000%	0.0000%	208	0.0000%	100.0000%	0.0000%	294	
29.05.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	166	0.0000%	100.0000%	0.0000%	317	
30.05.2023	100.0000%	0.0000%	2	485		0	_	0.0000%	100.0000%	0.0000%	145	0.0000%	100.0000%	0.0000%	288	
31.05.2023	100.0000%	0.0000%	12	480		0	_	0.0000%	100.0000%	0.0000%	141	0.0000%	100.0000%	0.0000%	288	
311111111111111111111111111111111111111	100.0000%	0.0000%	36	706		Ō	//=/	0.0000%	100.0000%	0.0000%	175	0.0000%	100.0000%	0.0000%	300	
	100.0000%	0.0000%	30	/00	0.0000%	U		0.0000%	100.0000%	0.0000%	1/3	0.0000%	100.0000%	0.0000%	300	0.0000%

1.49 June 1st to June 30th

				B. Carrier				100		Tie .		Bank's PSU	interfaces			
Date				Dedicate	d interface					Pict	et Connect			We	ealth App	j
Date	AISP / CBPII	Availability		AISP Perform	nance		CBPII Perfor	mance	Availa	bility	Performa	nce	Availa	bility	Performa	nce
	Uptime	Downtime	#AISP Calls	Avg response time	1.5	#CBPII Calls	Avg response time	Error response	Uptime	Downtime	Avg response time	100	Uptime	Downtime	Avg response time	Error response
01.00.0000	*************	0.00000/	- 10	(ms)	rate		(ms)	rate	100 00000/	0.00000/	(ms)	rate	100 00000/	0.00000/	(ms)	rate
01.06.2023	100.0000%	0.0000%	12	535	0.0000%	0	-	0.0000%	100.0000%	0.0000%	156		100.0000%	0.0000%	284	
02.06.2023	100.0000%	0.0000%	10	993	0.0000%	0	-	0.0000%	100.0000%	0.0000%	160		100.0000%	0.0000%	282	
03.06.2023	100.0000%	0.0000%	0		0.0000%	0	5	0.0000%	100.0000%	0.0000%	211	217.77.200	100.0000%	0.0000%	291	
04.06.2023	100.0000%	0.0000%	0		0.0000%	0	=	0.0000%	100.0000%	0.0000%	196		100.0000%	0.0000%	296	
05.06.2023	100.0000%	0.0000%	0		0.0000%		-	0.0000%	99.9999%	0.0001%	141		100.0000%	0.0000%	286	
06.06.2023	100.0000%	0.0000%	Ü		0.0000%	0	5	0.0000%	100.0000%	0.0000%	167		100.0000%	0.0000%	290	
07.06.2023	100.0000%	0.0000%	2	555		0	+	0.0000%	100.0000%	0.0000%	141		100.0000%	0.0000%	291	
08.06.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	148		100.0000%	0.0000%	279	
09.06.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	153		100.0000%	0.0000%	283	
10.06.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	250		100.0000%	0.0000%	292	
11.06,2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	201		100.0000%	0.0000%	293	
12.06.2023	100.0000%	0.0000%	0		0.0000%	0	+	0.0000%	100.0000%	0.0000%	142		100.0000%	0.0000%	292	
13.06.2023	100.0000%	0.0000%	2	586	0.0000%	0	-	0.0000%	100.0000%	0.0000%	152		100.0000%	0.0000%	315	
14.06.2023	100.0000%	0.0000%	4	534	0.0000%	0	-	0.0000%	100.0000%	0.0000%	149		100.0000%	0.0000%	290	
15.06.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	135		100.0000%	0.0000%	298	
16.06.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	149		100.0000%	0.0000%	294	
17.06.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	204		100.0000%	0.0000%	304	
18.06.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	194	0.0000%	100.0000%	0.0000%	304	0.0000%
19.06.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	143	0.0000%	100.0000%	0.0000%	299	0.0000%
20.06.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	138	0.0000%	100.0000%	0.0000%	306	0.0000%
21.06.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	133	0.0000%	100.0000%	0.0000%	302	0.0000%
22.06.2023	100.0000%	0.0000%	4	527	0.0000%	0	-	0.0000%	100.0000%	0.0000%	132	0.0000%	100.0000%	0.0000%	332	0.0000%
23.06.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	153	0.0000%	100.0000%	0.0000%	332	0.0000%
24.06.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	206	0.0000%	100.0000%	0.0000%	303	0.0000%
25.06.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	194	0.0000%	100.0000%	0.0000%	311	0.0000%
26.06.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	130	0.0000%	100.0000%	0.0000%	342	0.0000%
27.06.2023	100.0000%	0.0000%	0		0.0000%	0	_	0.0000%	100.0000%	0.0000%	125	0.0000%	100.0000%	0.0000%	307	0.0000%
28.06.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	139	0.0000%	100.0000%	0.0000%	291	0.0000%
29.06.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	105	0.0000%	100.0000%	0.0000%	281	0.0000%
30.06.2023	100.0000%	0.0000%	4	1'070	0.0000%	0	_	0.0000%	100.0000%	0.0000%	107	0.0000%	100.0000%	0.0000%	272	0.0000%
	100.0000%	0.0000%	38	686	0.0000%	0	-	0.0000%	100.0000%	0.0000%	158	0.0000%	100.0000%	0.0000%	298	0.0000%

1.50 July 1st to July 31st

			1	Padina	ed interface			100				Bank's PSU	interfaces			
Date				Dedicate	o interrace					Pict	et Connect			We	ealth App	j
Date	AISP / CBPII	Availability		AISP Perform	nance		CBPII Perfori	nance	Availa	bility	Performa	псе	Availa	bility	Performar	nce
	Uptime	Downtime	#AISP Calls	Avg response time (ms)	Error response rate	#CBPII Calls	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate
01.07.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	116	0.0000%	100.0000%	0.0000%	277	0.0000%
02.07.2023	100.0000%	0.0000%	0		0.0000%	0	2	0.0000%	100.0000%	0.0000%	116	0.0000%	100.0000%	0.0000%	306	0.0000%
03.07.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	103	0.0000%	100.0000%	0.0000%	267	0.0000%
04.07.2023	100.0000%	0.0000%	0		0.0000%	0	+	0.0000%	100.0000%	0.0000%	103	0.0000%	100.0000%	0.0000%	274	0.0000%
05.07.2023	100.0000%	0.0000%	0		0.0000%	0	2	0.0000%	100.0000%	0.0000%	102	0.0000%	100.0000%	0.0000%	272	0.0000%
06.07.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	107	0.0000%	100.0000%	0.0000%	273	0.0000%
07.07.2023	100.0000%	0.0000%	2	602	0.0000%	0	4:	0.0000%	100.0000%	0.0000%	106	0.0000%	100.0000%	0.0000%	278	0.0000%
08.07.2023	100.0000%	0.0000%	0		0.0000%	0	2	0.0000%	100.0000%	0.0000%	121	0.0000%	100.0000%	0.0000%	284	0.0000%
09.07.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	128	0.0000%	100.0000%	0.0000%	278	0.0000%
10.07.2023	100.0000%	0.0000%	0		0.0000%	0	+	0.0000%	100.0000%	0.0000%	146	0.0000%	100.0000%	0.0000%	276	0.0000%
11.07.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	159	0.0000%	100.0000%	0.0000%	274	0.0000%
12.07.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	304	0.0000%	100.0000%	0.0000%	269	0.0000%
13.07.2023	100.0000%	0.0000%	0		0.0000%	0	2	0.0000%	100.0000%	0.0000%	151	0.0000%	100.0000%	0.0000%	265	0.0000%
14.07.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	108	0.0000%	100.0000%	0.0000%	274	0.0000%
15.07.2023	100.0000%	0.0000%	0		0.0000%	0	2	0.0000%	100.0000%	0.0000%	121	0.0000%	99.9900%	0.0100%	275	0.0000%
16.07.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	118	0.0000%	100.0000%	0.0000%	275	0.0000%
17.07.2023	100.0000%	0.0000%	2	1'525	0.0000%	0	_	0.0000%	100.0000%	0.0000%	91	0.0000%	100.0000%	0.0000%	270	0.0000%
18.07.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	104	0.0000%	100.0000%	0.0000%	272	0.0000%
19.07.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	117	0.0000%	100.0000%	0.0000%	274	0.0000%
20.07.2023	100.0000%	0.0000%	0		0.0000%	0	2	0.0000%	100.0000%	0.0000%	106	0.0000%	100.0000%	0.0000%	281	0.0000%
21.07.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	98	0.0000%	100.0000%	0.0000%	293	0.0000%
22.07.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	131	0.0000%	100.0000%	0.0000%	277	0.0000%
23.07.2023	100.0000%	0.0000%	0		0.0000%	0	2	0.0000%	100.0000%	0.0000%	116	0.0000%	100.0000%	0.0000%	274	0.0000%
24.07.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	99	0.0000%	100.0000%	0.0000%	269	0.0000%
25.07.2023	100.0000%	0.0000%	0		0.0000%	0	_	0.0000%	100.0000%	0.0000%	118		100.0000%	0.0000%	268	0.0000%
26.07.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	110		100.0000%	0.0000%	268	0.0000%
27.07.2023	100.0000%	0.0000%	0		0.0000%	0	_	0.0000%	100.0000%	0.0000%	120		100.0000%	0.0000%	281	0.0000%
28.07.2023	100.0000%	0.0000%	0		0.0000%	0	_	0.0000%	100.0000%	0.0000%	80		100.0000%	0.0000%	274	
29.07.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	118		100.0000%	0.0000%	278	
30.07.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	126		100.0000%	0.0000%	278	
31.07.2023	100.0000%	0.0000%	0		0.0000%	0	_	0.0000%	100.0000%	0.0000%	85		100.0000%	0.0000%	281	0.0000%
	100.0000%	0.0000%	4	1'063	0.0000%	0	-	0.0000%	100.0000%	0.0000%	120		99.9997%	0.0003%	276	

1.51 August 1st to August 31st

	7.			Boston				*				Bank's PSU	interfaces			
Date				Dedicate	ed interface					Pict	et Connect			We	ealth App	
Date	AISP / CBPII.	Availability		AISP Perfori	mance		CBPII Perfor	mance	Availa	ability	Performa	nce	Availa	bility	Performa	nce
	Uptime	Downtime	#AISP Calls	Avg response time (ms)	Error response rate		Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate
01.08.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	91	0.0000%	100.0000%	0.0000%	282	0.0000%
02.08.2023	100.0000%	0.0000%	0	+	0.0000%	0	1.41	0.0000%	100.0000%	0.0000%	116	0.0000%	100.0000%	0.0000%	289	0.0000%
03.08.2023	100.0000%	0.0000%	0	42	0.0000%	0	121	0.0000%	100.0000%	0.0000%	105	0.0000%	100.0000%	0.0000%	276	0.0000%
04.08.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	107	0.0000%	100.0000%	0.0000%	279	0.0000%
05.08.2023	100.0000%	0.0000%	0	-	0.0000%	0		0.0000%	100.0000%	0.0000%	127	0.0000%	100.0000%	0.0000%	296	0.0000%
06.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	1.72	0.0000%	100.0000%	0.0000%	117	0.0000%	100.0000%	0.0000%	278	0.0000%
07.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	(-	0.0000%	100.0000%	0.0000%	87	0.0000%	100.0000%	0.0000%	278	0.0000%
08.08.2023	100.0000%	0.0000%	0		0.0000%	0	1.5	0.0000%	100.0000%	0.0000%	141	0.0000%	100.0000%	0.0000%	272	0.0000%
09.08.2023	100.0000%	0.0000%	0		0.0000%	0		0.0000%	100.0000%	0.0000%	104	0.0000%	100.0000%	0.0000%	274	0.0000%
10.08.2023	100.0000%	0.0000%	0	*:	0.0000%	0	1 41	0.0000%	100.0000%	0.0000%	119	0.0000%	100.0000%	0.0000%	276	0.0000%
11.08.2023	100.0000%	0.0000%	0	23	0.0000%	0	12	0.0000%	100.0000%	0.0000%	87	0.0000%	100.0000%	0.0000%	271	0.0000%
12.08.2023	100.0000%	0.0000%	0		0.0000%	0		0.0000%	100.0000%	0.0000%	139	0.0000%	100.0000%	0.0000%	279	0.0000%
13.08.2023	100.0000%	0.0000%	0	*	0.0000%	0	12	0.0000%	100.0000%	0.0000%	134	0.0000%	100.0000%	0.0000%	281	0.0000%
14.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	93	0.0000%	100.0000%	0.0000%	273	0.0000%
15.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	106	0.0000%	100.0000%	0.0000%	287	0.0000%
16.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	97	0.0000%	100.0000%	0.0000%	305	0.0000%
17.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	124	0.0000%	100.0000%	0.0000%	280	0.0000%
18.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	88	0.0000%	100.0000%	0.0000%	283	0.0000%
19.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	97	0.0000%	100.0000%	0.0000%	276	0.0000%
20.08.2023	100.0000%	0.0000%	0	_	0.0000%	0	12	0.0000%	98.9100%	1.0900%	144	0.0000%	100.0000%	0.0000%	285	0.0000%
21.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	131	0.0000%	100.0000%	0.0000%	279	0.0000%
22.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	88	0.0000%	100.0000%	0.0000%	275	0.0000%
23.08.2023	100.0000%	0.0000%	0		0.0000%	0		0.0000%	100.0000%	0.0000%	103	0.0000%	100.0000%	0.0000%	277	0.0000%
24.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	128	0.0000%	100.0000%	0.0000%	275	0.0000%
25.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	86	0.0000%	100.0000%	0.0000%	273	0.0000%
26.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	95	0.0000%	100.0000%	0.0000%	278	0.0000%
27.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	106	0.0000%	100.0000%	0.0000%	294	0.0000%
28.08.2023	100.0000%	0.0000%	0		0.0000%	0	_	0.0000%	100.0000%	0.0000%	93	0.0000%	100.0000%	0.0000%	285	0.0000%
29.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	138	0.0000%	100.0000%	0.0000%	281	0.0000%
30.08.2023	100.0000%	0.0000%	0	-	0.0000%	0	_	0.0000%	100.0000%	0.0000%	100		100.0000%	0.0000%	275	0.0000%
31.08.2023	100.0000%	0.0000%	0		0.0000%	0	<u>-</u>	0.0000%	100.0000%	0.0000%	131		100.0000%	0.0000%	276	0.0000%
	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9648%	0.0352%	110	0.0000%	100.0000%	0.0000%	280	0.0000%

1.52 September $1^{\rm st}$ to September $30^{\rm th}$

4.				Bostons	ed interface							Bank's PSU	interfaces			
Date				Dedicate	ed interrace					Pict	et Connect			We	ealth App	
Date				AISP Perform	nance		CBPII Perfor	mance	Availa	bility	Performa	nce	Availa	bility	Performa	nce
	Uptime	Downtime	#AISP Calls	Avg response time		#CBPII Calls		Error response	Uptime	Downtime	Avg response time	Error response	Uptime	Downtime		Error response
				(ms)	rate		(ms)	rate			(ms)	rate			(ms)	rate
01.09.2023	100.0000%	0.0000%	0		0.0000%	0		0.0000%	100.0000%	0.0000%	104		100.0000%	0.0000%	276	
02.09.2023	100.0000%	0.0000%	0		0.0000%	0		0.0000%	100.0000%	0.0000%	138		100.0000%	0.0000%	280	
03.09.2023	100.0000%	0.0000%	0		0.0000%	0		0.0000%	100.0000%	0.0000%	210		100.0000%	0.0000%	279	0.0000%
04.09.2023	100.0000%	0.0000%	0		0.0000%	0		0.0000%	100.0000%	0.0000%	102		100.0000%	0.0000%	276	0.0000%
05.09.2023	100.0000%	0.0000%	0		0.0000%	0		0.0000%	100.0000%	0.0000%	110		100.0000%	0.0000%	281	0.0000%
06.09.2023	100.0000%	0.0000%	0		0.0000%	0	-7.	0.0000%	100.0000%	0.0000%	103	0.0000%	100.0000%	0.0000%	288	0.0000%
07.09.2023	100.0000%	0.0000%	0		0.0000%	0	(*)	0.0000%	100.0000%	0.0000%	108	0.0000%	100.0000%	0.0000%	278	0.0000%
08.09.2023	100.0000%	0.0000%	0		0.0000%	0	1.2	0.0000%	100.0000%	0.0000%	111	0.0000%	100.0000%	0.0000%	281	0.0000%
09.09.2023	100.0000%	0.0000%	0		0.0000%	0	100	0.0000%	98.9200%	1.0800%	135	0.0000%	100.0000%	0.0000%	278	0.0000%
10.09.2023	100.0000%	0.0000%	.0		0.0000%	0	1.91	0.0000%	100.0000%	0.0000%	117	0.0000%	100.0000%	0.0000%	288	0.0000%
11.09.2023	100.0000%	0.0000%	0		0.0000%	0	121	0.0000%	100.0000%	0.0000%	106	0.0000%	100.0000%	0.0000%	291	0.0000%
12.09.2023	100.0000%	0.0000%	0		0.0000%	0	1.5	0.0000%	100.0000%	0.0000%	109	0.0000%	100.0000%	0.0000%	280	0.0000%
13.09.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	105	0.0000%	100.0000%	0.0000%	278	0.0000%
14.09.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	122	0.0000%	100.0000%	0.0000%	277	0.0000%
15.09.2023	100.0000%	0.0000%	2	1'561	0.0000%	0	-	0.0000%	100.0000%	0.0000%	118	0.0000%	100.0000%	0.0000%	278	0.0000%
16.09.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	190	0.0000%	100.0000%	0.0000%	276	0.0000%
17.09.2023	100.0000%	0.0000%	0		0.0000%	0		0.0000%	100.0000%	0.0000%	185	0.0000%	100.0000%	0.0000%	286	0.0000%
18.09.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	117	0.0000%	100.0000%	0.0000%	290	0.0000%
19.09.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	138	0.0000%	100.0000%	0.0000%	277	0.0000%
20.09.2023	100.0000%	0.0000%	0		0.0000%	0	. .	0.0000%	100.0000%	0.0000%	206	0.0000%	100.0000%	0.0000%	299	0.0000%
21.09.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	165	0.0000%	100.0000%	0.0000%	316	0.0000%
22.09.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	128		100.0000%	0.0000%	282	0.0000%
23.09.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	127		100.0000%	0.0000%	343	0.0000%
24.09.2023	100.0000%	0.0000%	0		0.0000%	0	_	0.0000%	100.0000%	0.0000%	120		100.0000%	0.0000%	282	0.0000%
25.09.2023	100.0000%	0.0000%	0		0.0000%	0	_	0.0000%	100.0000%	0.0000%	106		100.0000%	0.0000%	276	
26.09.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	108		100.0000%	0.0000%	273	0.0000%
27.09.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	104		100.0000%	0.0000%	278	0.0000%
28.09.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	106		100.0000%	0.0000%	271	0.0000%
29.09.2023	100.0000%	0.0000%	0		0.0000%	0	100 m	0.0000%	100.0000%	0.0000%	104		100.0000%	0.0000%	265	0.0000%
30.09.2023	100.0000%	0.0000%	0		0.0000%	0		0.0000%	100.0000%	0.0000%	121		100.0000%	0.0000%	304	0.0000%
03.55.2020	100.0000%	0.0000%	2	1'561	0.0000%	0	-	0.0000%	99.9640%	0.0360%	127		100.0000%	0.0000%	284	0.0000%

1.53 October 1st to October 31st

	i.			N								Bank's PSU	interfaces			
Date				Dedicate	ed interface					Pict	et Connect			We	ealth App	
Date	AISP / CBPII	Availability		AISP Perfor	mance		CBPII Perfori	mance	Availa	bility	Performa	nce	Availa	bility	Performa	nce
	Uptime	Downtime	#AISP Calls	Avg response time (ms)	Error response rate	#CBPII Calls	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate
01.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	116	0.0000%	100.0000%	0.0000%	319	0.0000%
02.10.2023	100.0000%	0.0000%	0	*	0.0000%	0		0.0000%	100.0000%	0.0000%	102	0.0000%	100.0000%	0.0000%	281	0.0000%
03.10.2023	100.0000%	0.0000%	0	21	0.0000%	0	12	0.0000%	100.0000%	0.0000%	122	0.0000%	100.0000%	0.0000%	274	0.0000%
04.10.2023	100.0000%	0.0000%	0		0.0000%	0	15	0.0000%	100.0000%	0.0000%	105	0.0000%	100.0000%	0.0000%	272	0.0000%
05.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	1 🛎	0.0000%	100.0000%	0.0000%	111	0.0000%	100.0000%	0.0000%	321	0.0000%
06.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	1.72	0.0000%	100.0000%	0.0000%	106	0.0000%	100.0000%	0.0000%	268	0.0000%
07.10.2023	100.0000%	0.0000%	0		0.0000%	0	(+ :	0.0000%	100.0000%	0.0000%	126	0.0000%	100.0000%	0.0000%	288	0.0000%
08.10.2023	100.0000%	0.0000%	0	120	0.0000%	0	1.2	0.0000%	100.0000%	0.0000%	124	0.0000%	100.0000%	0.0000%	276	0.0000%
09.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	100	0.0000%	100.0000%	0.0000%	114	0.0000%	100.0000%	0.0000%	283	0.0000%
10.10.2023	100.0000%	0.0000%	0		0.0000%	0		0.0000%	100.0000%	0.0000%	150	0.0000%	100.0000%	0.0000%	271	0.0000%
11.10.2023	100.0000%	0.0000%	0	20	0.0000%	0	12	0.0000%	100.0000%	0.0000%	91	0.0000%	100.0000%	0.0000%	270	0.0000%
12.10.2023	100.0000%	0.0000%	0	7.	0.0000%	0		0.0000%	100.0000%	0.0000%	97	0.0000%	100.0000%	0.0000%	276	0.0000%
13.10.2023	100.0000%	0.0000%	0		0.0000%	0	120	0.0000%	100.0000%	0.0000%	88	0.0000%	100.0000%	0.0000%	277	0.0000%
14.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	89	0.0000%	100.0000%	0.0000%	274	0.0000%
15.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	111	0.0000%	100.0000%	0.0000%	276	0.0000%
16.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	92	0.0000%	100.0000%	0.0000%	274	0.0000%
17.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	92	0.0000%	100.0000%	0.0000%	272	0.0000%
18.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	91	0.0000%	100.0000%	0.0000%	269	0.0000%
19.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	91	0.0000%	100.0000%	0.0000%	283	0.0000%
20.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	99	0.0000%	100.0000%	0.0000%	273	0.0000%
21.10.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	92	0.0000%	100.0000%	0.0000%	304	0.0000%
22.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	96	0.0000%	100.0000%	0.0000%	298	0.0000%
23.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	94	0.0000%	100.0000%	0.0000%	269	0.0000%
24.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	99.9900%	0.0100%	87	0.0000%	100.0000%	0.0000%	284	0.0000%
25.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	95	0.0000%	100.0000%	0.0000%	280	0.0000%
26.10.2023	100.0000%	0.0000%	0		0.0000%	0		0.0000%	100.0000%	0.0000%	96	0.0000%	100.0000%	0.0000%	278	0.0000%
27.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	94	0.0000%	100.0000%	0.0000%	299	0.0000%
28.10.2023	100.0000%	0.0000%	0	-	0.0000%	0	_	0.0000%	100.0000%	0.0000%	101		100.0000%	0.0000%	278	
29.10.2023	100.0000%	0.0000%	0	. 	0.0000%	0	_	0.0000%	100.0000%	0.0000%	100		100.0000%	0.0000%	273	
30.10.2023	100.0000%	0.0000%	0	_	0.0000%	0	_	0.0000%	100.0000%	0.0000%	89		100.0000%	0.0000%	283	
31.10.2023	100.0000%	0.0000%	0		0.0000%	0	_	0.0000%	100.0000%	0.0000%	101		100.0000%	0.0000%	275	
	100.0000%	0.0000%	Ö	-	0.0000%	Ō	-	0.0000%	99.9997%	0.0003%	102		100.0000%	0.0000%	281	0.0000%

1.54 November 1st to November 30th

				Bodtosa								Bank's PSU	interfaces			
Date				Dedicati	ed interface					Pict	et Connect			We	ealth App	
Date				AISP Perfor	mance		CBPII Perfor	mance	Availa	bility	Performa	nce	Availa	ability	Performa	ince
	Uptime	Downtime	#AISP Calls	Avg response time (ms)	Error response rate	#CBPII Calls	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate
01.11.2023	100.0000%	0.0000%	0	57.0	0.0000%	0	1.7	0.0000%	100.0000%	0.0000%	90	0.0000%	100.0000%	0.0000%	275	0.0000%
02.11.2023	100.0000%	0.0000%	0	-	0.0000%	0		0.0000%	100.0000%	0.0000%	98	0.0000%	100.0000%	0.0000%	278	0.0000%
03.11.2023	100.0000%	0.0000%	0	-	0.0000%	0		0.0000%	100.0000%	0.0000%	89	0.0000%	100.0000%	0.0000%	278	0.0000%
04.11.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	99	0.0000%	100.0000%	0.0000%	294	0.0000%
05.11.2023	100.0000%	0.0000%	0	+	0.0000%	0	141	0.0000%	100.0000%	0.0000%	87	0.0000%	100.0000%	0.0000%	333	0.0000%
06.11.2023	100.0000%	0.0000%	0		0.0000%	0	121	0.0000%	100.0000%	0.0000%	107	0.0000%	100.0000%	0.0000%	323	0.0000%
07.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	105	0.0000%	100.0000%	0.0000%	289	0.0000%
08.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	121	0.0000%	100.0000%	0.0000%	94	0.0000%	100.0000%	0.0000%	344	0.0000%
09.11.2023	100.0000%	0.0000%	0		0.0000%	0	17.	0.0000%	100.0000%	0.0000%	89	0.0000%	100.0000%	0.0000%	358	0.0000%
10.11.2023	100.0000%	0.0000%	0	-	0.0000%	0		0.0000%	100.0000%	0.0000%	95	0.0000%	100.0000%	0.0000%	287	0.0000%
11.11.2023	100.0000%	0.0000%	0		0.0000%	0		0.0000%	100.0000%	0.0000%	96	0.0000%	100.0000%	0.0000%	291	0.0000%
12.11.2023	100.0000%	0.0000%	0	-	0.0000%	0		0.0000%	100.0000%	0.0000%	110	0.0000%	100.0000%	0.0000%	282	0.0000%
13.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	112	0.0000%	100.0000%	0.0000%	278	0.0000%
14.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	108	0.0000%	100.0000%	0.0000%	283	0.0000%
15.11.2023	100.0000%	0.0000%	0	-	0.0000%	0		0.0000%	100.0000%	0.0000%	105	0.0000%	100.0000%	0.0000%	277	0.0000%
16.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	91	0.0000%	100.0000%	0.0000%	284	0.0000%
17.11.2023	100.0000%	0.0000%	0	_	0.0000%	0	-	0.0000%	100.0000%	0.0000%	96	0.0000%	100.0000%	0.0000%	278	0.0000%
18.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	89	0.0000%	100.0000%	0.0000%	367	0.0000%
19.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	107	0.0000%	100.0000%	0.0000%	282	0.0000%
20.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	102	0.0000%	100.0000%	0.0000%	271	0.0000%
21.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	95	0.0000%	100.0000%	0.0000%	278	0.0000%
22.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	86	0.0000%	100.0000%	0.0000%	291	0.0000%
23.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	90	0.0000%	100.0000%	0.0000%	274	0.0000%
24.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	89	0.0000%	100.0000%	0.0000%	282	0.0000%
25.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	121	0.0000%	100.0000%	0.0000%	281	0.0000%
26.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	113	0.0000%	100.0000%	0.0000%	283	0.0000%
27.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	101	0.0000%	100.0000%	0.0000%	288	0.0000%
28.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	89	0.0000%	100.0000%	0.0000%	279	0.0000%
29.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	111	0.0000%	100.0000%	0.0000%	304	0.0000%
30.11.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	142	0.0000%	100.0000%	0.0000%	283	0.0000%
	100.0000%	0.0000%	0	-	0.0000%	0	2	0.0000%	100.0000%	0.0000%	100	0.0000%	100.0000%	0.0000%	293	0.0000%

1.55 December 1st to December 31st

	fi.			Bostonia				· ·				Bank's PSU	interfaces			**
Date				Dedicate	ed interface					Picto	et Connect			We	ealth App	
Date	AISP / CBPII	Availability		AISP Perfori	nance		CBPII Perfor	mance	Availa	bility	Performan	ice	Availa	bility	Performa	nce
	Uptime	Downtime	#AISP Calls	Avg response time (ms)	Error response rate	#CBPII Calls	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate	Uptime	Downtime	Avg response time (ms)	Error response rate
01.12.2023	100.0000%	0.0000%	0	*	0.0000%	0		0.0000%	100.0000%	0.0000%	116	0.0000%	100.0000%	0.0000%	277	0.0000%
02.12.2023	100.0000%	0.0000%	0		0.0000%	0	1.61	0.0000%	100.0000%	0.0000%	122	0.0000%	100.0000%	0.0000%	272	0.0000%
03.12.2023	100.0000%	0.0000%	0	420	0.0000%	0	2	0.0000%	100.0000%	0.0000%	96	0.0000%	100.0000%	0.0000%	313	0.0000%
04.12.2023	100.0000%	0.0000%	0	-	0.0000%	0		0.0000%	100.0000%	0.0000%	104	0.0000%	100.0000%	0.0000%	322	0.0000%
05.12.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	110	0.0000%	100.0000%	0.0000%	290	0.0000%
06.12.2023	100.0000%	0.0000%	0		0.0000%	0	17.	0.0000%	100.0000%	0.0000%	116	0.0000%	100.0000%	0.0000%	283	0.0000%
07.12.2023	100.0000%	0.0000%	0		0.0000%	0	14	0.0000%	100.0000%	0.0000%	105	0.0000%	100.0000%	0.0000%	291	0.0000%
08.12.2023	100.0000%	0.0000%	0	2	0.0000%	0		0.0000%	100.0000%	0.0000%	99	0.0000%	100.0000%	0.0000%	281	0.0000%
09.12.2023	100.0000%	0.0000%	0	-	0.0000%	0	181	0.0000%	100.0000%	0.0000%	99	0.0000%	100.0000%	0.0000%	316	0.0000%
10.12.2023	100.0000%	0.0000%	0		0.0000%	0		0.0000%	100.0000%	0.0000%	106	0.0000%	100.0000%	0.0000%	282	0.0000%
11.12.2023	100.0000%	0.0000%	2	1'722	0.0000%	0	121	0.0000%	100.0000%	0.0000%	94	0.0000%	100.0000%	0.0000%	298	0.0000%
12.12.2023	100.0000%	0.0000%	0		0.0000%	0		0.0000%	100.0000%	0.0000%	94	0.0000%	100.0000%	0.0000%	285	0.0000%
13.12.2023	100.0000%	0.0000%	0	-	0.0000%	0	2	0.0000%	100.0000%	0.0000%	95	0.0000%	100.0000%	0.0000%	293	0.0000%
14.12.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	89	0.0000%	100.0000%	0.0000%	274	0.0000%
15.12.2023	100.0000%	0.0000%	0	_	0.0000%	0	-	0.0000%	100.0000%	0.0000%	96	0.0000%	100.0000%	0.0000%	270	0.0000%
16.12.2023	100.0000%	0.0000%	0		0.0000%	0	-	0.0000%	100.0000%	0.0000%	96	0.0000%	100.0000%	0.0000%	287	0.0000%
17.12.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	99	0.0000%	100.0000%	0.0000%	282	0.0000%
18.12.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	96	0.0000%	100.0000%	0.0000%	282	0.0000%
19.12.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	91	0.0000%	100.0000%	0.0000%	285	0.0000%
20.12.2023	100.0000%	0.0000%	0	_	0.0000%	0	_	0.0000%	100.0000%	0.0000%	96	0.0000%	100.0000%	0.0000%	279	0.0000%
21.12.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	105	0.0000%	100.0000%	0.0000%	277	0.0000%
22.12.2023	100.0000%	0.0000%	0	_	0.0000%	0	-	0.0000%	100.0000%	0.0000%	101	0.0000%	100.0000%	0.0000%	286	0.0000%
23.12.2023	100.0000%	0.0000%	0		0.0000%	0	_	0.0000%	100.0000%	0.0000%	104	0.0000%	100.0000%	0.0000%	273	0.0000%
24.12.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	108	0.0000%	100.0000%	0.0000%	276	0.0000%
25.12.2023	100.0000%	0.0000%	0	_	0.0000%	0	-	0.0000%	100.0000%	0.0000%	99	0.0000%	100.0000%	0.0000%	277	0.0000%
26.12.2023	100.0000%	0.0000%	0	-	0.0000%	0	-	0.0000%	100.0000%	0.0000%	135	0.0000%	100.0000%	0.0000%	286	0.0000%
27.12.2023	100.0000%	0.0000%	4	1'347	0.0000%	0	_	0.0000%	100.0000%	0.0000%	117	0.0000%	100.0000%	0.0000%	278	0.0000%
28.12.2023	100.0000%	0.0000%	4	516		0	_	0.0000%	100.0000%	0.0000%	105	0.0000%	100.0000%	0.0000%	345	0.0000%
29.12.2023	100.0000%	0.0000%	0	-	0.0000%	0	_	0.0000%	100.0000%	0.0000%	99	0.0000%	100.0000%	0.0000%	276	0.0000%
30.12.2023	100.0000%	0.0000%	0	_	0.0000%	0	_	0.0000%	100.0000%	0.0000%	119	0.0000%	100.0000%	0.0000%	275	0.0000%
31.12.2023	100.0000%	0.0000%	0		0.0000%	0		0.0000%	100.0000%	0.0000%	110	0.0000%	100.0000%	0.0000%	282	0.0000%
01.12.2023	100.0000%	0.0000%	10	116		0	_	0.0000%	100.0000%	0.0000%	104	0.0000%	100.0000%	0.0000%	287	0.0000%
	100.0000 /6	0.0000 /6	10	110	0.0000 /6	U	-	0.0000/6	100.0000/6	0.0000 /6	104	0.0000/6	100.0000/6	0.0000 /6	201	0.0000 /6