
Availability and performance daily statistics of dedicated interface and all PSU interfaces

January 1st 2026 to March 31st 2026



1 Daily statistics

1.80 January 1st to January 31st

| Date | Dedicated interface | | | | | | Bank's PSU interfaces | | | | | | | | | |
|------------|---------------------------|----------------|-------------|------------------------|----------------|--------------|------------------------|----------------|------------------------|----------------|-------------|----------------|------------------------|----------------|-------------|----------------|
| | AISP / CBPII Availability | | #AISP Calls | AISP Performance | | #CBPII Calls | CBPII Performance | | Pictet Connect | | | | Wealth App | | | |
| | Uptime | Downtime | | Avg response time (ms) | Error response | | Avg response time (ms) | Error response | Availability | | Performance | | Availability | | Performance | |
| | | | | | | | Uptime | Downtime | Avg response time (ms) | Error response | Uptime | Downtime | Avg response time (ms) | Error response | | |
| 02.01.2026 | 100.0000% | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 100.0000% | 0.0000% | 117 | 0.0000% | 100.0000% | 0.0000% | 249 | 0.0000% |
| 03.01.2026 | 100.0000% | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 100.0000% | 0.0000% | 121 | 0.0000% | 100.0000% | 0.0000% | 236 | 0.0000% |
| 04.01.2026 | 100.0000% | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 100.0000% | 0.0000% | 125 | 0.0000% | 100.0000% | 0.0000% | 235 | 0.0000% |
| 05.01.2026 | 100.0000% | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 99.9919% | 0.0081% | 158 | 0.0000% | 100.0000% | 0.0000% | 250 | 0.0000% |
| 06.01.2026 | 100.0000% | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 100.0000% | 0.0000% | 124 | 0.0000% | 100.0000% | 0.0000% | 318 | 0.0000% |
| 07.01.2026 | 100.0000% | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 100.0000% | 0.0000% | 117 | 0.0000% | 100.0000% | 0.0000% | 237 | 0.0000% |
| 08.01.2026 | 100.0000% | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 100.0000% | 0.0000% | 123 | 0.0000% | 100.0000% | 0.0000% | 246 | 0.0000% |
| 09.01.2026 | 100.0000% | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 100.0000% | 0.0000% | 123 | 0.0000% | 100.0000% | 0.0000% | 273 | 0.0000% |
| 10.01.2026 | 100.0000% | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 100.0000% | 0.0000% | 129 | 0.0000% | 100.0000% | 0.0000% | 244 | 0.0000% |
| 11.01.2026 | 100.0000% | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 100.0000% | 0.0000% | 124 | 0.0000% | 100.0000% | 0.0000% | 241 | 0.0000% |
| 12.01.2026 | 100.0000% | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 100.0000% | 0.0000% | 121 | 0.0000% | 100.0000% | 0.0000% | 270 | 0.0000% |
| 13.01.2026 | 100.0000% | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 100.0000% | 0.0000% | 124 | 0.0000% | 100.0000% | 0.0000% | 274 | 0.0000% |
| 14.01.2026 | 100.0000% | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 100.0000% | 0.0000% | 121 | 0.0000% | 100.0000% | 0.0000% | 274 | 0.0000% |
| 15.01.2026 | 100.0000% | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 100.0000% | 0.0000% | 120 | 0.0000% | 100.0000% | 0.0000% | 307 | 0.0000% |
| 16.01.2026 | 100.0000% | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 100.0000% | 0.0000% | 118 | 0.0000% | 100.0000% | 0.0000% | 224 | 0.0000% |
| 17.01.2026 | 100.0000% | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 100.0000% | 0.0000% | 121 | 0.0000% | 100.0000% | 0.0000% | 253 | 0.0000% |
| 18.01.2026 | 100.0000% | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 100.0000% | 0.0000% | 123 | 0.0000% | 100.0000% | 0.0000% | 344 | 0.0000% |
| 19.01.2026 | 100.0000% | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 100.0000% | 0.0000% | 119 | 0.0000% | 100.0000% | 0.0000% | 254 | 0.0000% |
| 20.01.2026 | 100.0000% | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 100.0000% | 0.0000% | 114 | 0.0000% | 100.0000% | 0.0000% | 266 | 0.0000% |
| 21.01.2026 | 100.0000% | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 100.0000% | 0.0000% | 122 | 0.0000% | 100.0000% | 0.0000% | 368 | 0.0000% |
| 22.01.2026 | 100.0000% | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 100.0000% | 0.0000% | 117 | 0.0000% | 100.0000% | 0.0000% | 240 | 0.0000% |
| 23.01.2026 | 100.0000% | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 100.0000% | 0.0000% | 118 | 0.0000% | 100.0000% | 0.0000% | 239 | 0.0000% |
| 24.01.2026 | 100.0000% | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 100.0000% | 0.0000% | 124 | 0.0000% | 100.0000% | 0.0000% | 230 | 0.0000% |
| 25.01.2026 | 100.0000% | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 100.0000% | 0.0000% | 123 | 0.0000% | 100.0000% | 0.0000% | 380 | 0.0000% |
| 26.01.2026 | 100.0000% | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 100.0000% | 0.0000% | 116 | 0.0000% | 100.0000% | 0.0000% | 285 | 0.0000% |
| 27.01.2026 | 100.0000% | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 99.9981% | 0.0019% | 115 | 0.0000% | 100.0000% | 0.0000% | 233 | 0.0000% |
| 28.01.2026 | 100.0000% | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 100.0000% | 0.0000% | 121 | 0.0000% | 100.0000% | 0.0000% | 306 | 0.0000% |
| 29.01.2026 | 100.0000% | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 100.0000% | 0.0000% | 126 | 0.0000% | 100.0000% | 0.0000% | 255 | 0.0000% |
| 30.01.2026 | 100.0000% | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 100.0000% | 0.0000% | 131 | 0.0000% | 100.0000% | 0.0000% | 366 | 0.0000% |
| 31.01.2026 | 100.0000% | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 100.0000% | 0.0000% | 135 | 0.0000% | 100.0000% | 0.0000% | 319 | 0.0000% |
| | 100.0000% | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 99.9997% | 0.0003% | 123 | 0.0000% | 100.0000% | 0.0000% | 273 | 0.0000% |

1.81 February 1st to February 28th

| Date | Dedicated interface | | | | | | | Bank's PSU interfaces | | | | | | | | |
|------------|--------------------------|----------------|---------------------------|-------------------|--------------|---------------------------|-------------------|-----------------------|----------------|---------------------------|-------------------|-----------------|----------------|---------------------------|-------------------|--|
| | Availability Downtime | #AISP Calls | AISP Performance | | | CBPII Performance | | | Pictet Connect | | | | Wealth App | | | |
| | | | Avg response time (ms) | Error response | #CBPII Calls | Avg response time (ms) | Error response | Availability | | Performance | | Availability | | Performance | | |
| | | | | | | | | Uptime | Downtime | Avg response time (ms) | Error response | Uptime | Downtime | Avg response time (ms) | Error response | |
| 01.02.2026 | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 100.0000% | 0.0000% | 124 | 0.0000% | 100.0000% | 0.0000% | 249 | 0.0000% | |
| 02.02.2026 | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 100.0000% | 0.0000% | 174 | 0.0000% | 100.0000% | 0.0000% | 233 | 0.0000% | |
| 03.02.2026 | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 99.9981% | 0.0019% | 121 | 0.0000% | 100.0000% | 0.0000% | 237 | 0.0000% | |
| 04.02.2026 | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 99.9925% | 0.0075% | 122 | 0.0000% | 100.0000% | 0.0000% | 240 | 0.0000% | |
| 05.02.2026 | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 100.0000% | 0.0000% | 123 | 0.0000% | 100.0000% | 0.0000% | 273 | 0.0000% | |
| 06.02.2026 | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 100.0000% | 0.0000% | 124 | 0.0000% | 100.0000% | 0.0000% | 538 | 0.0000% | |
| 07.02.2026 | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 100.0000% | 0.0000% | 128 | 0.0000% | 100.0000% | 0.0000% | 241 | 0.0000% | |
| 08.02.2026 | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 99.9787% | 0.0213% | 130 | 0.0000% | 99.9700% | 0.0300% | 273 | 0.0000% | |
| 09.02.2026 | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 100.0000% | 0.0000% | 126 | 0.0000% | 100.0000% | 0.0000% | 294 | 0.0000% | |
| 10.02.2026 | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 100.0000% | 0.0000% | 130 | 0.0000% | 100.0000% | 0.0000% | 343 | 0.0000% | |
| 11.02.2026 | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 100.0000% | 0.0000% | 125 | 0.0000% | 100.0000% | 0.0000% | 255 | 0.0000% | |
| 12.02.2026 | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 99.9980% | 0.0020% | 132 | 0.0000% | 100.0000% | 0.0000% | 256 | 0.0000% | |
| 13.02.2026 | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 100.0000% | 0.0000% | 122 | 0.0000% | 100.0000% | 0.0000% | 251 | 0.0000% | |
| 14.02.2026 | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 100.0000% | 0.0000% | 123 | 0.0000% | 100.0000% | 0.0000% | 257 | 0.0000% | |
| 15.02.2026 | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 100.0000% | 0.0000% | 123 | 0.0000% | 100.0000% | 0.0000% | 254 | 0.0000% | |
| 16.02.2026 | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 99.9981% | 0.0019% | 127 | 0.0000% | 100.0000% | 0.0000% | 321 | 0.0000% | |
| 17.02.2026 | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 100.0000% | 0.0000% | 125 | 0.0000% | 100.0000% | 0.0000% | 646 | 0.0000% | |
| 18.02.2026 | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 100.0000% | 0.0000% | 131 | 0.0000% | 100.0000% | 0.0000% | 228 | 0.0000% | |
| 19.02.2026 | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 100.0000% | 0.0000% | 135 | 0.0000% | 100.0000% | 0.0000% | 325 | 0.0000% | |
| 20.02.2026 | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 100.0000% | 0.0000% | 122 | 0.0000% | 100.0000% | 0.0000% | 244 | 0.0000% | |
| 21.02.2026 | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 100.0000% | 0.0000% | 195 | 0.0000% | 100.0000% | 0.0000% | 236 | 0.0000% | |
| 22.02.2026 | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 100.0000% | 0.0000% | 125 | 0.0000% | 100.0000% | 0.0000% | 261 | 0.0000% | |
| 23.02.2026 | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 100.0000% | 0.0000% | 119 | 0.0000% | 100.0000% | 0.0000% | 234 | 0.0000% | |
| 24.02.2026 | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 100.0000% | 0.0000% | 146 | 0.0000% | 100.0000% | 0.0000% | 237 | 0.0000% | |
| 25.02.2026 | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 100.0000% | 0.0000% | 125 | 0.0000% | 100.0000% | 0.0000% | 250 | 0.0000% | |
| 26.02.2026 | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 99.9847% | 0.0153% | 190 | 0.0000% | 100.0000% | 0.0000% | 279 | 0.0000% | |
| 27.02.2026 | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 100.0000% | 0.0000% | 125 | 0.0000% | 100.0000% | 0.0000% | 246 | 0.0000% | |
| 28.02.2026 | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 100.0000% | 0.0000% | 124 | 0.0000% | 100.0000% | 0.0000% | 249 | 0.0000% | |
| | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 99.9982% | 0.0018% | 133 | 0.0000% | 99.9989% | 0.0011% | 284 | 0.0000% | |

1.82 March 1st to March 31st

| Date | Dedicated interface | | | | | | | | | Bank's PSU interfaces | | | | | | | |
|------------|---------------------------|----------------|-------------|------------------------|----------------|--------------|------------------------|----------------|-----------------|-----------------------|------------------------|----------------|------------------|----------------|------------------------|----------------|--|
| | AISP / CBPII Availability | | #AISP Calls | AISP Performance | | | CBPII Performance | | | Pictet Connect | | | | Wealth App | | | |
| | Uptime | Downtime | | Avg response time (ms) | Error response | #CBPII Calls | Avg response time (ms) | Error response | Availability | | Performance | | Availability | | Performance | | |
| | | | | | | | | | Uptime | Downtime | Avg response time (ms) | Error response | Uptime | Downtime | Avg response time (ms) | Error response | |
| 01.03.2026 | 100.0000% | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 100.0000% | 0.0000% | 129 | 0.0000% | 100.0000% | 0.0000% | 274 | 0.0000% | |
| 02.03.2026 | 100.0000% | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 100.0000% | 0.0000% | 121 | 0.0000% | 100.0000% | 0.0000% | 449 | 0.0000% | |
| 03.03.2026 | 100.0000% | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 100.0000% | 0.0000% | 123 | 0.0000% | 100.0000% | 0.0000% | 258 | 0.0000% | |
| 04.03.2026 | 100.0000% | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 100.0000% | 0.0000% | 125 | 0.0000% | 100.0000% | 0.0000% | 231 | 0.0000% | |
| 05.03.2026 | 100.0000% | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 100.0000% | 0.0000% | 129 | 0.0000% | 100.0000% | 0.0000% | 269 | 0.0000% | |
| 06.03.2026 | 100.0000% | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 100.0000% | 0.0000% | 128 | 0.0000% | 100.0000% | 0.0000% | 235 | 0.0000% | |
| 07.03.2026 | 100.0000% | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 100.0000% | 0.0000% | 134 | 0.0000% | 100.0000% | 0.0000% | 274 | 0.0000% | |
| 08.03.2026 | 100.0000% | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 100.0000% | 0.0000% | 126 | 0.0000% | 100.0000% | 0.0000% | 255 | 0.0000% | |
| 09.03.2026 | 100.0000% | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 99.9769% | 0.0231% | 152 | 0.0000% | 100.0000% | 0.0000% | 233 | 0.0000% | |
| 10.03.2026 | 100.0000% | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 99.9845% | 0.0155% | 144 | 0.0000% | 100.0000% | 0.0000% | 251 | 0.0000% | |
| 11.03.2026 | 100.0000% | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 100.0000% | 0.0000% | 197 | 0.0000% | 100.0000% | 0.0000% | 329 | 0.0000% | |
| 12.03.2026 | 100.0000% | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 100.0000% | 0.0000% | 141 | 0.0000% | 100.0000% | 0.0000% | 341 | 0.0000% | |
| 13.03.2026 | 100.0000% | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 100.0000% | 0.0000% | 128 | 0.0000% | 100.0000% | 0.0000% | 303 | 0.0000% | |
| 14.03.2026 | 100.0000% | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 100.0000% | 0.0000% | 138 | 0.0000% | 100.0000% | 0.0000% | 334 | 0.0000% | |
| 15.03.2026 | 100.0000% | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 100.0000% | 0.0000% | 130 | 0.0000% | 100.0000% | 0.0000% | 246 | 0.0000% | |
| 16.03.2026 | 100.0000% | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 100.0000% | 0.0000% | 123 | 0.0000% | 100.0000% | 0.0000% | 300 | 0.0000% | |
| 17.03.2026 | 100.0000% | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 100.0000% | 0.0000% | 160 | 0.0000% | 100.0000% | 0.0000% | 407 | 0.0000% | |
| 18.03.2026 | 100.0000% | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 99.9831% | 0.0169% | 157 | 0.0000% | 100.0000% | 0.0000% | 519 | 0.0000% | |
| 19.03.2026 | 100.0000% | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 99.9983% | 0.0017% | 122 | 0.0000% | 100.0000% | 0.0000% | 280 | 0.0000% | |
| 20.03.2026 | 100.0000% | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 100.0000% | 0.0000% | 122 | 0.0000% | 100.0000% | 0.0000% | 284 | 0.0000% | |
| 21.03.2026 | 100.0000% | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 100.0000% | 0.0000% | 129 | 0.0000% | 100.0000% | 0.0000% | 399 | 0.0000% | |
| 22.03.2026 | 100.0000% | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 100.0000% | 0.0000% | 130 | 0.0000% | 100.0000% | 0.0000% | 238 | 0.0000% | |
| 23.03.2026 | 100.0000% | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 100.0000% | 0.0000% | 134 | 0.0000% | 100.0000% | 0.0000% | 296 | 0.0000% | |
| 24.03.2026 | 100.0000% | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 99.9985% | 0.0015% | 117 | 0.0000% | 100.0000% | 0.0000% | 281 | 0.0000% | |
| 25.03.2026 | 100.0000% | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 99.9986% | 0.0014% | 125 | 0.0000% | 100.0000% | 0.0000% | 269 | 0.0000% | |
| 26.03.2026 | 100.0000% | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 100.0000% | 0.0000% | 151 | 0.0000% | 100.0000% | 0.0000% | 317 | 0.0000% | |
| 27.03.2026 | 100.0000% | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 100.0000% | 0.0000% | 147 | 0.0000% | 100.0000% | 0.0000% | 247 | 0.0000% | |
| 28.03.2026 | 100.0000% | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 100.0000% | 0.0000% | 126 | 0.0000% | 100.0000% | 0.0000% | 248 | 0.0000% | |
| 29.03.2026 | 100.0000% | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 100.0000% | 0.0000% | 123 | 0.0000% | 100.0000% | 0.0000% | 261 | 0.0000% | |
| 30.03.2026 | 100.0000% | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 100.0000% | 0.0000% | 135 | 0.0000% | 100.0000% | 0.0000% | 241 | 0.0000% | |
| 31.03.2026 | 100.0000% | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 100.0000% | 0.0000% | 128 | 0.0000% | 100.0000% | 0.0000% | 250 | 0.0000% | |
| | 100.0000% | 0.0000% | 0 | - | 0.0000% | 0 | - | 0.0000% | 99.9981% | 0.0019% | 135 | 0.0000% | 100.0000% | 0.0000% | 294 | 0.0000% | |